
# PREVENTIVE CARE GUIDE



#### **PURPOSE OF THIS GUIDE**

We created this guide to help you understand your plan's zero-cost preventive care benefit. This guide explains:

- Preventive care available at no cost to you; and
- Billing information your provider may need to report your preventive care.

Some of the language found within this guide is technical. We hope that by providing you with the types of care covered by your preventive benefit, you will be able to get the most from your plan. We also hope this will be a useful tool for your providers.

#### **RECOMMENDATIONS FOR PREVENTIVE CARE BENEFITS**

The Affordable Care Act and Vermont state mandates define your plan's zero-cost preventive benefit. Your preventive services are eligible at no cost to you when they align with the recommendations of four expert medical and scientific bodies:

- The United States Preventive Services Task Force (USPSTF) list of A- or B-rated services;
- The Advisory Committee on Immunization Practices (ACIP);
- The Health Resources and Services Administration's (HRSA) infant, children and adolescent preventive services guidelines; and
- The Health Resources and Services Administration's (HRSA) women's preventive services guidelines.

The experts listed above provide guidance and research to determine the most effective care for national population health. This means that your plan covers services that most of the public needs at no cost to you. We also include Vermont state mandates, as required.

Some services require prior approval. You may review our prior approval requirements online at <a href="https://www.bluecrossvt.org/providers/prior-approval-authorization.">https://www.bluecrossvt.org/providers/prior-approval-authorization.</a>

#### FOR MEMBERS

When the care you receive care falls outside of the zero-cost preventive definition listed above and the services and codes outlined in this document, you may pay cost-share (such as deductible, co-insurance, or co-payments) like you would for any other service.

#### **FOR PROVIDERS**

ICD-10-CM Codes in **bold** denote codes that, according to proper coding convention within the International Classification of Diseases, may only be reported as the principal/first-listed diagnosis. Please see your ICD-10-CM manual for clarification and additional instructions. Procedure codes listed may come from Current Procedural Terminology (CPT®) or Healthcare Common Procedure Coding System (HCPCS). Diagnosis codes indicated are from the 10<sup>th</sup> edition of the International Classification of Diseases (ICD-10-CM).

Current Procedural Terminology (CPT®) or Healthcare Common Procedure Coding System

(HCPCS) codes in **bold** are combination vaccines containing at least two toxoids. All vaccines listed are eliqible with no diagnosis code requirements.

Claim editing logic applies and supersedes all coding provided in this document.

#### **HAVE QUESTIONS?**

Call our customer service team at the number on the back of your ID card. We are here to help!

TABLE OF CONTENTS	
CHILDREN AND ADOLESCENTS FROM BIRTH TO AGE 17	3
General Screenings and Tests	3
Vaccines and Immunizations	12
Medications and Supplements	16
ADULTS AGE 18 AND OLDER	17
General Screenings and Tests	17
Vaccines and Immunizations	29
Medications and Supplements	31
PRE-NATAL CARE AND FAMILY PLANNING FOR PERSONS OF CHILD-BEARING CAPACITY OF ALL AGES	
General Screenings and Tests	33
Vaccines, Contraceptives, and Supplements	42
Fetal Health Diagnoses	45
REVISIONS AND UPDATES	48

#### **CHILDREN AND ADOLESCENTS FROM BIRTH TO AGE 17**

#### **General Screenings and Tests**

Administrative Note: If a preventive lab requires a blood draw for specimen collection, the blood draw (CPT® code 36415 or 36416) is also eligible at no cost to the member.

	Birth	12 Months	18 Months	2 to 4 Years	5 to 10 Years	11 to 14 Years	15 to 17 Years
Alcohol Misuse Screening and Behavioral Counseling Interventions							
Procedure Codes: 96160, 99408, 99409, G0442, G0443, G2011						In a primary	care setting
Diagnosis Codes any eligible diagnosis							
Anemia Screening							
Procedure Codes: 85013, 85014, 85018, 85025, 85027							
Diagnosis Codes: <b>Z00.121, Z00.129</b>							
Behavioral Assessment							
This service is included in the coding for a preventive medicine exam.							
Blood Pressure Screening							
This service is included in the coding for a preventive medicine exam.							

	Birth	12 Months	18 Months	2 to 4 Years	5 to 10 Years	11 to 14 Years	15 to 17 Years
Cervical Cancer Screening and Human Papillomavirus (HPV) Testing							
Procedure Codes: 87623, 87624, 87625, 87626, 88141, 88142, 88143, 88147, 88148, 88150, 88152, 88153, 88154, 88155, 88164, 88165, 88166, 88167, 88174, 88175, G0101, G0123, G0124, G0141, G0143, G0144, G0145, G0147, G0148, G0476*, P3000, P3001, Q0091							
Diagnosis Codes: <b>Z01.411, Z01.419, Z01.42</b> , Z11.51, Z12.4, Z30.011, Z30.012, Z30.013, Z30.014, Z30.015, Z30.016, Z30.017, Z30.018, Z30.019, Z30.02, Z30.09, Z30.430, Z30.432, Z30.433, Z30.2, Z30.8, Z30.40, Z30.41, Z30.431, Z30.42, Z30.44, Z30.45, Z30.46, Z30.49, Z30.8, Z30.9							
*also eligible with Z11.3 and Z12.72							
Chlamydia Screening							
Procedure Codes: 86631, 86632, 87110, 87270, 87490, 87491, 87800							
Diagnosis Codes: <b>Z00.121, Z00.129, Z01.411, Z01.419, Z01.42</b> , Z11.3, Z11.4, Z11.8, Z12.4, Z12.72, Z20.2, Z20.6, Z29.81, Z30.011, Z30.012, Z30.013, Z30.014, Z30.015, Z30.016, Z30.017, Z30.018, Z30.019, Z30.02, Z30.09, Z30.430, Z30.432, Z30.433, Z30.2, Z30.8, Z30.40, Z30.41, Z30.431, Z30.42, Z30.44, Z30.45, Z30.46, Z30.49, Z30.8, Z30.9, Z72.51, Z72.52, Z72.53							
Congenital Hypothyroidism							
Procedure Codes: 84436, 84437, 84439, 84443	Newborns						
Diagnosis Codes: <b>Z00.110</b> , <b>Z00.111</b> , <b>Z00.121</b> , <b>Z00.129</b> , Z13.29							

	Birth	12 Months	18 Months	2 to 4 Years	5 to 10 Years	11 to 14 Years	15 to 17 Years
Depression Screening							
Procedure Codes: G0444, 96127, 96161, 99403, 99404							
Diagnosis Codes: any eligible diagnosis						In a primary	care setting
This service is also included in the coding for a preventive medicine exam.							
Developmental Screening							
Procedure Codes: 96110 <sup>1</sup> , G0451		Ages 9 months,	18 months, and onths	30			
Diagnosis Codes: any eligible diagnosis		1110	JIIIIIS				
Dyslipidemia Screening for Cholesterol							
Procedure Codes: 80061, 82465, 83718				Ages 2 years and 4 years		Follo	w Up
Diagnosis Codes: <b>Z00.121, Z00.129</b> , Z13.220				, , , , , , , , , , , , , , , , , , , ,			
Fluoride Varnish Application	_	<b>.</b>					
Procedure Codes: 99188	Every	3 to 6 months for c eruption	children from pri n to age 6	imary tooth			
Diagnosis Codes: any eligible diagnosis			<b>3</b>				
Gonorrhea Screening							
Procedure Codes: 87590, 87591, 87850							
Diagnosis Codes: <b>Z00.121, Z00.129, Z01.411, Z01.419, Z01.42</b> , Z11.3, Z11.4, Z11.8, Z12.4, Z12.72, Z20.2, Z20.6, Z29.81, Z30.011, Z30.012, Z30.013, Z30.014, Z30.015, Z30.016, Z30.017, Z30.018, Z30.019, Z30.02, Z30.09, Z30.430, Z30.432, Z30.433, Z30.2, Z30.8, Z30.40, Z30.41, Z30.431, Z30.42, Z30.44, Z30.45, Z30.46, Z30.49, Z30.8, Z30.9, Z72.51, Z72.52, Z72.53							

<sup>&</sup>lt;sup>1</sup> Prior approval may be required.

	Birth	12 Months	18 Months	2 to 4 Years	5 to 10 Years	11 to 14 Years	15 to 17 Years
Healthy Diet and Exercise Counseling for Obesity							
Procedure Codes: 97802^, 97803^, 97804^, 99401*, 99402*, 99403*, 99404*, G0446^, G0447^, S9452^, S9470^					Ages 3 ye	ears to 17	
Diagnosis Codes: Z00.121, Z00.129							
*also eligible with Z01.411, Z01.419, and Z13.6							
^ also eligible with Z71.3							
Hearing Screening							
Procedure Codes: 92551, 92552, 92587, 92650, 92651, 92652, V5008			14 years; once	3-5 days to 2 me between age 15	5-17 years; also		
Diagnosis Codes: Z00.110, Z00.111, <b>Z00.121, Z00.129</b> , Z01.10, Z01.118			have a p	positive risk asse	essment.		
Hepatitis B Screening							
Procedure Codes: 86704, 86706, 87340*, G0499							
Diagnosis Codes: <b>Z00.121, Z00.129, Z01.411, Z01.419, Z01.42,</b> Z11.3, Z11.4, Z11.59, Z12.4, Z12.72, Z20.2, Z20.6, Z29.81, Z30.011, Z30.012, Z30.013, Z30.014, Z30.015, Z30.016, Z30.017, Z30.018, Z30.019, Z30.02, Z30.09, Z30.430, Z30.432, Z30.433, Z30.2, Z30.8, Z30.40, Z30.41, Z30.431, Z30.42, Z30.44, Z30.45, Z30.46, Z30.49, Z30.8, Z30.9, Z72.51, Z72.52, Z72.53							
*also eligible with Z21							
Height, Weight and Body Mass Index (BMI) Review							
This service is included in the coding for a preventive medicine exam.							

	Birth	12 Months	18 Months	2 to 4 Years	5 to 10 Years	11 to 14 Years	15 to 17 Years
Human Immunodeficiency Virus (HIV) Screening							
Procedure Codes: 86689*, 86701*, 86702*, 86703*, 87806 87389, 87390, 87534, 87535, 87536, G0432*, G0433*, G0435*, G0475*							
Diagnosis Codes, Z11.3, Z11.4, Z11.59, Z20.2, Z20.6, Z29.81, Z30.011, Z30.012, Z30.013, Z30.014, Z30.015, Z30.016, Z30.017, Z30.018, Z30.019, Z30.02, Z30.09, Z30.430, Z30.432, Z30.433, Z30.2, Z30.8, Z30.40, Z30.41, Z30.431, Z30.42, Z30.44, Z30.45, Z30.46, Z30.49, Z30.8, Z30.9, Z72.51, Z72.52, Z72.53							
*also eligible with <b>Z00.121, Z00.129 and Z71.7</b>							
Prevention of Human Immunodeficiency Virus (HIV) Infection; Preexposure Prophylaxis (PrEP)							
Behavioral Counseling for PrEP to Prevent HIV							
Procedure Codes: G0011, G0013							
Diagnosis Codes: Z11.3, Z11.4, Z20.2, Z20.6, Z29.81, Z72.51, Z72.52, Z72.53							
Lipid Screening Yearly for PrEP (DESCOVY)							
Procedure Codes: 80061, 82465, 83718							
Diagnosis Codes: Z11.3, Z11.4, Z20.2, Z20.6, Z29.81, Z72.51, Z72.52, Z72.53							
Kidney Function Testing							
Procedure Codes: 82565, 82575, 82610							
Diagnosis Codes: Z11.3, Z11.4, Z20.2, Z20.6, Z29.81, Z72.51, Z72.52, Z72.53							

	Birth	12 Months	18 Months	2 to 4 Years	5 to 10 Years	11 to 14 Years	15 to 17 Years
Office Visits							
Procedure Codes: 98000, 98001, 98002, 98003, 98004, 98005, 98006, 98007, 98008, 98009, 98010, 98011, 98012, 98013, 98014, 98015, 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215							
Diagnosis Codes: Z11.3, Z11.4, Z20.2, Z20.6, Z29.81, Z72.51, Z72.52, Z72.53							
Pregnancy Testing							
Procedure Code: 81025							
Diagnosis Codes: Z11.3, Z11.4, Z20.2, Z20.6, Z29.81, Z72.51, Z72.52, Z72.53							
(also see codes in <u>Sexually Transmitted Infection</u> <u>Counseling</u> Section)							
(also see codes in the <u>Preventive Medicine Exam</u> section)							
(also see codes in the <u>Antiretroviral Therapy</u> section)							
(also see codes in the Chlamydia Screening Section)							
(also see codes in the Gonorrhea Screening section)							
(also see codes in the <u>Hepatitis B Virus Infection</u> <u>Screening</u> Section)							
(also see codes in the <u>HIV (Human</u> <u>Immunodeficiency Virus) Screening</u> Section)							
(also see codes in the <u>Syphilis Screening</u> Section)							

	Birth	12 Months	18 Months	2 to 4 Years	5 to 10 Years	11 to 14 Years	15 to 17 Years
Lead Screening							
Procedure Code: 83655		lle to					
Diagnosis Codes: any eligible diagnosis		ορ το	age 6				
MonkeyPox (mpox) Screening							
Procedure Code: 87593							
Diagnosis Codes: any eligible diagnosis							
Oral Health Risk							
This service is included in the coding for a preventive medicine exam.							
Phenylketonuria (PKU) Screening							
Procedure Codes: 84030	Newborns						
Diagnosis Codes: <b>Z00.121, Z00.129</b> , Z13.228							
Sexually Transmitted Infection Counseling							
Procedure Codes: 99401, 99402, 99403, 99404, G0445							
Diagnosis Codes: <b>Z00.121, Z00.129</b> , Z01.411, Z01.419, Z11.3, Z11.4, Z20.2, Z20.6, Z29.81, Z72.51, Z72.52, Z72.53							
Sexually Transmitted Infection Screening							
Procedure Codes: 87081, 87084, 87800*							
Diagnosis Codes: Z01.411, Z01.419, Z01.42, Z12.4, Z12.72							
*also eligible with Z00.121, Z00.129, and Z11.8							

	Birth	12 Months	18 Months	2 to 4 Years	5 to 10 Years	11 to 14 Years	15 to 17 Years	
Sickle-Cell Disease Screening	Infants up							
Procedure Codes: 83020, 83021	to 1 year of							
Diagnosis Codes: Z13.0	age							
Syphilis Screening								
Procedure Codes: 0064U, 0065U, 0210U, 86592, 86780								
Diagnosis Codes: <b>Z00.121, Z00.129</b> , Z11.3, Z11.4, Z20.2, Z20.6, Z29.81,Z30.011, Z30.012, Z30.013, Z30.014, Z30.015, Z30.016, Z30.017, Z30.018, Z30.019, Z30.02, Z30.09, Z30.430, Z30.432, Z30.433, Z30.2, Z30.8, Z30.40, Z30.41, Z30.431, Z30.42, Z30.44, Z30.45, Z30.46, Z30.49, Z30.8, Z30.9 Z72.51, Z72.52, Z72.53								
Tobacco Use Counseling								
Procedure Codes: 99406, 99407								
Diagnosis Codes: any eligible diagnosis								
Tuberculosis Screening								
Procedure Codes: 86480, 86481, 86580				e month; 6 mor				
Diagnosis Codes: Z00.121, Z00.129, Z11.1, Z11.7, Z20.1		through age 17	with screening	to follow if ther	e is a positive r	isk assessment.	•	
Vision Screening	Subject to one (1) screening limitation per year							
Procedure Codes: 99173, 99174, 99177								
Diagnosis Codes: Z00.110, Z00.111, Z00.121, Z00.129, Z01.00, Z01.01				,	, , o			

	Birth	12 Months	18 Months	2 to 4 Years	5 to 10 Years	11 to 14 Years	15 to 17 Years
Preventive Gynecologic and Wellness Exam for Contraceptive Management							
Procedure Codes: 98000, 98001, 98002, 98003, 98004, 98005, 98006, 98007, 98008, 98009, 98010, 98011, 98012, 98013, 98014, 98015, 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215, 99459							
Diagnosis Codes: Z30.011, Z30.012, Z30.013, Z30.014, Z30.015, Z30.016, Z30.017, Z30.018, Z30.019, Z30.02, Z30.09, Z30.430, Z30.432, Z30.433, Z30.2, Z30.8, Z30.40, Z30.41, Z30.431, Z30.42, Z30.44, Z30.45, Z30.46, Z30.49, Z30.8, Z30.9							
Preventive Medicine Exam							
Procedure Codes: 99381, 99382, 99383, 99384, 99391, 99392, 99393, 99394, 99459			Pos	ommondod ann	ually		
Diagnosis Codes: eligible with any diagnosis	Recommended annually						
Contraceptive counseling is included in the coding for a preventive medicine exam.							

#### **CHILDREN AND ADOLESCENTS FROM BIRTH TO AGE 17**

#### **Vaccines and Immunizations**

Administrative Note: This vaccine schedule represents the CDC's Advisory Committee on Immunization Practices' recommended vaccines for all children. Procedure codes listed may come from Current Procedural Terminology (CPT®) or Healthcare Common Procedure Coding System (HCPCS).

	Birth	1m	2m	4m	6m	9m	1yr	15m	18m	19- 23m	2- 3yrs	4- 6yrs	7- 10yrs	11- 12yrs	13- 15yrs	16- 17yrs
Hepatitis B (HepB)																
Procedure Codes: <b>90697</b> ( <b>DTaPIPV-Hib-HepB</b> ), 90740, 90743, 90744, 90747, <b>90748</b> ( <b>Hib-HepB</b> )																
Rotavirus RV1 (2-dose) or RV5 (3-dose) <sup>2</sup>																
Procedure Codes: 90680, 90681																
Diphtheria, tetanus, and acellular pertussis (DTaP)																
Procedure Codes: 90696 (DTap-IPV), 90697 (DTaPIPV-Hib-HepB), 90698 (DTap-IPV/Hib), 90700, 90702																
Tetanus, diphtheria, and acellular pertussis (TDaP)																
Procedure Codes: 90714 (TD only), 90715																

<sup>&</sup>lt;sup>2</sup> Whether or not a third dose of rotavirus vaccine is needed depends on which version of the vaccine was administered. Effective September 01, 2025

## Children and Adolescents from Birth to Age 17 — Vaccines and Immunizations

	Birth	1m	2m	4m	6m	9m	1yr	15m	18m	19- 23m	2- 3yrs	4- 6yrs	7- 10yrs	11- 12yrs	13- 15yrs	16- 17yrs
Haemophilus influenza type B (Hib)																
Procedure Codes: 90644 (Hib-MenCY), 90647, 90648, 90697 (DTaPIPV- Hib-HepB), 90698 (DTap- IPV/Hib), 90723 (DTap- HepB-IPV), 90748 (HepB- Hib)																
Pneumococcal conjugate																
Procedure Codes: 90670,90671																
Inactivated poliovirus (IPV)																
Procedure Codes: 90696 (DTap-IPV), 90697 (DTaPIPV-Hib-HepB), 90698 (DTap-IPV/Hib), 90713, 90723 (DTap- HepB-IPV)																
Influenza (IIV; LAIV)																
Procedure Codes: 90655, 90656, 90657, 90658, 90660, 90661, 90662, 90663, 90664, 90666, 90667, 90668, 90672, 90673, 90674, 90682, 90685, 90686, 90687, 90688, 90689, 90694, 90756, Q2035, Q2036, Q2037, Q2038, Q2039										An	inually					

## Children and Adolescents from Birth to Age 17 — Vaccines and Immunizations

	Birth	1m	2m	4m	6m	9m	1yr	15m	18m	19- 23m	2- 3yrs	4- 6yrs	7- 10yrs	11- 12yrs	13- 15yrs	16- 17yrs
COVID-19 Vaccines																
Procedure Codes: 91304, 91318, 91319, 91320, 91321, 91322						Per man	ufacture	er age-ap	opropria	te recon	nmendat	ions				
COVID-19 Vaccine Administration																
Procedure Codes: 90480																
Measles, mumps, and rubella (MMR)																
Procedure Codes: 90707, <b>90710 (MMRV)</b>																
Varicella (VAR)																
Procedure Codes: <b>90710</b> ( <b>MMRV</b> ), 90716																
Hepatitis A (HepA)											1					
Procedure Codes: 90633, 90634																
Human Papillomavirus (HPV)																
Procedure Codes: 90649, 90650, 90651																
Meningococcal																
Procedure Codes: 90619, 90620, 90621, 90623 (Pentavalent vaccine, conjugated), 90644 (Hib-MenCY), 90733, 90734																

### Children and Adolescents from Birth to Age 17 — Vaccines and Immunizations

	Birth	1m	2m	4m	6m	9m	1yr	15m	18m	19- 23m	2- 3yrs	4- 6yrs	7- 10yrs	11- 12yrs	13- 15yrs	16- 17yrs
Respiratory Syncytial Virus (RSV)			Do	or manut	facturor	ago anr	ropriato	rocomn	nondatio	ne ac re	commo	ndad by	Volle pro	vidor		
Procedure Codes: 90380, 90381, 90683		Per manufacturer age-appropriate recommendations as recommended by your provider														
Vaccine Administration Procedure Codes: 90460, 90461, 90471, 90472, 90473, 90474, 96380, 96381, G0008, G0009, G0010					Vacci	ne admi	nistratio	n codes	must be	e indicat	ed as ap	propriat	te			

## **CHILDREN AND ADOLESCENTS FROM BIRTH TO AGE 17 Medications and Supplements**

Category	Products	Recommendation
Fluoride Supplementation	<ul> <li>Fluoride Chewable Tablets, 0.25 MG</li> <li>Fluoride Chewable Tablets, 0.5 MG</li> <li>Fluoride Drops, 0.125 MG</li> <li>Fluoride Drops, 0.25 MG</li> <li>Fluoride Drops, 0.5 MG</li> <li>Multivitamin w/ Fluoride, Chewable, 0.25 MG</li> <li>Multivitamin w/ Fluoride, Chewable, 0.5 MG</li> <li>Multivitamin w/ Fluoride, Drops, 0.25 MG, Suspension</li> <li>Multivitamin w/ Fluoride, Drops, 0.5 MG, Suspension</li> </ul>	For children starting at 6 months up to 5 years of age without fluoride in their water sources.  Generic only with prescription.
Contraceptives	<ul> <li>Barrier methods, like diaphragms and sponges</li> <li>Hormonal methods, like oral contraceptives and vaginal rings</li> <li>Implanted devices, like intrauterine devices (IUDs)</li> <li>Emergency contraception, like Plan B® and Ella®</li> </ul>	Available as prescribed to prevent pregnancy for all persons with reproductive capacity.  Oral contraceptives are available as generic-only versions with prescription.  Certain contraceptive methods are also available in an office or outpatient setting. Please see the Pre-Natal Care and Family Planning section of this brochure for additional information on contraception methods.
Antiretroviral Therapy for Prevention of Human Immunodeficiency Virus (HIV) Infection: Pre-Exposure Prophylaxis (PrEP)  Antiretroviral Therapy Codes: J0739, J0750, J0751, J0799  Diagnosis Codes: Z11.3, Z11.4, Z20.2, Z20.6, Z29.81, Z72.51, Z72.52, Z72.53  Antiretroviral Therapy Administration Codes: G0012, Q0516, Q0517, Q0518, Q0521  Diagnosis Codes: Z11.3, Z11.4, Z20.2, Z20.6, Z29.81, Z72.51, Z72.52, Z72.53	<ul> <li>APRETUDE (J0739)</li> <li>DESCOVY® (J0751)</li> <li>Truvada® (J0750)</li> </ul>	For all persons who are at high risk of HIV acquisition and who are not undergoing HIV treatment.  Once generic becomes available, zero-cost coverage will only apply to the generic form.

#### **ADULTS AGE 18 AND OLDER**

#### **General Screenings and Tests**

Administrative Note: If a preventive lab requires a blood draw for specimen collection, the blood draw (CPT® code 36415 or 36416) is also eligible at no cost to the member.

	18	20	30	35	40	45	50	55	60	65	70	75		
Abdominal Aortic Aneurysm Screening										One-ti	me screen	ing for		
Procedure Codes: 76706											who have			
Diagnosis Codes: any eligible diagnosis														
Alcohol Misuse Screening and Behavioral Counseling Interventions														
Procedure Codes: 96160, 99408, 99409, G0442, G0443, G2011	In a primary care setting													
Diagnosis Codes: any eligible diagnosis														
Blood Pressure Screening														
This service is included in the coding for a preventive medicine exam.														
BRCA Risk Assessment and Genetic Counseling/Testing <sup>3</sup>														
Procedure Codes: 81162, 81163, 81164, 81165, 81166, 81167, 81212, 81215, 81216, 81217, 96040, 96041  Diagnosis Codes: Z31.5, Z80.3, Z80.41	In a primary-care setting													

Effective September 01, 2025

<sup>&</sup>lt;sup>3</sup> Prior approval may be required

	18	20	30	35	40	45	50	55	60	65	70	75
Cervical Cancer Screening and Human Papillomavirus (HPV) Testing												
Procedure Codes: 87623, 87624, 87625, 87626, 88141, 88142, 88143, 88147, 88148, 88150, 88152, 88153, 88154, 88155, 88164, 88165, 88166, 88167, 88174, 88175, G0101, G0123, G0124, G0141, G0143, G0144, G0145, G0147, G0148, G0476*, P3000, P3001, Q0091												
Diagnosis Codes: <b>Z00.00</b> , <b>Z00.01</b> , <b>Z01.411</b> , <b>Z01.419</b> , <b>Z01.42</b> , Z11.51, Z12.4, Z30.011, Z30.012, Z30.013, Z30.014, Z30.015, Z30.016, Z30.017, Z30.018, Z30.019, Z30.02, Z30.09, Z30.430, Z30.432, Z30.433, Z30.2, Z30.8, Z30.40, Z30.41, Z30.431, Z30.42, Z30.44, Z30.45, Z30.46, Z30.49, Z30.8, Z30.9												
*also eligible with Z11.3 and Z12.72						1	I	1	1	1		
Chlamydia Screening Procedure Codes: 86631, 86632, 87110, 87270, 87490, 87491, 87800												
Diagnosis Codes: <b>Z00.00, Z00.01, Z01.411, Z01.419, Z01.42</b> , Z11.3, Z11.4, Z11.8, Z12.4, Z12.72, Z20.2, Z20.6, Z29.81,Z30.011, Z30.012, Z30.013, Z30.014, Z30.015, Z30.016, Z30.017, Z30.018, Z30.019, Z30.02, Z30.09, Z30.430, Z30.432, Z30.433, Z30.2, Z30.8, Z30.40, Z30.41, Z30.431, Z30.42, Z30.44, Z30.45, Z30.46, Z30.49, Z30.8, Z30.9, Z72.51, Z72.52, Z72.53	Up to a and o perso highe	older ns at										

	18	20	30	35	40	45	50	55	60	65	70	75	
Colorectal Cancer Screening <sup>4</sup>													
Procedure Codes: 0464U,44401, 45330, 45331, 45333, 45334, 45338, 45346, 45378, 45380, 45381, 45382, 45384, 45385, 45388, 74263, 81528, 82270, 82274, 88305, 99152, 99153, 99156, 99157, G0104, G0105, G0121, G0328, G0500, S0285			eening wil										
Diagnosis Codes: D12.0, D12.2, D12.3, D12.4, D12.5, D12.6, D12.7, D12.8, D12.9, D50.9, K63.5, <b>Z00.00, Z00.01</b> , Z12.10, Z12.11, Z12.12, Z12.13, Z13.811, Z80.0, Z80.9, Z83.71, Z85.030, Z85.038, Z85.040, Z85.048, Z85.060, Z85.068, Z86.0100, Z86.0101, Z86.0102, Z86.0109, Z86.018, Z87.19												230	
Depression Screening													
Procedure Codes: G0444, 96127, 96161 99403, 99404													
Diagnosis Codes: any eligible diagnosis				Periodic	screening	s for all ac	lults in a p	rimary ca	re setting				
This service is also included in the coding for a preventive medicine exam.	Periodic screenings for all adults in a primary care setting												
Diabetes Screening													
Procedure Codes: 82947, 82950, 82951 83036	Recommended for adults age 40 to 70 who are overweight or obese as part of a cardiovascular risk assessment in a primary care setting												
Diagnosis Codes: <b>Z00.00, Z00.01,</b> Z13.1									<i>3</i>				

<sup>&</sup>lt;sup>4</sup> Prior approval is required for monitored anesthesia care administered for a screening colonoscopy (CPT® 00812). Please see the prior approval list for additional requirements. Effective September 01, 2025

	18	20	30	35	40	45	50	55	60	65 70		
Dual-Energy X-Ray Absorptiometry Scan for Bone Density											men age 6 or younger	
Procedure Codes: 77080										womer	with fractermined by	ure risk
Diagnosis Codes: <b>Z00.00, Z00.01</b> , Z13.820										formal	Clinical Risment Tool	sk
Dual-Energy X-Ray Absorptiometry Scan for Bone Density (Women with Risk Factor ages 35 +)												
Procedure Codes: 77080												
Diagnosis Codes: Z82.62												
Falls Prevention												
This service is included in the coding for a preventive medicine exam.												
Gonorrhea Screening												
Procedure Codes: 87590, 87591, 87850												
Diagnosis Codes: <b>Z00.00</b> , <b>Z00.01</b> , <b>Z01.411</b> , <b>Z01.419</b> , <b>Z01.42</b> , Z11.3, Z11.4, Z11.8, Z12.4, Z12.72, Z20.2, Z20.6, Z29.81, Z30.011, Z30.012, Z30.013, Z30.014, Z30.015, Z30.016, Z30.017, Z30.018, Z30.019, Z30.02, Z30.09, Z30.430, Z30.432, Z30.433, Z30.2, Z30.8, Z30.40, Z30.41, Z30.431, Z30.42, Z30.44, Z30.45, Z30.46, Z30.49, Z30.8, Z30.9, Z72.51, Z72.52, Z72.53	active   24 ye young older pe	exually persons ears or er and ersons at sed risk										

	18	20	30	35	40	45	50	55	60	65	70	75
Healthy Diet and Exercise Counseling for Obesity												
Procedure Codes: 97802^, 97803^, 97804^, 99401*, 99402*, 99403*, 99404*, G0446^, G0447^, S9452^, S9470^												
Diagnosis Codes: <b>Z00.00, Z00.01</b>												
*also eligible with Z01.411, Z01.419, and Z13.6												
^ also eligible with Z71.3												
General obesity screening is included in the coding for a preventive medicine exam.												
Hearing Screening	Once be											
Procedure Codes: 92551, 92552, 92587, V5008  Diagnosis Codes: Z01.10, Z01.118	age 18-2 and for that h positiv assess	those ave a e risk										

	18	20	30	35	40	45	50	55	60	65	70	75	
Hepatitis B Screening													
Procedure Codes: 86704, 86706, 87340*, G0499													
Diagnosis Codes: <b>Z00.00</b> , <b>Z00.01</b> , Z01.411, Z01.419, Z01.42, Z11.3, Z11.4, Z11.59, Z12.4, Z12.72, Z20.2, Z20.6, Z29.81, Z30.011, Z30.012, Z30.013, Z30.014, Z30.015, Z30.016, Z30.017, Z30.018, Z30.019, Z30.02, Z30.09, Z30.430, Z30.432, Z30.433, Z30.2, Z30.8, Z30.40, Z30.41, Z30.431, Z30.42, Z30.44, Z30.45, Z30.46, Z30.49, Z30.8, Z30.9, Z72.51, Z72.52, Z72.53	Recommended in persons at high risk – discuss with your provider												
*also eligible with Z21													
Hepatitis C Screening													
Procedure Code: 86803, 87522  Diagnosis Codes: <b>Z00.00, Z00.01, Z01.411, Z01.419, Z01.42</b> , Z11.3, Z11.4 Z11.59, Z12.4, Z12.72, Z20.2, Z20.6, Z29.81,Z30.011, Z30.012, Z30.013, Z30.014, Z30.015, Z30.016, Z30.017, Z30.018, Z30.019, Z30.02, Z30.09, Z30.430, Z30.432, Z30.433, Z30.2, Z30.8, Z30.40, Z30.41, Z30.431, Z30.42, Z30.44, Z30.45, Z30.46, Z30.49, Z30.8, Z30.9, Z72.51, Z72.52, Z72.53	Reco	mmended	l in persor	ns at high	risk, and a	a one-time	e screenin	g for all a	dults born	ı between	1945 and	1965	

	18	20	30	35	40	45	50	55	60	65	70	75
Human Immunodeficiency Virus (HIV) Screening												
Procedure Codes: 86689, 86701, 86702, 86703, 87389, 87390, 87534, 87535, 87536, 87806, G0432, G0433, G0435, G0475												
Diagnosis Codes: <b>Z00.00, Z00.01</b> , Z11.3, Z11.4, Z11.59, Z20.2, Z20.6, Z29.81, Z71.7, Z30.011, Z30.012, Z30.013, Z30.014, Z30.015, Z30.016, Z30.017, Z30.018, Z30.019, Z30.02, Z30.09, Z30.430, Z30.432, Z30.433, Z30.2, Z30.8, Z30.40, Z30.41, Z30.431, Z30.42, Z30.44, Z30.45, Z30.46, Z30.49, Z30.8, Z30.9, Z72.51, Z72.52, Z72.53												
Human Immunodeficiency Virus (HIV) Screening; Preexposure Prophylaxis (PrEP)												
Behavioral Counseling for PrEP to Prevent HIV												
Diagnosis Codes: Z11.3, Z11.4, Z20.2, Z20.6, Z29.81, Z72.51, Z72.52, Z72.53												
Procedure Codes: G0011, G0013												
Lipid Screening Yearly for PrEP (DESCOVY)												
Procedure Codes: 80061, 82465, 83718												
Diagnosis Codes: Z11.3, Z11.4, Z20.2, Z20.6, Z29.81, Z72.51, Z72.52, Z72.53												

	18	20	30	35	40	45	50	55	60	65	70	75
Kidney Function Testing												
Procedure Codes: 82565, 82575, 82610												
Diagnosis Codes: Z11.3, Z11.4, Z20.2, Z20.6, Z29.81, Z72.51, Z72.52, Z72.53												
Office Visits												
Procedure Codes: 98000, 98001, 98002, 98003, 98004, 98005, 98006, 98007, 98008, 98009, 98010, 98011, 98012, 98013, 98014, 98015, 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215												
Diagnosis Codes: Z11.3, Z11.4, Z20.2, Z20.6, Z29.81, Z72.51, Z72.52, Z72.53												
Pregnancy Testing												
Procedure Code: 81025												
Diagnosis Codes: Z11.3, Z11.4, Z20.2, Z20.6, Z29.81, Z72.51, Z72.52, Z72.53												
(also see codes in <u>Sexually Transmitted</u> <u>Infection Counseling</u> Section)												
(also see codes in the Preventive Medicine Exam section)												
(also see codes in the <u>Antiretroviral</u> <u>Therapy</u> section)												
(also see codes in the <u>Chlamydia</u> <u>Screening</u> Section)												

	18	20	30	35	40	45	50	55	60	65	70	75
(also see codes in the <u>Gonorrhea</u> <u>Screening</u> section)												
(also see codes in the <u>Hepatitis B Virus</u> <u>Infection Screening</u> Section)												
(also see codes in the <u>HIV (Human Immunodeficiency Virus)</u> Screening Section)												
(also see codes in the <u>Syphilis Screening</u> Section)												
Intimate Partner Violence Screening												
This service is included in the coding for a preventive medicine exam.												
Lipid Screening												
Procedure Codes: 80061, 82465, 83718												
Diagnosis Codes: <b>Z00.00, Z00.01</b> , Z13.220												
Low-Dose CT Screening for Lung Cancer <sup>5</sup>										or adults a		
Procedure Codes: 71271							currently	/ smoke o		it smoking ars	within th	e last 15
Diagnosis Codes: any eligible diagnosis									ус	uis		

<sup>&</sup>lt;sup>5</sup> Prior approval may be required.

	18	20	30	35	40	45	50	55	60	65	70	75
Mammography Screening for Breast Cancer												
Procedure Codes: 77061*, 77062*, 77063, 76641*, 76642*, 77065*, 77066*, 77067, G0279*											anc at	
Diagnosis Codes: N63.15, N63.25, R92.2, R92.8, <b>Z00.00, Z00.01</b> , Z12.31, Z12.39, Z80.3, Z85.3, Z90.10, Z90.11, Z90.12, Z90.13					Screening beginning at age 40 and older, and for younger persons at increased risk					ons at		
*only eligible with R92.2 and R92.8, Z12.39												
MonkeyPox (mpox) Screening												
Procedure Code: 87593												
Diagnosis Codes: any eligible diagnosis												
Prostate Screening												
Procedure Codes: 84066, 84152, 84153, 84154, G0102, G0103						Begir	nning age	40 to 69	years			
Diagnosis Codes: <b>Z00.00, Z00.01</b> , Z12.5												
Sexually Transmitted Infection Counseling												
Procedure Codes: 99401, 99402, 99403, 99404, G0445												
Diagnosis Codes: Z00.121, Z00.129, Z01.411, Z01.419, Z11.3, Z11.4, Z20.2, Z20.6, Z29.81, Z72.51, Z72.52, Z72.53												
Skin Cancer Behavioral Counseling		p to age										
This service is included in the coding for a preventive medicine exam.		have fair kin										

	18	20	30	35	40	45	50	55	60	65	70	75
Syphilis Screening												
Procedure Codes: 0064U, 0065U, 0210U, 86592, 86780												
Diagnosis Codes: <b>Z00.00</b> , <b>Z00.01</b> , Z11.3, Z11.4, Z20.2, Z20.6,Z29.81, Z30.011, Z30.012, Z30.013, Z30.014, Z30.015, Z30.016, Z30.017, Z30.018, Z30.019, Z30.02, Z30.09, Z30.430, Z30.432, Z30.433, Z30.2, Z30.8, Z30.40, Z30.41, Z30.431, Z30.42, Z30.44, Z30.45, Z30.46, Z30.49, Z30.8, Z30.9 Z72.51, Z72.52, Z72.53			Rec	ommende	ed in perso	ons at high	n risk – dis	scuss with	ı your prov	vider		
Tobacco Use Counseling												
Procedure Codes: 99406, 99407			Recom	mended to	obacco ce	ssation fo	all adults	s who use	tobacco p	roducts		
Diagnosis Codes: any eligible diagnosis												
Tuberculosis Screening												
Procedure Codes: 86480, 86481, 86580												
Diagnosis Codes: Z00.00, Z00.01, Z11.1, Z11.7												
Vision Screening												
Procedure Codes: 99173*, 99174*, 99177*												
Diagnosis Codes: Z00.00, Z00.01, Z01.00, Z01.01												
*eligible up to age 21 only (Subject to one (1) screening limitation per year)												

	18	20	30	35	40	45	50	55	60	65	70	75
Preventive Gynecologic and Wellness Exam												
Procedure Codes: G0445, S0610, S0612, S0613		Recommended annually										
Diagnosis Codes: <b>Z00.00, Z00.01</b> , <b>Z01.411, Z01.419</b> , Z13.89												
Preventive Gynecologic and Wellness Exam for Contraceptive Management												
Procedure Codes: 98000, 98001, 98002, 98003, 98004, 98005, 98006, 98007, 98008, 98009, 98010, 98011, 98012, 98013, 98014, 98015, 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215, 99459		For persons of child-bearing age										
Diagnosis Codes: <b>Z00.00, Z00.01,</b> Z30.011, Z30.012, Z30.013, Z30.014, Z30.015, Z30.016, Z30.017, Z30.018, Z30.019, Z30.02, Z30.09, Z30.430, Z30.432, Z30.433, Z30.2, Z30.8, Z30.40, Z30.41, Z30.431, Z30.42, Z30.44, Z30.45, Z30.46, Z30.49, Z30.8, Z30.9		For persons of child-bearing age										
Preventive Medicine Exam										•		
Procedure Codes: 99385, 99386, 99387, 99395, 99396, 99397, 99459	Recommended annually											
Diagnosis Codes: eligible with any diagnosis												

#### **ADULTS AGE 18 AND OLDER Vaccines and Immunizations**

Administrative Note: This vaccine schedule represents the CDC's Advisory Committee on Immunization Practices' recommended vaccines for all adults. All vaccines listed are eligible with no diagnosis code requirements.

aduits. All vaccines listed are eligible with	18 to 21 Years	22 to 26 Years	27 to 49 Years	50 to 59 Years	60 to 64 Years	65+
Influenza						
Procedure Codes: 90653 (65+ years of age), 90655, 90656, 90657, 90658, 90660, 90661, 90662, 90663, 90664, 90666, 90667, 90668, 90672, 90673, 90674, 90682, 90685, 90686, 90687, 90688, 90689, 90694, 90756, Q2035, Q2036, Q2037, Q2038, Q2039			Annı	ually		
COVID-19 Vaccines						
Procedure Codes: 91304, 91322		Per ma	nufacturer age-ann	ropriate recommen	dations	
COVID-19 Administration		i ci ilia	ndiactarer age app	ropriate recommen	udions	
Procedure Codes: 90480						
Tetanus, diphtheria and pertussis (TD/TDaP)		Substitute 7	TDaP for TD once, t	hen TD booster eve	ery 10 years	
Procedure Codes: 90714 (Td only), 90715						
Varicella (VAR)						
Procedure Codes: <b>90710 (MMRV),</b> 90716						
Human papillomavirus (HPV)						
Procedure Codes: 90649, 90650, 90651						
Herpes Zoster (shingles)						
Procedure Codes: 90736, 90750						
Measles, mumps, rubella (MMR)						
Procedure Codes: 90707, <b>90710 (MMRV)</b>						
Pneumococcal conjugate Procedure Codes: 90670, 90671, 90677, 90684						

## Adults Age 18 and Older — Vaccines and Immunizations

	18 to 21 Years	22 to 26 Years	27 to 49 Years	50 to 59 Years	60 to 64 Years	65+		
Pneumococcal polysaccharide								
Procedure Codes: 90732								
Hepatitis A								
Procedure Codes: 90632, <b>90636 (HepA-HepB)</b>								
Hepatitis B								
Procedure Codes: <b>90636 (HepA-HepB)</b> , 90739, 90740, 90746, 90747, <b>90748</b> , <b>(Hib-HepB)</b> , <b>90759</b>								
Meningococcal conjugate (MenACWY)								
Procedure Codes: 90619 90623, 90733								
Meningococcal B								
Procedure Codes: 90620, 90621								
Haemophilus influenza type B (Hib)								
Procedure Codes: 90647, 90648, <b>90748</b> (Hib-HepB)								
MonkeyPox (mpox)								
Procedure Codes: 90611, 90622								
Respiratory Syncytial Virus (RSV)								
Procedure Codes: 90678, 90679, 90683	Per manufacturer age-appropriate recommendations as recommended by your provider							
Vaccine Administration								
Procedure Codes: 90470, 90471, 90472, 90473, 90474, 96380, 96381, G0008, G0009, G0010		Vaccine adn	ninistration codes m	nust be indicated as	appropriate			

## **ADULTS AGE 18 AND OLDER Medications and Supplements**

Category	Products	Recommendation
Aspirin prophylaxis	• 81mg varieties (generic only)	For the primary prevention of cardiovascular disease (CVD) and colorectal cancer (CRC), recommended for adults ages 50 to 59 who have a 10 percent or greater 10-year CVD risk, are not at increased risk for bleeding, have a life expectancy of at least 10 years, and who are willing to take low-dose aspirin daily for at least 10 years.
Breast cancer prevention	<ul> <li>Tamoxifen citrate tab, 10 mg and 20 mg (generic only)</li> <li>Raloxifene HCI tab, 60 mg (generic only)</li> </ul>	For those at increased risk for breast cancer
Contraceptives	<ul> <li>Barrier methods, like diaphragms and sponges</li> <li>Hormonal methods, like oral contraceptives and vaginal rings (generic only)</li> <li>Implanted devices, like intrauterine devices (IUDs)</li> <li>Emergency contraception, like Plan B® and Ella®</li> <li>Female sterilization procedures</li> <li>Coverage includes member reimbursement for the cost of FDA-approved, cleared, or granted mobile device applications for use as contraception consistent with the FDA-approved, cleared, or granted indication.</li> </ul>	Available as prescribed to prevent pregnancy for all persons with reproductive capacity.  Oral contraceptives are available as generic-only versions with prescription.  Certain contraceptive methods are also available in an office or outpatient setting. Please see the Pre-Natal Care and Family Planning brochure for additional information on contraception methods.
Statins	• 5mg and 10 mg varieties (generics only)	Adults ages 40 to 75 without a history of cardiovascular disease (CVD) who use a low-to-moderate dose statin for the prevention of CVD events and mortality when they have one or more cardiovascular disease risk factors (i.e., dyslipidemia, diabetes, hypertension or smoking) and a calculated 10-year risk of a CVD event of 10 percent or greater

## Adults Age 18 and Older — Medications and Supplements

Category	Products	Recommendation
Tobacco cessation	<ul> <li>Nicotine replacement products, such as patches, gum, and lozenges</li> <li>Bupropion products (generic only up to 180 days)</li> </ul>	Adults who use tobacco products
Antiretroviral Therapy for Prevention of Human Immunodeficiency Virus (HIV) Infection: Pre- Exposure Prophylaxis (PrEP)		
Antiretroviral Therapy Codes: J0739, J0750, J0751, J0799		For all persons who are at high risk of HIV acquisition
Diagnosis Codes: Z11.3, Z11.4, Z20.2, Z20.6, Z29.81, Z72.51, Z72.52, Z72.53	<ul> <li>APRETUDE (J0739)</li> <li>DESCOVY® (J0751)</li> </ul>	and who are not undergoing HIV treatment.  Once generic becomes available, zero-cost coverage will
Antiretroviral Therapy	• Truvada® (J0750)	only apply to the generic form.
Administration Codes: G0012, Q0516, Q0517, Q0518, Q0521		
Diagnosis Codes: Z11.3, Z11.4, Z20.2, Z20.6, Z29.81, Z72.51, Z72.52, Z72.53		

## PRE-NATAL CARE AND FAMILY PLANNING FOR PERSONS OF CHILD-BEARING CAPACITY OF ALL AGES General Screenings and Tests

Administrative Note: If a preventive lab requires a blood draw for specimen collection, the blood draw (CPT code 36415 or 36416) is also eligible at no cost to the member.

The fetal health symbol indicates that additional diagnosis codes for the indicated test or service are in the section for PRE-NATAL AND FAMILY PLANNING FOR PERSONS OF CHILD-BEARING CAPACITY OF ALL AGES – Fetal Health Diagnoses.

	First Trimester	Second Trimester	Third Trimester	Post-Pregnancy	Pregnancy Prevention			
Alcohol Misuse Screening and Behavioral Counseling Interventions								
Procedure Codes: 99408, 99409, G0442, G0443, G2011		Recommended screening for all pregnant persons to evaluate alcohol misuse and brief behavioral counseling for risky or hazardous behavior						
Diagnosis Codes: any eligible diagnosis								
Asymptomatic Bacteriuria Screening								
Procedure Codes: 87081, 87084, 87086, 87088		Recommended at 12-16 weeks						
Diagnosis Codes: <b>Z00.00, Z00.01, Z01.411, Z01.419</b> , Z01.42, Z12.4, Z12.72		gestation or at first prenatal visit, if						
		later						
Breast Feeding Support								
Procedure Codes: S9443								
Diagnosis Codes: <b>Z00.00, Z00.01</b> , P92.6, R62.51, <b>Z39.1</b>	Lactation counseling	with a lactation consu	Itant as needed <b>pren</b>	<b>atal,</b> or until newborn	is thriving.			

## Pre-Natal Care and Family Planning for Persons of Child-Bearing Capacity of All Ages — Vaccines, Medications, and Supplements

	First Trimester	Second Trimester	Third Trimester	Post-Pregnancy	Pregnancy Prevention
Breast Pumps and Related Supplies <sup>6</sup>					
Procedure Codes: A4281, A4282, A4283, A4284, A4285, A4286, E0602, E0603, E0604, [ A4287 (100 bags per month or 300 bags per 3 months, with eligible diagnoses codes noted below)]					
Diagnosis Codes: O09.A0, O09.A1, O09.A2, O09.A3, O09.00, O09.01, O09.02, O09.03, O09.10, O09.11, O09.12, O09.13, O09.211, O09.212, O09.213, O09.219, O09.291, O09.292, O09.293, O09.299, O09.30, O09.31, O09.32, O09.33, O09.40, O09.41, O09.42, O09.43, O09.511, O09.512, O09.513, O09.519, O09.521, O09.522, O09.523, O09.529, O09.611, O09.612, O09.613, O09.619, O09.621, O09.622, O09.623, O09.629, O09.70, O09.71, O09.72, O09.73, O09.811, O09.812, O09.813, O09.819, O09.821, O09.822, O09.823, O09.829, O09.891, O09.892, O09.893, O09.899, O09.90, O09.91, O09.92, O09.93, O36.80X0, O36.80X1, O36.80X2, O36.80X3, O36.80X4, O36.80X5, O36.80X9, P92.6, R62.51, <b>Z00.00, Z00.01, Z39.1</b> , Z33.1, Z34.00, Z34.01, Z34.02, Z34.91, Z34.92, Z34.93					
Chlamydia Screening	Screening				
Procedure Codes: 86631, 86632, 87110, 87270, 87490, 87491, 87800	recommended at first prenatal visit for all pregnant				
Diagnosis Codes: <b>Z00.00, Z00.01, Z01.411, Z01.419, Z01.42</b> , Z11.3, Z11.4, Z11.8, Z12.4, Z12.72, Z20.2, Z20.6, Z29.81, Z72.51, Z72.52, Z72.53	persons aged 24 or younger and for older pregnant persons who are at increased risk				

<sup>&</sup>lt;sup>6</sup> Prior approval may be required

## Pre-Natal Care and Family Planning for Persons of Child-Bearing Capacity of All Ages — Vaccines, Medications, and Supplements

	First Trimester	Second Trimester	Third Trimester	Post-Pregnancy	Pregnancy Prevention
Contraceptive Methods  Procedure Codes: A4261, A4264, A4266, A4267, A4268, A4269, J1050, J7296, J7297, J7298, J7300, J7301, J7304, J7306, J7307, S4981, S4989, S4993, 00851, 00921*^, 11976, 11981, 11982, 11983, 55250*^, 57170, 58120*+, 58300, 58301, 58565, 58600, 58605, 58611, 58615, 58661, 58670, 58671, 74018*+, 76830*+, 76857*+, 76998*+, 81025*+, 88302*^96372  Diagnosis Codes: Z00.00, Z00.01, Z30.09, Z30.011, Z30.012, Z30.013, Z30.014, Z30.015, Z30.016, Z30.017, Z30.018, Z30.019, Z30.02, Z30.09, Z30.2, Z30.40, Z30.41, Z30.42, Z30.430, Z30.431, Z30.432, Z30.433, Z30.44, Z30.45, Z30.46, Z30.49, Z30.8, Z30.9, T83.31XA, T83.31XD, T83.31XS, T83.32XA, T83.32XD, T83.32XS, T83.39XA, T83.39XD, T83.39XS  *^ Not eligible for zero-cost preventive benefits when the member has a Consumer-Directed Health Plan (CDHP) or for members of some ASO groups; Only eligible with diagnosis codes Z30.09, Z30.2.  ** An eligible diagnosis code from Z30 family must be in the primary diagnosis position.				sterilization procedu limited to vasecto implantable contract and patient education	ethods, including ares (such as but not my, hysterectomy, eptive devices, etc.), on and counseling, as ealth care provider
Depression Screening Procedure Codes: G0444, 96127, 96161 99403, 99404 any eligible diagnosis	Periodic screenings re		nout pregnancy and du as needed	ıring the post-partum	

	First Trimester	Second Trimester	Third Trimester	Post-Pregnancy	Pregnancy Prevention
Gestational Diabetes Screening Procedure Codes: 82947, 82950, 82951, 83036 Diagnosis Codes: <b>Z00.00, Z00.01</b> , Z13.1		screening by glucose  – 28 weeks pregna	estational diabetes e test for persons 24 ant and at the first those at high risk		
Gonorrhea Screening  Procedure Codes: 87590, 87591, 87850  Diagnosis Codes: <b>Z00.00, Z00.01, Z01.411, Z01.419, Z01.42,</b> Z11.3, Z11.4, Z11.8, Z12.4, Z12.72, Z20.2, Z20.6, Z29.81, Z72.51, Z72.52, Z72.53	Screening recommended at first prenatal visit for all pregnant persons aged 24 or younger and for older pregnant persons who are at increased risk				
Healthy Weight and Weight Gain During Pregnancy  Procedure Codes: 97802^, 97803^, 97804^, 99401*, 99402*, 99403*, 99404*, G0446^, G0447^, S9452^, S9470^  Diagnosis Codes: Z00.00, Z00.01  *also eligible with Z01.411, Z01.419, and Z13.6  ^ also eligible with Z71.3					

	First Trimester	Second Trimester	Third Trimester	Post-Pregnancy	Pregnancy Prevention
Hepatitis B Screening					
Procedure Codes: 86704, 86706, 87340*, G0499					
Diagnosis Codes: Z00.00, Z00.01, Z01.411, Z01.419, Z01.42, Z11.3, Z11.4, <b>Z11.59, Z12.4</b> and <b>Z12.72,</b> Z20.2, Z20.6, Z29.81, Z72.51, Z72.52, Z72.53	Screening recommended at first prenatal visit for all pregnant persons				
*also eligible with Z21					
Hepatitis C Screening					
Procedure Codes: 86803, 87522	Screening				
Diagnosis Codes: <b>Z00.00</b> , <b>Z00.01</b> , <b>Z01.411</b> , <b>Z01.419</b> , <b>Z01.42</b> , Z11.3, Z11.4, Z11.59, Z12.4, Z12.72, Z20.2, Z20.6, Z29.81, Z72.51, Z72.52, Z72.53	recommended at first prenatal visit for all pregnant persons				
Human Immunodeficiency Virus (HIV) Screening					
Procedure Codes: 86689, 86701, 86702, 86703,87389, 87390, 87534, 87535, 87536, 87806, G0432, G0433, G0435, G0475	Screening recommended at first prenatal visit				
Diagnosis Codes: <b>Z00.00, Z00.01</b> , Z11.3, Z11.4, Z11.59, Z71.7, Z20.2, Z20.6, Z29.81, Z72.51, Z72.52, Z72.53	for all pregnant persons				

	First Trimester	Second Trimester	Third Trimester	Post-Pregnancy	Pregnancy Prevention
MonkeyPox (mpox)Screening					
Procedure Code: 87593					
Diagnosis Codes: any eligible diagnosis					
Obstetric Professional Care					
Procedure Codes: 59400, 59425, 59426, 59510, 59610, 59618	Routine professiona	al obstetric care, includ	ding antepartum (pre-	natal) care, delivery	
Diagnosis Codes: <b>Z00.00, Z00.01</b>	with or without an	episiotomy, and post-		days post-partum.	
In some cases, a co-payment may apply.		racility services	are not included.		
Obstetric Panels <sup>7</sup>					
Procedure Codes: 80055, 80081	Screening recommended at				
Diagnosis Codes: <b>Z00.00, Z00.01, Z01.411,</b>	first prenatal visit				
<b>Z01.419, Z01.42</b> , Z12.4, Z12.72	for all pregnant persons				
Obstetric Ultrasound					
Procedure Codes: 76801, 76802, 76805, 76810, 76811, 76812, 76813, 76814, 76815, 76817	Limited to one ultracound during prognancy				
Diagnosis Codes: <b>Z00.00, Z00.01,</b> Z33.1	Limited to one ultrasound during pregnancy				

<sup>&</sup>lt;sup>7</sup>CPT 80055 and 80081 are bundled panels including an array of tests needed during early pregnancy, such as complete blood count, blood typing, and antibody and antigen tests for various diseases and infections. CPT<sup>®</sup> 80081 also includes testing for HIV.

	First Trimester	Second Trimester	Third Trimester	Post-Pregnancy	Pregnancy Prevention
Prevention of Human Immunodeficiency Virus (HIV) Infection; Preexposure Prophylaxis (PrEP)					
Behavioral Counseling for PrEP to Prevent HIV					
Procedure Codes: G0011, G0013					
Diagnosis Codes: Z11.3, Z11.4, Z20.2, Z20.6, Z29.81, Z72.51, Z72.52, Z72.53					
Lipid Screening Yearly for PrEP (DESCOVY)					
Procedure Codes: 80061, 82465, 83718					
Diagnosis Codes: Z11.3, Z11.4, Z20.2, Z20.6, Z29.81, Z72.51, Z72.52, Z72.53					
Kidney Function Testing					
Procedure Codes: 82565, 82575					
Diagnosis Codes: Z11.3, Z11.4, Z20.2, Z20.6, Z29.81, Z72.51, Z72.52, Z72.53					
Office Visits					
Procedure Codes: 98000, 98001, 98002, 98003, 98004, 98005, 98006, 98007, 98008, 98009, 98010, 98011, 98012, 98013, 98014, 98015, 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215					
Diagnosis Codes: Z11.3, Z11.4, Z20.2, Z20.6, Z29.81, Z72.51, Z72.52, Z72.53					
Pregnancy Testing					
Procedure Code: 81025					
Diagnosis Codes: Z11.3, Z11.4, Z20.2, Z20.6, Z29.81, Z72.51, Z72.52, Z72.53					

	First Trimester	Second Trimester	Third Trimester	Post-Pregnancy	Pregnancy Prevention
(also see codes in <u>Sexually Transmitted Infection</u> <u>Counseling</u> Section)					
(also see codes in the <u>Preventive Medicine Exam</u> <u>section</u> )					
(also see codes in the <u>Antiretroviral Therapy</u> <u>section</u> )					
(also see codes in the <u>Chlamydia Screening</u> <u>Section</u> )					
(also see codes in the Gonorrhea Screening section)					
(also see codes in the <u>Hepatitis B Virus Infection</u> <u>Screening</u> Section)					
(also see codes in the <u>HIV (Human</u> <u>Immunodeficiency Virus) Screening</u> Section)					
(also see codes in the <u>Syphilis Screening</u> Section)					
Rh Incompatibility Screening					
Procedure Codes: 86901	Screening recommended at				
Diagnosis Codes: <b>Z00.00, Z00.01, Z01.411, Z01.419, Z01.42</b> , Z12.4, Z12.72	first prenatal visit for all pregnant				
	persons				
Sexually Transmitted Infection Counseling				<u>'</u>	
Procedure Codes: 99401, 99402, 99403, 99404, G0445					
Diagnosis Codes: Z00.121, Z00.129, Z01.411, Z01.419, Z11.3, Z11.4, Z20.2, Z20.6, Z29.81, Z72.51, Z72.52, Z72.53					

	First Trimester	Second Trimester	Third Trimester	Post-Pregnancy	Pregnancy Prevention
Syphilis Screening					
Procedure Codes: 0210U, 0064U, 0065U, 86592, 86780	Screening recommended at				
Diagnosis Codes: <b>Z00.00, Z00.01</b> , Z11.3, Z11.4, Z20.2, Z20.6, Z29.81, Z72.51, Z72.52, Z72.53 Z72.51, Z72.52, Z72.53	first prenatal visit for all pregnant persons				
Tobacco Use Intervention and Cessation					
Procedure Codes: 99406, 99407	Posammandad sera	oning for all programs	porcons to ovaluate to	phacea use and brief b	obavioral counceling
Diagnosis Codes: any eligible diagnosis	Recommended screening for all pregnant persons to evaluate tobacco use and brief behavioral counseling for tobacco cessation				
Preventive Gynecologic and Wellness Exam for Contraceptive Management					
Procedure Codes: 98000, 98001, 98002, 98003, 98004, 98005, 98006, 98007, 98008, 98009, 98010, 98011, 98012, 98013, 98014, 98015, 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215, 99459				including sterilizati	nseling of methods, on procedures, and and counseling, as
Diagnosis Codes: <b>Z00.001, Z00.01</b> , Z30.011, Z30.012, Z30.013, Z30.014, Z30.015, Z30.016, Z30.017, Z30.018, Z30.019, Z30.02, Z30.09, Z30.430, Z30.432, Z30.433, Z30.2, Z30.8, Z30.40, Z30.40, Z30.41, Z30.431, Z30.42, Z30.44, Z30.45, Z30.46, Z30.49, Z30.8, Z30.9					ealth care provider

#### PRE-NATAL CARE AND FAMILY PLANNING FOR PERSONS OF CHILD-BEARING CAPACITY OF ALL AGES Vaccines, Medications, and Supplements

Administrative Note: This vaccine schedule represents the CDC's Advisory Committee on Immunization Practices' recommended vaccines for all pregnant persons. All vaccines listed are eligible with no diagnosis code requirements.

#### **VACCINES**

	First Trimester	Second Trimester	Third Trimester	Post-Pregnancy	Pregnancy Prevention	
Influenza						
Procedure Codes: 90655, 90656, 90657, 90658, 90660, 90661, 90662, 90663, 90664, 90666, 90667, 90668, 90672, 90673, 90674, 90682, 90685, 90686, 90687, 90688, 90756, Q2035, Q2036, Q2037, Q2038, Q2039	Recommended at any time during pregnancy, before and during influenza season					
COVID-19 Vaccines						
Procedure Codes: 91304, 91320, 91321, 91322	Per manufacturer age-appropriate recommendations					
COVID-19 Vaccine Administration						
Procedure Codes: 90480						
Respiratory Syncytial Virus (RSV) Procedure Codes: 90678	Per manufacturer recommendations					
Tetanus, diphtheria and pertussis (TDaP)			egnant persons 27 –			
Procedure Codes: 90715	36 weeks pregnant for optimal timing, though TDaP may be administered at any time during pregnancy					
Vaccine Administration						
Procedure Codes: 90460, 90461, 90471, 90472, 90473, 90474, G0008	Vaccine administration codes must be indicated as appropriate					

#### MEDICATIONS AND SUPPLEMENTS

Category	Products	Recommendation
Aspirin	81mg varieties (generic only)	Use of low-dose aspirin as preventive medication after 12 weeks of gestation for those who are at high risk for preeclampsia.
Antiretroviral Therapy for Prevention of Human Immunodeficiency Virus (HIV) Infection: Pre- Exposure Prophylaxis (PrEP)		
Antiretroviral Therapy Codes: J0739, J0750, J0751, J0799		For all persons who are at high risk of HIV
Diagnosis Codes: Z11.3, Z11.4, Z20.2, Z20.6, Z29.81, Z72.51, Z72.52, Z72.53	<ul> <li>APRETUDE (J0739)</li> <li>DESCOVY® (J0751)</li> <li>Truvada® (J0750)</li> </ul>	acquisition and who are not undergoing HIV treatment.
Antiretroviral Therapy		Once generic becomes available, zero-cost coverage will only apply to the generic form.
Administration Codes: G0012, Q0516, Q0517, Q0518, Q0521		
Diagnosis Codes: Z11.3, Z11.4, Z20.2, Z20.6, Z29.81, Z72.51, Z72.52, Z72.53		

Contraceptives	<ul> <li>Barrier methods, such as diaphragms and sponges</li> <li>Hormonal methods, such as oral contraceptives and vaginal rings (generic only)</li> <li>Implanted devices, such as intrauterine devices (IUDs)</li> <li>Injectables, such as Depo-Provera</li> <li>Emergency contraception, such as Plan B® and -Ella®</li> <li>Female sterilization</li> <li>Coverage includes member reimbursement for the cost of FDA-approved, cleared, or granted mobile device applications for use as contraception consistent with the FDA-approved, cleared, or granted indication.</li> </ul>	Available as prescribed to prevent pregnancy.  Oral contraceptives are available as generic-only versions with prescription.  Certain contraceptive methods are also available in an office or outpatient setting. Please see the Pre-Natal Care and Family Planning brochure for additional information on contraception methods.
Folic Acid supplementation	• 400 mcg or 800 mcg varieties (generic only, over the counter with prescription)	All who are planning or capable of pregnancy

### PRE-NATAL AND FAMILY PLANNING FOR PERSONS OF CHILD-BEARING CAPACITY OF ALL AGES Fetal Health Diagnoses



Administrative Note: This list of diagnosis codes is eligible and valid for all services with the fetal health symbol, as indicated within this document.

ICD-10 Code(s)	Brief Description of Code(s)
O30.001 O30.002 O30.003 O30.009	Twin pregnancy; unspecified number of placenta and unspecified number of amniotic sacs
O30.011 O30.012 O30.013 O30.019	Twin pregnancy; monochorionic/monoamniotic
O30.031 O30.032 O30.033 O30.039	Twin pregnancy; monochorionic/diamniotic
O30.041 O30.042 O30.043 O30.049	Twin pregnancy; dichorionic/diamniotic
O30.091 O30.092 O30.093 O30.099	Twin pregnancy; unable to determine number of placenta and number of amniotic sacs
O30.101 O30.102 O30.103 O30.109	Triplet pregnancy; unspecified number of placenta and unspecified number of amniotic sacs
O30.111 O30.112 O30.113 O30.119	Triplet pregnancy with two or more monochorionic fetuses
O30.121 O30.122 O30.123 O30.129	Triplet pregnancy with two or more monoamniotic fetuses
O30.191 O30.192 O30.193 O30.199	Triplet pregnancy; unable to determine number of placenta and number of amniotic sacs
O30.201 O30.202 O30.203 O30.209	Quadruplet pregnancy; unspecified number of placenta and unspecified number of amniotic sacs
O30.211 O30.212 O30.213 O30.219	Quadruplet pregnancy with two or more monochorionic fetuses

ICD-10 Code(s)	Brief Description of Code(s)
O30.221 O30.222 O30.223 O30.229	Quadruplet pregnancy with two or more monoamniotic fetuses
O30.291 O30.292 O30.293 O30.299	Quadruplet pregnancy; unable to determine number of placenta and number of amniotic sacs
O30.801 O30.802 O30.803 O30.809	Other specified multiple gestation; unspecified number of placenta and unspecified number of amniotic sacs
O30.811 O30.812 O30.813 O30.819	Other specified multiple gestation with two or more monochorionic fetuses
O30.821 O30.822 O30.823 O30.829	Other specified multiple gestation with two or more monoamniotic fetuses
O30.891 O30.892 O30.893 O30.899	Other specified multiple gestation; unable to determine number of placenta and number of amniotic sacs
O09.01 O09.02 O09.03	Supervision of pregnancy with history of infertility
O09.11 O09.12 O09.13	Supervision of pregnancy with history of ectopic or molar pregnancy
O09.212 O09.213 O09.219	Supervision of pregnancy with history of pre-term labor
O09.31 O09.32 O09.40	Supervision of pregnancy with insufficient antenatal care
009.41 009.42 009.43	Supervision of pregnancy with grand multiparity
O09.512 O09.513 O09.519	Supervision of elderly primigravida
009.521 009.522 009.523 009.529	Supervision of elderly multigravida
009.612 009.613 009.619	Supervision of young primigravida

ICD-10 Code(s)	Brief Description of Code(s)
O09.622 O09.623 O09.629	Supervision of young multigravida
O09.70 O09.71 O09.72 O09.73	Supervision of high-risk pregnancy due to social problems
O09.811 O09.812 O09.813	Supervision of pregnancy resulting from assisted reproductive technology
O09.821 O09.822 O09.823 O09.829	Supervision of pregnancy with history of in utero procedure during previous pregnancy
O09.891 O09.892 O09.893 O09.899	Supervision of other high-risk pregnancy
O09.A0 O09.A1 O09.A2 O09.A3	Supervision of pregnancy with history of molar pregnancy
O36.80X0 O36.80X1 O36.80X2 O36.80X3 O36.80X4 O36.80X5 O36.80X9	Pregnancy with inconclusive fetal viability
Z34.01 Z34.02 Z34.03	Encounter for supervision of normal first pregnancy
Z34.81 Z34.82 Z34.83	Encounter for supervision of other normal pregnancy
Z34.91 Z34.92 Z34.93	Encounter for supervision of normal pregnancy; unspecified

#### **REVISIONS AND UPDATES**

Following is a record of changes we have made to our zero-cost preventive care benefit as we received new or updated information from the regulatory bodies tasked with preventive care recommendations.

Date of Change	Revision Details, Applicable Demographics, and	d Effective Dates of Cha	anges
	Change/Revision	Demographic	Effective Date
02/19/2020	Added diagnosis code D50.9 as eligible for colorectal cancer screenings	Adults	Retroactive to 02/01/2020
	Change/Revision	Demographic	Effective Date
05/04/2020	Adjusted age-banding for hearing screenings	Children and Adolescents	Retroactive to 01/01/2019
	Added Hearing Screening section in the adult recommendations to support Bright Futures recommendations	Adults	Retroactive to 01/01/2019
08/31/2020	Change/Revision	Demographic	Effective Date
00/31/2020	Added CPT 0210U as an eligible syphilis screening	All	10/01/2020
	Change/Revision	Demographic	Effective Date
	Removed CPT 99201, CPT 92586, and HCPCS G0297 (retired)	All	Retroactive to 01/01/2021
01/28/2021	Added CPTs 0500T, 71271, 92650, 92651, 92652, P3000, and P3001	All	Retroactive to 01/01/2021
	Language updates, where appropriate, for gender neutralization	All	Retroactive to 01/01/2021
	Change/Revision	Demographic	Effective Date
	Renamed "Maternity and Family Planning" for gender neutralization	Pre-Natal Care and Family Planning	05/01/2021
	Added clarifying note for providers regarding claim editing logic	All	05/01/2021
04/09/2021	Adjusted age-banding for Low-Dose CT Screening for Lung Cancer to age 50	Adults	Retroactive to 03/09/2021
	Renamed "Obesity Counseling and Screening" to "Healthy Diet and Exercise Counseling for Obesity"	Adults	05/01/2021
	Added clarification language for colorectal cancer screenings for those at increased risk due to medical conditions.	Adults	05/01/2021
	Updated recommendations for aspirin prophylaxis to neutralize gender	Adults	05/01/2021
	Change/Revision	Demographic	Effective Date
05/19/2021	Adjusted age recommendation for colorectal cancer screenings. Previously eligible for adults age 50-75; now eligible for adults beginning at age 45 for general screenings.	Adults	06/01/2021

Date of Change	Revision Details, Applicable Demographics,	and Effective Dates of C	Changes
	Change/Revision	Demographic	Effective Date
10/26/2021	Added provider specialties to Breast Feeding Support recommendation to clarify that preventive benefits are only eligible with lactation consultants and registered nurses.	Pre-Natal Care and Family Planning for Persons of Child- Bearing Capacity of All Ages	11/1/2021
	Change/Revision	Demographic	Effective Date
	Added missing prior approval alert to Low-Dose CT Screening for Lung Cancer	Adults 18 and Older	01/01/2022
	Added PCV20 to Pneumococcal conjugate	Adults 18 and Older	01/01/2022
12/16/2021	Added Vermont-state-specific services to Contraceptive Methods	Pre-Natal Care and Family Planning	01/01/2022
	Added Vermont-state-specific Obstetric Professional Care services	Pre-Natal Care and Family Planning	01/01/2022
	Added Vermont-state-specific Obstetric Ultrasound services	Pre-Natal Care and Family Planning	01/01/2022
	Change/Revision	Demographic	Effective Date
01/04/2022	Adjusted age for prostate screening up to age 69	Adults 18 and older	02/01/2022
01/04/2022	Removed the following deleted HCPCS codes per adaptive maintenance cycle: J7303, Q0090, Q9984	Pre-Natal Care and Family Planning	retrospective
	Change/Revision	Demographic	Effective Date
	Added Code 90739 as eligible vaccines and Immunization section	Adults 18 and older	07/01/2022
07/01/2022	Added Code 90759 as eligible vaccines and Immunization section	Adults 18 and older	07/01/2022
	Adjustment of information contained in footnote; does not impact processing	Adults 18 and older Pre-Natal Care and Family Planning	N/A
10/01/2022	Change/Revision	Demographic	Effective Date
	Removal of asterisk and adjustment of information contained in footnote; does not impact processing	Pre-Natal Care and Family Planning	N/A
	Added Code 90611 and 90622 as eligible vaccines and Immunization section	Adults 18 and older	07/26/2022
	Added Code 87593	All sections	07/26/2022
	Added Code 87389 for HIV screening	All sections	10/01/2022
	Added code 0353U -Chlamydia & Gonorrhea Screenings Section	All Sections	10/01/2022
	Added code 0354U – Cervical Cancer Screening & HPV Testing Section	All Sections	10/01/2022

01/2023	Change/Revision	Demographic	Effective Date
	Tuberculosis Screening Added Codes: 86480, 86481, 86580	All Sections	01/2023
	'Mpox' will become a preferred term, replacing monkeypox, after a transition period of one year. This serves to mitigate the concerns raised by experts about confusion caused by a name change in the midst of a global outbreak. It also gives time to complete the ICD update process and to update WHO publications.	All Sections	01/2023
	Gonorrhea Screening Sections added eligible diagnosis code Z11.8.	All Sections	01/2023
	Added Section Prevention of Human Immunodeficiency Virus (HIV) Infection; Preexposure Prophylaxis Kidney Function Testing Added codes 82565, 82575.	All Sections	01/2023
	Removal of diagnosis requirements for depression screening	All Sections	01/2023
	Removal of diagnosis requirements for Alcohol Misuse Screening and Behavioral Counseling Interventions	All Sections	01/2023
07/2023	Change/Revision	Demographic	Effective Date
	Added Pneumococcal conjugate (PCV13, PCV15): Added code 90671	All Sections	05/2023
	Added Breast Pumps and Related Supplies: Added code K1005 100 bags per month or 300 bags per 3 months.	Pre-Natal Care and Family Planning for Persons of Child- Bearing Capacity of All Ages	07/2023
	Added Vaccines and Immunizations: COVID-19 Vaccines	.18 years and older	07/2023
	Procedure Codes: 91302, 91303, 91304, 91310, 91312, 91313		
	Added COVID-19 Administration		
	Procedure Codes: 0021A, 0022A, 0031A, 0034A, 0041A, 0042A, 0044A, 0104A, 0121A, 0124A, 0134A		
	Added Vaccines and Immunizations: COVID-19 Vaccines	Birth to 17 years of	07/2023
	Procedure Codes: 91304, 91312, 91313, 91314, 91315, 91316, 91317	age	
	Added COVID-19 Administration		
	Procedure Codes: 0041A, 0042A, 0044A, 0124A, 0134A, 0141A, 0142A, 0144A, 0151A, 0154A, 0164A 0171A, 0172A, 0173A, 0174A		
	Added Vaccines and Immunizations: COVID-19 Vaccines	Pre-Natal Care and	07/2023
	Procedure Codes: 91302, 91303, 91304, 91310, 91312, 91313	Family Planning for Persons of Child- Bearing Capacity of	
	Added COVID-19 Administration	All Ages	
	Procedure Codes: 0021A, 0022A, 0031A, 0034A, 0041A, 0042A, 0044A, 0104A, 0121A, 0124A, 0134A		

09/11/2023	Change/Revision	Demographic	Effective Date
	Added COVID-19 Codes: 91318, 91319, 91320, 91321, 91322, 90480	All Sections	09/11/2023
	Revised COVID-19 Code 91304	All Sections	09/11/2023
	Deleted COVID-19 Administration Codes: 0001A, 0002A, 0003A, 0004A, 0011A, 0012A, 0013A, 0021A, 0022A, 0031A, 0034A, 0041A, 0042A, 0044A, 0051A, 0052A, 0053A, 0054A, 0064A, 0071A, 0072A, 0073A, 0074A, 0081A, 0082A, 0083A, 0091A, 0092A, 0093A, 0094A, 0104A, 0111A, 0112A, 0113A, 0121A, 0124A, 0134A, 0141A, 0142A, 0144A, 0151A, 0154A, 0164A, 0171A, 0172A, 0172A, 0173A, 0174A	All Sections	09/11/2023
10/2023	Change/Revision	Demographic	Effective Date
	Added Vaccine Respiratory Syncytial Virus (RSV) Added codes: 90380, 90381, 90678, 90679	All Sections	10/2023
	Added diagnosis codes T83.31XA, T83.31XD, T83.31XS, T83.32XA, T83.32XD, T83.32XS, T83.39XA, T83.39XD, T83.39XS	.Contraceptive Methods	10/2023
	Added code 0402U -Chlamydia, Gonorrhea & Sexually Transmitted Screenings Section	All Sections	10/2023
10/2023	Change/Revision	Demographic	Effective Date
	Added Vaccine Respiratory Syncytial Virus (RSV) Administration Codes Added codes: 96380 & 96381	All Sections	10/06/2023
01/2024	Change/Revision	Demographic	Effective Date
	Added Breast Pumps and Related Supplies: Deleted K1005, Code replaced with Code A4287 100 bags per month or 300 bags per 3 months.	Pre-Natal Care and Family Planning for Persons of Child- Bearing Capacity of All Ages	01/2024
	Added procedure code 90623 - Meningococcal conjugate (MenACWY), Pentavalent vaccine, conjugated)	All Sections	01/2024
	Added additional diagnoses codes (noted sections): Z30.011, Z30.012, Z30.013, Z30.014, Z30.015, Z30.016, Z30.017, Z30.018, Z30.019, Z30.02, Z30.09, Z30.430, Z30.432, Z30.433, Z30.2, Z30.8, Z30.40, Z30.41, Z30.431, Z30.42, Z30.44, Z30.45, Z30.46, Z30.49, Z30.8, Z30.9	Cervical Cancer Screening and (HPV) Testing, Chlamydia Screening, Gonorrhea Screening, Hepatitis B Screening, Hepatitis C Screening, HIV Screening, Syphilis Screening	01/2024

	Added procedure code 88302, removed diagnosis code Z98.52	.Contraception Methods	01/2024	
	Prevention of Human Immunodeficiency Virus (HIV) Infection: Pre-Exposure Prophylaxis (PrEP) Procedure Codes: Clarification codes addedJ0739, J0750, J0751, J0799 to current descriptors Administration: G0011, G0012, G0013, Q0516, Q0517, Q0518 Removed nutritional counseling may require prior approval footnotes reference in document	Prevention of Human Immunodeficiency Virus (HIV) Infection: Pre- Exposure Prophylaxis (PReP)  Healthy Diet and Exercise Counseling for Obesity	01/2024	
02 /2024	Character (Dantata		Etter III - Delle	
02 /2024	Change/Revision	Demographic	Effective Date	Ī
	Coverage includes member reimbursement for the cost of FDA-approved, cleared, or granted mobile device applications for use as contraception consistent with the FDA-approved, cleared, or granted indication.	Contraceptives and Supplements- [All ages & 18 Years and Older sections]	02/01/2024	
04/2024	Change/Revision	Demographic	Effective Date	
	Added Section: Healthy Diet and Exercise Counseling for Obesity  Added Section: Healthy Weigh and Weight Gain During Pregnancy	3-17 years of age  Pre-Natal Care and Family Planning for Persons of Child- Bearing Capacity of All Ages	04/01/2024 04/01/2024	
	Added procedure code 87806	All Sections	04/01/2024	
	Added diagnosis code Z12.39 eligible with *procedure codes	Mammography Screening for Breast Cancer	Retroactive to 10/01/2023	
	Clarification language removed shading on age bands	Colorectal Cancer Screening	04/01/2024	
	Clarification language: Removed shading on age bands in section	Colorectal Cancer Screening	04/01/2024	

			,	
	Clarification language: Clarified lactation consultant	Breast Feeding Support	04/01/2024	
	Added procedure code 99459	All Sections	Retroactive to 01/01/2024	
07/2024	Change/Revision	Demographic	Effective Date	
	Deleted Code: 0353U	All applicable sections	07/01/2024	
	Deleted Code: 0354U	All applicable sections	04/01/2024	
	Removed Code 0402U	All applicable sections	07/01/2024	
	Added Code 74263	Colorectal Cancer Screening	07/01/2024	
	Removed Code 11980	Pre-Natal & Family Planning Section	07/01/2024	
09/2024	Change/Revision	Demographic	Effective Date	
	Added Code: 90684	Adults 18 and Older Vaccines and Immunizations Section	06/17/2024	
	Added language under section Dual-Energy X-Ray Absorptiometry Scan for Bone Density- For women age 65 or older (or younger women with fracture risk as determined by a formal Clinical Risk Assessment Tool)	Adults 18 and Older	09/01/2024	
	Added Category Descriptor: Antiretroviral Therapy for Prevention of Human Immunodeficiency Virus (HIV) Infection: Pre-Exposure Prophylaxis (PrEeP)	All applicable sections	09/01/2024	
	Removed PCV13, PCV15, PCV20 from category code and replace with Pneumococcal conjugate. Remove PCV 23 from category code and replace with Pneumococcal polysaccharide	All applicable sections	08/01/2024	
	Deleted code: J7302	Contraception	08/01/2024	1

Chlamydia Screening		
Added diagnosis codes: Z11.4, Z20.2, Z20.6, Z29.81, Z72.51, Z72.52, Z72.53	All applicable sections	09/01/2024
Gonorrhea Screening		
Added diagnosis codes: Z11.4, Z20.2, Z20.6, Z29.81, Z72.51, Z72.52, Z72.53	All applicable sections	09/01/2024
Hepatitis B	All applicable	09/01/2024
Added diagnosis codes: Z11.3, Z11.4, Z20.2, Z20.6, Z29.81, Z72.51, Z72.52, Z72.53	sections	
Hepatitis C		
Added procedure code: 87522		
Added diagnosis codes: Z11.3, Z11.4, Z20.2, Z20.6, Z29.81, Z72.51, Z72.52, Z72.53	Adult and Pre-Natal Care and Family Planning for Persons of Child-Bearing Capacity of All Ages sections	09/01/2024
HIV Screening		Effective
Added procedure code: 87536	All applicable sections	09/01/2024
Added diagnosis codes: Z11.3, Z20.2, Z20.6, Z29.81, Z72.51, Z72.52, Z72.53	SCCIOIS	(retroactive to 01/01/2024)
Prevention of Human Immunodeficiency Virus (HIV); Preexposure Prophylaxis (PrEP)	All applicable sections	09/01/2024
Added Sections:		
Behavioral Counseling		
<ul> <li>Added procedure codes: G0011, G0013</li> <li>Added diagnosis codes: Z11.3, Z11.4, Z20.2, Z20.6, Z29.81, Z72.51, Z72.52, Z72.53</li> </ul>		
Added section Lipid Panel Screening for PrEP (DESCOVY)		
<ul> <li>Added procedure codes: 80061, 82465, 83718</li> <li>Added diagnosis codes: Z11.3, Z11.4, Z20.2, Z20.6, Z29.81, Z72.51, Z72.52, Z72.53</li> </ul>		
Added procedure code: 82610 to existing Kidney Function Testing Section		
Added diagnosis code: Z29.81 to whole section to existing diagnoses code list		
Office Visit Section		
<ul> <li>Added procedure codes: 99202, 99203, 99204, 99205, 99211, 99212, 99213,99214, 99215</li> </ul>		

	<ul> <li>Added diagnosis codes: Z11.3, Z11.4, Z20.2, Z20.6, Z29.81, Z72.51, Z72.52, Z72.53</li> <li>Added Pregnancy Testing Section</li> <li>Added procedure code: 81025</li> <li>Added diagnosis codes: Z11.3, Z11.4, Z20.2, Z20.6, Z29.81, Z72.51, Z72.52, Z72.53</li> <li>Sexually Transmitted Infection Counseling Section</li> <li>Added procedure code: G0445</li> <li>Added diagnosis codes: Z11.3, Z11.4, Z20.2, Z20.6, Z29.81, Z72.51, Z72.52, Z72.53</li> <li>Syphilis Screening Section</li> <li>Added diagnosis codes: Z11.4, Z20.2, Z20.6, Z29.81</li> </ul>			
10/2024	Change/Revision	Demographic	Effective Date	
	Added section to Pre-Natal Care: Respiratory Syncytial Virus (RSV) Vaccine Section. Added code: 90678 Respiratory Syncytial Virus (RSV) Vaccine Section. Added code: 90683	Pre-Natal Care  [All ages & 18 Years and Older sections]	10/01/2024	
01/2025	Change/Revision	Demographic	Effective Date	
	Removed deleted code 0500Tand replaced with code 87626  Added code A4267  Added codes 0064U, 0065U, 86706 to (PrEP), Syphilis & Hepatitis B Screening Sections  Prevention of Human Immunodeficiency Virus (HIV) Infection: Antiretroviral Section Added code Q0521	All Applicable Sections  All Applicable Sections  All Applicable Sections  All Applicable Sections  All Applicable Sections	01/01/2025 01/01/2025 01/01/2025 01/01/2025	
	Removed Foot Note for Prior Approval for Code 74263- Refer to Prior Approval List for Monitored Anesthesia.	All Applicable Sections	01/01/2025	
04/01/2025	Change/Revision	Demographic	Effective Date	
	Added codes 99174 & 99177 to Vision Screening Section. Vision Screening eligible up to age 21. Vision Screening subject to (1) Screening per year.  Added Section Dual-Energy X-Ray Absorptiometry Scan for Bone Density (Women with Risk Factor ages 35 +). Added Procedure Code: 77080, added Diagnosis code Z82.62.	All Applicable Sections  All Applicable Sections	04/01/2025 04/01/2025	

	Corrected error under Tuberculosis Section Diagnosis code Z00.0 should be Z00.00.	.18 & Older Section	04/01/2025	
06/01/2025	Change/Revision	Demographic	Effective Date	
	Removed code 90653 from Pre-Natal & Birth to age 17 Sections. Added code to 18 older section with age of 65+ years	All Applicable Sections	06/01/2025	
	Remove deleted code 96040	.18 & Older Section	01/01/2025	
	Added code 96041	.18 & Older Section	01/01/2025	
	Corrected Diagnosis Z86.010 to Z86.0100 and added codes Z86.0101, Z86.0102, Z86.0109 to the Colorectal Cancer Screening Section	.18 & Older Section	10/01/2024	
	Under Obstetric Ultrasound added clarifying language to one ultrasound per pregnancy	Pre-Natal Care Section	06/01/2025	
07/01/2025	Change/Revision	Demographic	Effective Date	
	Added codes: 98000, 98001, 98002, 98003, 98004, 98005, 98006, 98007, 98008, 98009, 98010, 98011, 98012, 98013, 98014, 98015 to sections, PReP, and Well Exam for Contraception Management.	All Applicable Sections	01/01/2025	
05/01/2025	Change/Revision	Demographic	Effective Date	
	Added codes 0464U to Colorectal Cancer Screening Section.	.18 & Older Section	08/01/2025	

06/01/2025	Change/Revision	Demographic	Effective Date	
	Added code 86704 to Hepatitis B Screening Section.	Birth to 17	09/01/2025	
		.18 & Older	(retroactive to	
		.Pre-Natal Care Section	01/01/2025)	