



An Independent Licensee of the Blue Cross and Blue Shield Association.

## Chiropractic Services Corporate Medical Policy

File Name: Chiropractic Services  
File Code: 8.03.VT203  
Origination: 07/22/1997  
Last Review: 06/2026  
Next Review: 06/2027  
Effective Date: 10/01/2026

### Description/Summary

Per the Vermont Statute 26 V.S.A. § 521(3), “The practice of chiropractic” means the diagnosis of human ailments and diseases related to subluxations, joint dysfunctions, neuromuscular and skeletal disorders for the purpose of their detection, correction or referral in order to restore and maintain health, including pain relief, without providing drugs or performing surgery; the use of physical and clinical examinations, conventional radiologic procedures and interpretation, as well as the use of diagnostic imaging read and interpreted by a person so licensed, and clinical laboratory procedures to determine the propriety of a regimen of chiropractic care; adjunctive therapies approved by the board, by rule, to be used in conjunction with chiropractic treatment; and treatment by adjustment or manipulation of the spine or other joints and connected neuromusculoskeletal tissues and bodily articulations.

### Policy

#### Coding Information

Click the links below for attachments, coding tables & instructions.

[Attachment I- Chiropractic Covered Service Codes](#)

[Attachment II- Chiropractic Non-Covered Service Codes](#)

[Attachment III- Chiropractic Covered X-Rays](#)

[Attachment IV- ICD-10-CM Covered Diagnoses Table](#)

[Attachment V- Definitions for Acute, Chronic and Supportive Care](#)

[Attachment VI- Recommended Functional Assessment Collection](#)

Subject to applicable certificates of coverage or employee benefit plans, Blue Cross VT provides benefits for medically necessary chiropractic services, including supportive care, for neuromusculoskeletal conditions as more fully described in this policy. Blue Cross VT or its designee will determine whether a health care service is medically necessary for the member. Blue Cross VT determinations of medical necessity shall be based on clinical information that

is supported by contemporaneous clinical records and that is available before or during the time of service.

The fact that any group or provider has furnished, prescribed, ordered or recommended a treatment does not of itself make the treatment a medically necessary covered benefit.

Inclusion of a service on the fee schedule shall not be considered a determination that the service is medically necessary in all circumstances. Inclusion of a service within the scope of practice of a licensee does not in itself make the service a medically necessary covered benefit.

### When a service is considered medically necessary

The Plan covers **medically necessary** Chiropractic Care, including:

- Office visits, spinal and extra-spinal manipulations and associated modalities;
- Home, hospital, or nursing home visits;
- Diagnostic services (e.g., X-rays and laboratory)

The Plan covers care by Chiropractors who are:

- Network providers and/or participate with the Plan; **AND**
- Working within the scope of their licenses; **AND**
- Treating members for a neuromusculoskeletal condition.

**Medically necessary** care means health care services, including diagnostic testing, preventive services and aftercare, that are appropriate, in terms of type, amount, frequency, level, setting, and duration to the member's diagnosis or condition. Medically necessary care must be informed by generally accepted medical or scientific evidence and consistent with generally accepted practice parameters as recognized by health care professionals in the same specialties as typically provide the procedure or treatment, or diagnose or manage the medical condition; must be informed by the unique needs of each individual patient and each presenting situation; **AND**

- Help restore or maintain the member's health; **OR**
- Prevent deterioration of or palliate the member's condition; **OR**
- Prevent the reasonably likely onset of a health problem or detect an incipient problem.

In order to be considered medically necessary, treatment must meet all of the following criteria:

- Informed by generally accepted medical or scientific evidence;
- Consistent with standards of the practitioner's own professional community;
- Appropriate in terms of type, amount, frequency, level, intensity, setting and duration for the symptoms, findings, and condition of the member;
- Scheduled, modified, and discontinued appropriately based on the patient's response to treatment;
- Based on findings during physical examination must be based on a finding of asymmetry or misalignment identified on a sectional or segmental level and at least two more of the following and must be clearly documented:

- Pain/tenderness evaluated in terms of location, quality, and intensity.
- Range of motion abnormality (changes in active, passive, and accessory joint movements resulting in an increase or a decrease in sectional or segmental mobility).
- Tissue and/or tone changes in the characteristics of contiguous, or associated soft tissues, including skin, fascia, muscle, and ligament;
- Expected and/or demonstrated to produce a therapeutic benefit of measurable improvement in the member's net health outcome as evidenced by a clinically significant decrease in symptoms and/or a clinically significant increase in function. Demonstrated therapeutic benefit should be in the form of a decrease in the disability score on a scored assessment; see Required Documentation section below.

NOTE: For Relapsing and Recurring conditions that have achieved a stable level of symptoms and function, demonstration of clinically significant measurable deterioration of symptoms and/or functional status when ongoing treatment is withdrawn may be considered evidence of medical necessity for resumption of treatment. See definition of supportive care and preventive/maintenance care below.

NOTE: If a member sustains an exacerbation of original injury/etiology or new injury during a course of treatment, additional visits/services may be medically necessary. Clinical documentation must show these events to support medical necessity.

### When a service is considered not medically necessary

- Care when there is neither regression nor improvement.  
NOTE: During a course of treatment, when the patient's symptoms and functional status become stable without additional objectively measured clinical improvement and without reasonable clinical expectation of additional objectively measurable clinical improvement in net health outcome, the patient is considered to have reached a clinical plateau known as maximal medical improvement.
- Services beyond the point of maximal medical improvement are not considered medically necessary.
- Care provided as an adjunct to training for athletic, recreational, and occupational activities.
- General conditioning program or self-monitored repetitive exercises or exercise equipment to increase strength and endurance.
- Repetitive exercises to improve walking and/or running distance, strength, and endurance assisted services in supporting unstable members.
- Therapy for a condition when the therapeutic goals of a treatment plan have been achieved and no progress is apparent or expected to occur.
- Services beyond those needed to restore ability to perform Activities of Daily Living
- Chiropractic manipulation for persons without an identifiable clinical condition, functional limitation or symptom.
- Chiropractic services to support the immune system.

- Chiropractic services to support optimal growth and development.
- Preventive/maintenance care - see definition.

#### When a service is considered investigational

- Active Therapeutic Movements (ATM2)
- Applied Spinal Biomechanical Engineering (ABSE) techniques
- Aqua and pool therapy for non-musculoskeletal indications (e.g. pool therapy for treatment of asthma)
- Aquamassage and hydrotherapy table use
- Arvigo Techniques of Maya Abdominal Therapy (ATMAT)
- Atlas Orthogonal (AO) Technique
- Bio-Energetic Synchronization Technique (B.E.S.T.)
- Bio-Geometric Integration (BGI)
- Blair Technique
- Chiropractic BioPhysics / Clinical Biomechanics of Posture (CPB)
- Chiropractic manipulation for management of bedwetting (nocturnal enuresis)
- Chiropractic manipulation for management of ear infection
- Chiropractic manipulation for management of infant colic
- Chiropractic manipulation of newborns (0-3 months of age) to treat subluxations from "Traumatic Birth Syndrome"
- Chiropractic manipulation under anesthesia
- Coccygeal Meningeal Stress Fixation Technique
- Cold Laser Therapy
- Computerized Radiographic Mensuration Analysis (CRMA)
- Cranial Manipulation
- Craniosacral Therapy
- Cryotherapy, cryospa and whole-body cryotherapy
- Digital Postural Analysis
- Digital Radiographic Measurement
- Directional Non-force Technique
- Dry hydrotherapy (e.g. AquaMed, Sidmar)
- Dry Needling
- Emotional Freedom Technique (EFT), also known as tapping
- Gait analysis
- Hands-free ultrasound
- Hyperbaric oxygen therapy (HBOT) in combination with chiropractic care. (NOTE: Requires PA for all other disciplines)
- Interactive Metronome
- Iontophoresis and phonophoresis for drug delivery
- Kinesiology Taping
- Koren Specific Technique (KST)
- Low Level Laser Therapy
- Lumbar/Cervical Extension Machines (e.g. MedX)
- Moire Contourographic Analysis
- Network Technique (Network chiropractic care or Network Spinal Analysis (NSA)
- Neural Organizational Technique

- Neuro Emotional Technique
- Neurocalometer and Nervoscope
- Neurologic Relief Center Technique (NRCT)
- Nutritional Response Testing
- Oscillating platform therapy (e.g. SpineForce)
- Para-Spinal Electromyography (EMG) and Surface Scanning EMG
- Paraspinal Surface Electromyography (SEMG) and Macro Electromyography
- Power traction equipment/devices for vertebral axial decompression (e.g. DRS Systems, VAX-D Table, DRX 9000, SpineMED, Accu-Spina System, Lordex Lumbar Decompression Unit, Internal Disc Decompression (IDD) Distraction Table) (S9090)
- Prolotherapy
- Pulsed Electromagnetic Stimulation including low frequency pulsed electromagnetic stimulation
- Quantum Touch Technique
- Sacro Occipital Technique (SOT)
- SCENAR Therapy
- Sensory integration therapy (including services under CPT® code 97533)
- SourcePoint Therapy
- Spinal manipulation under anesthesia
- Spinal Tuning
- Spinalator Table
- Spinoscopy
- Surface EMG and thermal scan (SEMG)
- TensCam No-touch healing device
- Therapeutic Magnetic Resonance (TMR)
- Thermal massage bed use
- Thermography
- Treatment with crystals
- Upledger Technique
- Vasopneumatic devices
- Webster Technique (for breech babies)
- Whitcomb Technique
- Whole Body Advance Exercise
- Whole Body Advance Vibration Exercise
- Whole Body Vibration Therapy
- Wobble chair
- Zerona Laser Treatment

#### When a service is considered a benefit exclusion and therefore not covered

- Hypnotherapy, Rolfing, Reiki, or homeopathic remedies
- Care for which there is no therapeutic benefit or likelihood of improvement
- Care, the duration of which is based upon a predetermined length of time rather than the condition of the patient, the results of treatment or the individual's medical progress
- Care provided but not documented with clear, legible notes indicating patient's symptoms, physical findings, Physician's assessment, and treatment modalities

used (billed). Any other procedure not specifically listed in this policy as a covered chiropractic service

- Biofeedback or other forms of self-care or self-help training
- Services that are not provided in accordance with accepted professional medical standards in the United States
- Cognitive training or retraining and educational programs, including any program designed principally to improve academic performance, reading or writing skills
- Custodial Care
- Foot care or supplies that are Palliative or Cosmetic in nature, including supportive devices and treatment for bunions (except capsular or bone Surgery), flat-foot conditions, subluxations of the foot, corns, callouses, toenails, fallen arches, weak feet, chronic foot strain and symptomatic complaints of the feet. This exclusion does not apply to necessary foot care for treatment of diabetes.”
- Group physical medicine services, group exercise, or physical therapy performed in a group setting
- Nutritional supplements and administration
- Personal service, comfort or convenience items
- Prescription or administration of drugs by a chiropractor
- Chiropractic obstetrical procedures including providing support during all phases of pregnancy as well as postnatal recovery. This does not apply to neuromuscular conditions that may arise during pregnancy needing chiropractic manipulation therapy
- Physical fitness equipment, braces and devices intended primarily for use with sports or physical activities other than Activities of Daily Living (e.g. knee braces for skiing, running or hiking); weight loss or exercise programs; health club or fitness center memberships
- Pneumatic cervical traction devices; gravity-assisted traction devices
- Services and supplies not specifically described as covered
- Services by a provider who is not in our network
- Services, including modalities that do not require the constant attendance of a provider
- Services in excess of the limitations or maximums set forth in our member’s contract
- Support therapies, including pastoral counseling, assertiveness training, dream therapy, music or art therapy, recreational therapy, smoking cessation therapy, stress management, wilderness programs, adventure therapy and bright light therapy
- Supplying/dispensing of medical supplies or durable medical equipment (DME).  
NOTE: Chiropractors may *prescribe* DME
- Treatment after the 12<sup>th</sup> visit, unless a Prior Approval Request is approved
- Treatment of mental health conditions
- Treatment of any “visceral condition,” that is a dysfunction of the abdominal or thoracic organs, or other condition that is not neuromusculoskeletal in nature
- Chiropractic assistants cannot provide the following services to Blue Cross VT members: Chiropractic manipulations, Physical medicine modalities or therapeutic procedures.
- Provider exclusion - benefits are not available for treatment of a member of your

- immediate family or yourself
- Services beyond those needed to restore the member's ability to perform Activities of Daily Living or services to establish or re-establish the capability to perform occupational, hobby, sport or leisure activities
- Unattended services or modalities (application of a service or modality) that do not require direct one-on-one patient contact by the Provider, such as:
  - Hot or cold packs
  - Traction, mechanical
  - Electrical stimulation (unattended)
  - Vasopneumatic devices
  - Paraffin bath
  - Whirlpool
  - Diathermy (eg, microwave)
  - Infrared
  - Ultraviolet

## Required Documentation

### 1. Chiropractic Records at Initial Assessment, Scheduled Reassessments and Treatment Plan(s):

Records shall include, at a minimum, documentation of the following, when applicable, consistent with guidance from the American Chiropractic Association (ACA) in the Clinical Documentation Manual and includes the use of ACA acceptable abbreviations:

- a) The patient's case history and physical documents contain appropriate subjective and objective information for presenting complaints.
- b) Findings of all examinations performed.
- c) Findings of special studies, including but not limited to x-ray studies taken or reviewed, and laboratory studies.
- d) Explicit notation in the record on follow-up plans regarding consultation advice and abnormal lab and imaging study results.
- e) Clinical impression (including rationale for changes in diagnosis).
- f) Treatment plan (including rationale for changes in duration or frequency and measurable long- and short-term goals).
- g) Specific description of anatomical site(s) or region(s) of all treatment services.
- h) Details and rationale for supportive procedures or therapies.
- i) A clear description of the type of adjustment provided, including the body region to which the adjustment was performed, and,
- j) A post-manipulation evaluation of the patient's response to the treatment.

### 2. Chiropractic Records for Additional Visits:

The request for additional visits must be accompanied by supporting documentation of medical necessity to include the following:

- a) A prescribed treatment program that is expected to result in significant therapeutic improvement over a clearly defined period of time;
- b) The symptoms being treated;
- c) Appropriate diagnostic procedures and results;
- d) Frequency, duration and results of planned treatment modalities; anticipated length of treatment plan with identification of quantifiable, attainable short-term and long-term goals;
- e) Demonstrated progress toward significant functional gains and/or improved activity tolerances. We strongly recommend using one of the following scored assessments:
  - Copenhagen Neck Functional Disability Scale
  - Oswestry Low Back Pain Disability Questionnaire
  - The Roland-Morris Low Back Pain and Disability Questionnaire
  - Neck Disability Index
  - The Quick Dash Outcome Measure
  - Oxford Knee Score
  - Spinal Stenosis Outcome Questionnaire
  - Headache Disability Index
  - Patient Rated Wrist Evaluation
  - Pain Disability Questionnaire
  - Quadruple Visual Analogue Scale (QVAS)
  - Visual Analogue Scale (VAS)
- f) All decisions made by a chiropractor regarding the use of supportive physical medicine modalities and procedures should be predicated upon a properly documented clinical rationale, which is consistent with current educational and practice standards. Please refer to the definitions of supportive care and preventive/maintenance care below.
- g) The details of all modalities or procedures provided shall be recorded when performed, including time in minutes for all constant attendance modalities and therapeutic procedures and name of provider in constant attendance.
- h) Physical medicine services must be delivered by a qualified provider of physical medicine services practicing within the scope of practice of the applicable license.

### 3. Chiropractic Records at Interval Visits and Therapies Must Document:

- a) Unresolved problems from previous office visits are addressed in subsequent visits.
- b) Progress notes for each patient encounter in a separate note meeting these standards.
- c) The results of treatment, including changes in symptoms and function.
- d) Plan for follow-up care if any.
- e) Continued work and progress towards specific functional goals. We recommend documenting this with one of the suggested assessments listed above.

### **Laboratory Testing**

Conservative management of neuromusculoskeletal conditions does not routinely include the use of laboratory testing. Tests that may be considered medically necessary in the treatment

of neuromusculoskeletal conditions are listed in the code appendix.

### **Diagnostic Imaging**

To be considered medically necessary, imaging studies must meet the following four standards:

- The study must be obtained based on clinical need; **AND**
- The study must be of sufficient diagnostic quality; **AND**
- There must be an adequate written report of the study; **AND**
- The information from the study must be correlated with patient management.

The need for frequent diagnostic images for purely biomechanical analysis is not well-supported, nor is the need for routine imaging of patients prior to release from care. The decision for radiographic re-examination should be based on patient symptoms, physical findings, and the potential impact of the results of the examination on the treatment plan and on the net health outcome for the patient.

### Patient Selection for Imaging:

The selection of patients for radiographic examination is based on the following guidelines:

- The need for radiographic examination is based on history and physical examination findings; **AND**
- The potential diagnostic benefit of the radiographic examination is judged to outweigh the risks of ionizing radiation; **AND**
- Radiography is used to help the practitioner diagnosis pathology, identify contraindications to chiropractic care, identify bone and joint morphology, and acquire postural, and biomechanical information; **AND**
- Routine radiography of patient as a screening procedure is not appropriate practice in chiropractic care and is not considered medically necessary.

## **Policy Guidelines**

Benefits are subject to all terms, limitations and conditions of the subscriber contract.

Benefits for medically necessary chiropractic services are only available when treatment is provided by a licensed chiropractor who participates contractually in our network. Benefits may be subject to member out of pocket cost, including copayment, coinsurance or deductible amounts. In most states, the scope of chiropractic practice may include services that are not included in covered benefits.

A chiropractic visit may include up to four timed units per day. This does NOT include the use of Evaluation and Management (E/M codes) or manipulation codes.

Prior approval is required for the 13<sup>th</sup> visit forward per plan year. After 12 visits in a plan year, prior approval is required for additional chiropractic treatment with the same, or a different, chiropractic physician. A request for prior approval must contain clinical information required for determination of medical necessity criteria as specified in this

policy. If continued chiropractic care is considered medically necessary, up to 6 additional visits will be allowed, after which prior approval will again be required for additional visits. No more than 6 additional visits will be allowed without a clinical update of a member's status.

Although prior approval is required for chiropractic care that is over the initial 12 visits in a plan year and after completion of additional visits authorized under a chiropractic plan of treatment, an acute episode may occur at a time when no visits are currently authorized and there is insufficient time to obtain approval prior to treatment. In this setting, one additional visit for medically necessary care may be approved retroactively if the request is made within 3 business days of the visit. This request must specify the date of the additional visit. If further care beyond this visit is medically necessary, approval will be granted up to six visits, including the visit authorized retroactively.

When any provider (including a chiropractic physician) bills physical therapy therapeutic procedures (CPT® 97110-97535) these services will apply to the defined benefit limit for PT, ST, OT combined. These visits will also count against the initial 12 or subsequent approved chiropractic visits. After 12 visits in a plan year, prior approval is required for additional chiropractic treatment with the same, or a different, chiropractic physician.

Members may pay, at their own expense, for chiropractic care designed to prepare them for specific occupational, hobbies, sports, and leisure & recreational activities in addition to any other non-covered services such as acupuncture or massage therapy. A self-pay agreement, including details of services and member liability must be entered into prior to rendering these services and must be maintained as part of the medical record. Maintenance/Wellness Care/Therapy may be reported under procedure HCPCS code S8990 (physical or manipulative therapy performed for maintenance rather than restorative).

### Physical Medicine Treatments

Physical medicine modalities and therapeutic procedures performed by a chiropractor will be evaluated using the Blue Cross VT Physical Therapy Medical Policy.

Modality CPT® codes 97032 & 97035 are generally considered to be an adjunct to a variety of therapies and when billed by an allopathic, osteopathic, or chiropractic physician, these services do not count against the defined benefit limit for PT, ST, OT combined.

Modality CPT® Codes 97032 & 97035 will only count as an individual Chiropractic visit if no other chiropractic services are rendered at the same visit.

Modifier -GP must be reported when physical medicine treatments services are provided under Chiropractic plan of care.

Many Blue Cross VT Plans include therapy limitations. These limitations are a combination of physical therapy, occupational therapy and speech therapy services. If such services are billed during chiropractic care they will count towards the combined maximum benefit limitation. Chiropractic Manipulation Therapy, as outlined below, does not apply to the combined benefit maximum limitation.

### Physical Therapy Constant Attendance Procedures/Modalities

When documentation supports constant attendance therapeutic procedures or modalities (i.e. 97110, 97112) are being performed; time documentation in minutes is required. The amounts of time versus the appropriate number of units to bill are as follows:

- If less than 8 minutes, use modifier- 52 for reduced services.
- If 8-22 minutes, bill 1 unit.
- If 23-37 minutes, bill 2 units, etc.
- If 38-52 minutes, bill 3 units
- If 53-67 minutes, bill 4 units

### Sessions:

- A PT session is defined as up to (4)units one hour of PT services.
- Billing cannot exceed one hour (4) units per session.

### Chiropractic Manipulation Therapy (CMT)

Reimbursement is allowed for one clinically indicated and medically necessary spinal manipulation code (CPT® 98940-98942) per date of service. Reimbursement of specific CMT codes is subject to the subscriber certificate.

For purposes of CMT, there are five spinal regions: cervical (includes atlanto-occipital joint); thoracic (includes costovertebral and costotransverse joints); lumbar; sacral; pelvic (includes sacroiliac joint).

- CPT® 98940 - CMT; spinal, one to two regions.
- CPT® 98941 - CMT; spinal, three to four regions.
- CPT® 98942 - CMT; spinal, five regions.
- CPT® 98943 - CMT; extraspinal, one or more regions: head, including TMJ; lower extremities; upper extremities; rib cage (not including costovertebral and costotransverse joints); abdomen.

The pre-, intra-, and post-service components of a manipulation service include:

- An update of the patient's history regarding any changes positive or negative since the prior visit.
- A review of the chart, prior treatment plan, or diagnostic imaging.
- Performance of an assessment to determine the location and intensity of the patient's symptoms and medical necessity of the manipulation (with or without use of an instrument as the assessment tool).
- Manual palpation that documents pain or tenderness including location, intensity, quality, tissue response of muscles (spasms, hypertonicity, etc.)
- Motion palpation, joint evaluation, or whatever technique is used to locate and evaluate joint dysfunction/fixations.
- The manipulation of the joint(s) identified in the evaluation to restore normal joint motion/mechanics. Proper documentation of each area manipulated also must be noted in each daily note including technique or instrumentation used if not done by hand.

- A post-manipulation evaluation of the patient's response to the treatment should be noted.
- A determination to continue, cease, or minimally alter the treatment plan
- Patient education or instructions.
- Imaging review.
- Chart documentation, consultation and reporting

### Evaluation and Management (E/M)

Manipulation (98940-98943) includes a pre-manipulation assessment.

A separate E/M service should not be routinely reported with manipulation. This means that a separate evaluation and management (E/M) service for a separate condition will only be paid in the following circumstances:

- Initial examination of a new patient or condition; **OR**
- Acute exacerbation of symptoms or a significant change in the patient's condition; **OR**
- Distinctly different indications, which are separately identifiable and unrelated to the manipulation.

### **Reference Resources**

1. Agency for Healthcare Research and Quality (AHRQ) (previously Agency for Healthcare Policy and Research [AHCPR]). Complementary and Alternative Medicine in Back Pain Utilization Report. Publication No. 09-E006. 2009 Feb. Accessed May 2015. Available at URL address:  
<https://www.ahrq.gov/downloads/pub/evidence/pdf/backpaincam/backcam.pdf>
2. American Chiropractic Association Chiropractic Coding Solutions Manual, 2009 14<sup>th</sup> Annual Edition.
3. American Chiropractic Association Clinical Documentation Manual, 2<sup>nd</sup> Edition
4. American Chiropractic Association. [www.acatoday.org](http://www.acatoday.org)
5. American Chiropractic College of Radiology (ACCR). ACCR guideline on computer assisted mensuration for postural analysis of radiographs. 2004. Accessed December 8, 2010.
6. Blue Cross and Blue Shield Association. Electrical and Electromagnetic Stimulation for the Treatment of Arthritis. MPRM# 1.01.27. Last reviewed: April 2026. Accessed May 2026.
7. BlueCross BlueShield Association. Medical Policy Reference Manual. *Thermography* (6.01.12). Retrieved May, 2015 from BlueWeb (21 articles reviewed).
8. BlueCross BlueShield Association. Medical Policy Reference Manual. (10:2008). *Iontophoresis as a technique for drug delivery* (8.03.14). Retrieved February 17, 2009 from BlueWeb. (12 articles and/or guidelines reviewed).

9. Centre for Health Services and Policy Research. (1999, May). *A systematic review and critical appraisal of the scientific evidence on craniosacral therapy*.
10. Manual medicine guidelines for musculoskeletal injuries. 2004 Dec 1 (revised 2013 Dec NGC: 010305). Academy for Chiropractic Education. Accessed May 2015
11. Milliman Guidelines for Chiropractic Care.
12. Nielsen NH, Bronfort G, Bendix T, Madsen F, Weeke B.(1995). Chronic asthma and chiropractic spinal manipulation: a randomized clinical trial, *Clin Exp Allergy*, 25 (1):80. Pub Med PMID: 7728627.
13. Olafsdottir E, Forshei S, Fluge G, Markestad T. (2001). Randomised controlled trial of infantile colic treated with chiropractic spinal manipulation, *Arch Dis Child*, 84 (2):138. Pub Med PMID: 11159288.
14. The Vermont Chiropractic Insurance Panel.

## Document Precedence

Blue Cross and Blue Shield of Vermont (Blue Cross VT) Medical Policies are developed to provide clinical guidance and are based on research of current medical literature and review of common medical practices in the treatment and diagnosis of disease. The applicable group/individual contract and member certificate language, or employer's benefit plan if an ASO group, determines benefits that are in effect at the time of service. Since medical practices and knowledge are constantly evolving, Blue Cross VT reserves the right to review and revise its medical policies periodically. To the extent that there may be any conflict between medical policy and contract/employer benefit plan language, the member's contract/employer benefit plan language takes precedence.

## Audit Information

Blue Cross VT reserves the right to conduct audits on any provider and/or facility to ensure compliance with the guidelines stated in the medical policy. If an audit identifies instances of non-compliance with this medical policy, Blue Cross VT reserves the right to recoup all non-compliant payments.

# Administration and Guidance

## Benefit Determination Guidance

Prior approval is required and benefits are subject to all terms, limitations and conditions of the subscriber contract. Prior approval is required after 12 initial visits.

Incomplete authorization requests may result in a delay of decision pending submission of missing information. To be considered complete, see policy guidelines above.

Federal Employee Program (FEP): Members may have different benefits that apply. For further information please contact FEP customer service or refer to the FEP Service Benefit Plan Brochure. It is important to verify the member's benefits prior to providing the service to determine if benefits are available or if there is a specific exclusion in the member's benefit.

Coverage varies according to the member's group or individual contract. Not all groups are required to follow the Vermont legislative mandates. Member Contract language takes precedence over medical policy when there is a conflict.

If the member receives benefits through an Administrative Services Only (ASO) group, benefits may vary or not apply. To verify benefit information, please refer to the member's employer benefit plan documents or contact the customer service department. Language in the employer benefit plan documents takes precedence over medical policy when there is a conflict.

### Policy Implementation/Update information

|         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|---------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 02/2003 | Reformatted policy. 01/2002 updated to include new prior approval requirement - visit limit from six to 12 visits, 13 <sup>th</sup> visit forward requires prior approval; codes reviewed 01/2001 & updated.                                                                                                                                                                                                                                                                  |
| 09/2003 | Language added to reflect current certificate language and regulatory requirements.                                                                                                                                                                                                                                                                                                                                                                                           |
| 01/2005 | Major revision defining acute, supportive, and maintenance care; eliminating chronic care as a specific exclusion; and adding criteria for medical necessity for acute and supportive care and therapeutic trials for problems of long-standing duration. Included provisions for members to pay for chiropractic care for non-covered conditions.                                                                                                                            |
| 10/2005 | Minor word additions, additional diagnosis codes added based on input from VCA.                                                                                                                                                                                                                                                                                                                                                                                               |
| 10/2006 | Reviewed by VCA panel. LLLT and VAD and Work Hardening added as not covered/investigational. CPT® codes updated.                                                                                                                                                                                                                                                                                                                                                              |
| 10/2007 | Updated to include current certificate language. Reviewed by the CAC 01/2008. Reviewed by the Vermont Chiropractic Insurance Panel.                                                                                                                                                                                                                                                                                                                                           |
| 05/2009 | 10/2008 Updated. Reviewed by the Vermont Chiropractic Insurance Panel 12/04/2008. Reviewed by the CAC 5/2009.                                                                                                                                                                                                                                                                                                                                                                 |
| 04/2010 | Updated to clarify training and conditioning as distinct from medical care. Reviewed by CAC 05/18/2010.                                                                                                                                                                                                                                                                                                                                                                       |
| 02/2011 | Updates to: definition of "chiropractic care"; medical necessity criteria; covered laboratory testing and diagnostic imaging; non-covered services; addition of components of a manipulation service, modifier information related to documentation requirements. Maintenance therapy/wellness care should be reported under procedure HCPCS code S8990 (physical or manipulative therapy performed for maintenance rather than restorative). S8990 is a non-covered service. |
| 10/2013 | Updated with clarifying medical necessity criteria, removal of VAS requirement. Diagnostic Imaging and patient selection criteria added.                                                                                                                                                                                                                                                                                                                                      |
| 05/2015 | Sections for: Medical Necessary, Not Medical Necessary, Investigational, and benefit exclusion updated. Physical medicine codes updated. Approved by MPC on: 3/30/15.                                                                                                                                                                                                                                                                                                         |
| 01/2016 | Updates to reflect AMA changes for CPT®. CPT®s: 97012 & 97016 now allowable services. Language to clarify reimbursement for instrument-assisted adjustment techniques. Approved by MPC on: 1/11/16.                                                                                                                                                                                                                                                                           |

|         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|---------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 09/2017 | Changes after collaborating with VCA; Updated investigational, not medically necessary and benefit exclusion list; added recommended assessments for more objective charting of progress towards goals, defined obstetrical procedures and newborn chiropractic care. Summary of Coding changes: Removed ICD 10 table, updated code descriptors, added codes 81003, 73110, 73130. Added Recommended Functional Assessment tools. Moved hyperbaric therapy from a benefit exclusion to investigational. Moved infrared therapy from investigational to benefit exclusion within the policy statement, coding table remains unchanged. Moved 97012 & 97016 from medically necessary to benefit exclusion. |
| 01/2018 | Deleted 97532 and replaced with 97127 effective 01/01/2018. Added G0515                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| 03/2019 | Policy reviewed No changes to policy statement. Policy reviewed No changes to policy statement. Attachment IV - Chiropractic Covered Diagnosis codes has been revised. ICD-10-CM codes that were listed but not billed by the provider community in the last 3 years have been removed.                                                                                                                                                                                                                                                                                                                                                                                                                 |
| 01/2020 | Adaptive Maintenance Updates: Deleted code 97127 effective 01/01/2020. Removed G0515 refer to Corporate Cognitive Rehabilitation Policy.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| 06/2020 | Policy reviewed no changes to policy statement. Coding table update.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| 01/2021 | Adaptive Maintenance Effective 01/01/2021: Deleted code 99201, Added code 99417 and revised code descriptors 99211-99215, 99202-99205                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| 07/2021 | Policy reviewed. Insertion of consolidated investigational therapy services list. Added codes R20.2 and R42 to coding ICD-10-CM Attachment IV Coding table. Added definition of Activities of Daily Living to Attachment V.                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| 10/2021 | Adaptive Maintenance Effective 10/01/2021: Code M54.5 deleted. Added codes: M54.50, M54.51, M54.59 to coding table.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| 08/2022 | Policy Reviewed. Added codes: M67.912, R51.0, R51.9 as eligible diagnosis. Removed code R51. Added code 97150 to coding table as a benefit exclusion. Minor formatting changes. Added modifiers (-GP) with instructions in coding table                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| 12/2022 | Adaptive Maintenance Effective 01/01/2023: Deleted code: 99251, 99343. Revised the following code descriptors: 99252, 99253, 99254, 99255, 99341, 99342, 99344, 99345, 99347, 99348, 99349, 99350, 99417.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| 02/2022 | For clarification moved the instructions for use of the -GP modifier from the 'CMT' section of the medical policy to the 'Physical Therapy' section of the policy. No change to policy statement.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| 05/2023 | Policy reviewed. Minor formatting changes for clarity. No changes to policy statement.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| 09/2023 | Adaptive Maintenance Effective 10/01/2023 added the following ICD-10-CM codes to the coding table: G43.E01, G43.E09, G43.E11, G43.E19.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| 06/2024 | Policy reviewed. Clarification that exacerbation or etiology or new injury during treatment course may support medical necessity of continued visits. Minor formatting changes.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |

|         |                                                                                                                                                                                                                                                                                                 |
|---------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 05/2025 | Policy reviewed. Added Pulsed Electromagnetic Stimulation including low frequency pulsed electromagnetic stimulation as investigational. Minor formatting changes. Added codes E0761 & E0769 as investigational to the coding table. Revised diagnoses codes M51.360 & M51.370 to coding table. |
| 06/2025 | Policy reviewed. Added policy statement of physical therapy session to not exceed (4) units.                                                                                                                                                                                                    |
| 06/2026 | Policy reviewed. No change to policy statement. Minor formatting changes for clarity and consistency. Reference updated.                                                                                                                                                                        |

### Eligible providers

Qualified healthcare professionals practicing within the scope of their license(s).

### Approved by Blue Cross VT Medical Directors

Tom Weigel, MD, MBA  
Vice President and Chief Medical Officer

### Attachment I Chiropractic Covered CPT® Codes

| The following services will be considered medical necessary when policy criteria has been met: |                                                                                                                                                                                                                                                                                                   |
|------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Office Visits                                                                                  | Description                                                                                                                                                                                                                                                                                       |
| 99202                                                                                          | New Patient -Level 2                                                                                                                                                                                                                                                                              |
| 99203                                                                                          | New Patient- Level 3                                                                                                                                                                                                                                                                              |
| 99204                                                                                          | New Patient -Level 4                                                                                                                                                                                                                                                                              |
| 99205                                                                                          | New Patient Level-5                                                                                                                                                                                                                                                                               |
| 99211                                                                                          | Established Patient- Level 1                                                                                                                                                                                                                                                                      |
| 99212                                                                                          | Established Patient- Level 2                                                                                                                                                                                                                                                                      |
| 99213                                                                                          | Established Patient- Level 3                                                                                                                                                                                                                                                                      |
| 99214                                                                                          | Established Patient- Level 4                                                                                                                                                                                                                                                                      |
| 99215                                                                                          | Established Patient- Level 5                                                                                                                                                                                                                                                                      |
| Inpatient Visits                                                                               | Description                                                                                                                                                                                                                                                                                       |
| 99252                                                                                          | Inpatient or observation consultation for a new or established patient, which requires a medically appropriate history and/or examination and straightforward medical decision making. When using total time on the date of the encounter for code selection, 35 minutes must be met or exceeded. |

|                    |                                                                                                                                                                                                                                                                                                                |
|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 99253              | Inpatient or observation consultation for a new or established patient, which requires a medically appropriate history and/or examination and low level of medical decision making. When using total time on the date of the encounter for code selection, 45 minutes must be met or exceeded.                 |
| 99254              | Inpatient or observation consultation for a new or established patient, which requires a medically appropriate history and/or examination and moderate level of medical decision making. When using total time on the date of the encounter for code selection, 60 minutes must be met or exceeded.            |
| 99255              | Inpatient or observation consultation for a new or established patient, which requires a medically appropriate history and/or examination and high level of medical decision making. When using total time on the date of the encounter for code selection, 80 minutes must be met or exceeded.                |
| <b>Home Visits</b> | <b>Description</b>                                                                                                                                                                                                                                                                                             |
| 99341              | Home or residence visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and straightforward medical decision making. When using total time on the date of the encounter for code selection, 15 minutes must be met or exceeded.          |
| 99342              | Home or residence visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and low level of medical decision making. When using total time on the date of the encounter for code selection, 30 minutes must be met or exceeded.             |
| 99344              | Home or residence visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and moderate level of medical decision making. When using total time on the date of the encounter for code selection, 60 minutes must be met or exceeded.        |
| 99345              | Home or residence visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and high level of medical decision making. When using total time on the date of the encounter for code selection, 75 minutes must be met or exceeded.            |
| 99347              | Home or residence visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and straightforward medical decision making. When using total time on the date of the encounter for code selection, 20 minutes must be met or exceeded. |
| 99348              | Home or residence visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and low level of medical decision making. When using total time on the date of the encounter for code selection, 30 minutes must be met or exceeded.    |

|                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|----------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 99349                            | Home or residence visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and moderate level of medical decision making. When using total time on the date of the encounter for code selection, 40 minutes must be met or exceeded.                                                                                                                                                                                                                                                                                                                       |
| 99350                            | Home or residence visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and high level of medical decision making. When using total time on the date of the encounter for code selection, 60 minutes must be met or exceeded.                                                                                                                                                                                                                                                                                                                           |
| 99417                            | Prolonged office or other outpatient evaluation and management service(s) time with or without direct patient contact beyond the minimum required time with or without direct patient contact beyond the usual service of the primary service procedure encounter which when the primary service level has been selected using total time, requiring total time with or without direct patient contact beyond the usual service, on the date of the primary service each 15 minutes of total time (List separately in addition to codes 99205, 99215 for office or other the code of the outpatient Evaluation and Management service) |
| <b>Manipulation</b>              | <b>Description</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| 98940                            | Chiropractic manipulative treatment (CMT); spinal, 1-2 regions                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| 98941                            | Chiropractic manipulative treatment (CMT); spinal, 3-4 regions                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| 98942                            | Chiropractic manipulative treatment (CMT); spinal, 5 regions                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 98943                            | Chiropractic manipulative treatment (CMT); extraspinal, 1 or more regions                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Chiropractic Coding Rules</b> | <b>Description</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| 1                                | Chiropractic manipulation treatment (CMT) includes a pre-manipulation patient assessment.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 2                                | Evaluation & management (E/M) services provided in conjunction with CMT may be reported separately with the addition of CPT® modifier -25 (Significant, separately identifiable E/M service by the same provider on the same day of the procedure or other service), along with any diagnostic tests or other therapy provided.                                                                                                                                                                                                                                                                                                        |
| <b>Physical Medicine</b>         | <b>Description</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| 97032                            | Application of a modality to 1 or more areas; electrical stimulation (manual), each 15 minutes                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| 97035                            | Application of a modality to 1 or more areas: ultrasound, each 15 minutes                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 97036                            | Application of a modality to 1 or more areas; Hubbard Tank, each 15 minutes                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| 97110                            | Therapeutic procedure, 1 or more areas, each 15 minutes; therapeutic exercises to develop strength and endurance, range of motion and flexibility                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |

|                                   |                                                                                                                                                                                                                                                                                   |
|-----------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 97112                             | Neuromuscular reeducation of movement, balance, coordination, kinesthetic sense, posture, and/or proprioception for sitting and/or standing activities<br><br><b>NOTE: 97112 should not be billed when a manipulation is performed on the same area.</b>                          |
| 97113                             | Therapeutic procedure, 1 or more areas, each 15 minutes; aquatic therapy with therapeutic exercises                                                                                                                                                                               |
| 97116                             | Therapeutic procedure, 1 or more areas, each 15 minutes; gait training (includes stair climbing)                                                                                                                                                                                  |
| 97140                             | Manual therapy techniques (e.g., mobilization / manipulation, manual lymphatic drainage, manual traction), 1 or more regions, each 15 minutes<br><br><b>NOTE: 97140 should not be billed when a manipulation is performed on the same area.</b>                                   |
| 97530                             | Therapeutic activities, direct (one-on-one) patient contact by the provider (use of dynamic activities to improve functional performance), each 15 minutes                                                                                                                        |
| 97535                             | Self-care / home management training (e.g., Activities of Daily Living (ADL) and compensatory training, meal preparation, safety procedures, and instructions in use of assistive technology devices / adaptive equipment) direct one-on-one contact by provider, each 15 minutes |
| <b>Physical Medicine Modifier</b> | <b>Description</b>                                                                                                                                                                                                                                                                |
| -GP                               | Services delivered under an outpatient physical therapy [Chiropractic] plan of care- Refer to Physical Medicine Treatments section of medical policy for guidance.                                                                                                                |
| <b>Physical Coding Rule</b>       | <b>Description</b>                                                                                                                                                                                                                                                                |
| 1                                 | The provider is required to be in constant attendance when reporting CPT® codes for modalities and procedures.                                                                                                                                                                    |
| <b>Laboratory</b>                 | <b>Description</b>                                                                                                                                                                                                                                                                |
| 80051                             | Electrolyte panel                                                                                                                                                                                                                                                                 |
| 81000                             | Urinalysis                                                                                                                                                                                                                                                                        |
| 81001                             | Urinalysis automated, with microscopy                                                                                                                                                                                                                                             |
| 81003                             | Urinalysis, without microscopy                                                                                                                                                                                                                                                    |
| 82550                             | Creatine kinase (CK) (CPK); total                                                                                                                                                                                                                                                 |
| 85027                             | Complete Blood count (with automated Hgb, Hct, RBC, WBC, platelet)                                                                                                                                                                                                                |
| 85651                             | Sedimentation Rate, manual                                                                                                                                                                                                                                                        |
| Non- Covered Laboratory Tests     | All Others CPT® codes not listed above                                                                                                                                                                                                                                            |

Attachment II  
Chiropractic Non-Covered Service Codes

| The following services will be denied as Not Medically Necessary, Non-Covered, Contract Exclusion or Investigational: |                                                                                                              |                         |
|-----------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|-------------------------|
| Non-Covered Codes                                                                                                     | Description                                                                                                  |                         |
| 97010                                                                                                                 | Application of a modality to 1 or more areas; hot and cold packs                                             | Exclusion               |
| 97012                                                                                                                 | Application of a modality to 1 or more areas; traction, mechanical                                           | Exclusion               |
| 97014                                                                                                                 | Electrical stimulation (unattended)                                                                          | Exclusion               |
| 97016                                                                                                                 | Application of a modality to 1 or more areas; vasopneumatic devices                                          | Exclusion               |
| 97018                                                                                                                 | Paraffin bath                                                                                                | Exclusion               |
| 97022                                                                                                                 | Whirlpool                                                                                                    | Exclusion               |
| 97024                                                                                                                 | Diathermy (e.g., microwave)                                                                                  | Exclusion               |
| 97026                                                                                                                 | Infrared                                                                                                     | Exclusion               |
| 97028                                                                                                                 | Ultraviolet                                                                                                  | Exclusion               |
| 97033                                                                                                                 | Iontophoresis                                                                                                | Investigational         |
| 97039                                                                                                                 | Unlisted modality                                                                                            | Not Medically Necessary |
| 97124                                                                                                                 | Massage, including effleurage, petrissage, and/or tapotement (stroking, compression, percussion)             | Exclusion               |
| 97139                                                                                                                 | Unlisted therapeutic procedure                                                                               | Not Medically Necessary |
| 97150                                                                                                                 | Therapeutic procedure, group                                                                                 | Exclusion               |
| 97533                                                                                                                 | Sensory integrative techniques                                                                               | Investigational         |
| 97537                                                                                                                 | Community work/reintegration training                                                                        | Exclusion               |
| 97545                                                                                                                 | Work hardening/conditioning                                                                                  | Exclusion               |
| 97546                                                                                                                 | Work hardening/conditioning each additional hour                                                             | Exclusion               |
| 99070                                                                                                                 | Supplies and materials provided by the physician over and above those usually included with the office visit | Not Covered             |
| E0761                                                                                                                 | Nonthermal pulsed high frequency radiowaves, high peak power electromagnetic energy treatment device         | Investigational         |

|       |                                                                                            |                                                                                                                     |
|-------|--------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|
| E0769 | Electrical stimulation or electromagnetic wound treatment device, not otherwise classified | Investigational                                                                                                     |
| S8990 | Physical or manipulative therapy performed for maintenance rather than restoration         | Exclusion - (Care for which there is no therapeutic benefit or likelihood of improvement is excluded from coverage) |
| S9090 | Vertebral axial decompression, per session                                                 | Investigational                                                                                                     |

Attachment III  
Chiropractic Covered Diagnostic Imaging

| Covered X-Rays | Description                                                                                                                                                         |
|----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 71100          | Radiologic examination, ribs, unilateral; 2 views                                                                                                                   |
| 72020          | Radiologic examination, spine, single view, specify level                                                                                                           |
| 72040          | Radiologic examination, spine, cervical; 2 or 3 views                                                                                                               |
| 72050          | Radiologic examination, spine, cervical; 4-5 views                                                                                                                  |
| 72052          | Radiologic examination, spine, cervical; complete, including oblique & flexion and/or extension studies (6 or more views)                                           |
| 72070          | Radiologic examination, spine, thoracic; 2 views                                                                                                                    |
| 72074          | Radiologic examination, spine, thoracic; minimum of 4 views                                                                                                         |
| 72080          | Radiologic examination, spine, thoracolumbar, 2 views                                                                                                               |
| 72081          | Radiologic examination, spine, entire thoracic and lumbar, including skull, cervical and sacral spine if performed (e.g., scoliosis evaluation); one view           |
| 72082          | Radiologic examination, spine, entire thoracic and lumbar, including skull, cervical and sacral spine if performed (e.g., scoliosis evaluation); 2 or 3 views       |
| 72083          | Radiologic examination, spine, entire thoracic and lumbar, including skull, cervical and sacral spine if performed (e.g., scoliosis evaluation); 4 or 5 views       |
| 72084          | Radiologic examination, spine, entire thoracic and lumbar, including skull, cervical and sacral spine if performed (e.g., scoliosis evaluation); minimum of 6 views |
| 72100          | Radiologic examination, spine, lumbosacral; 2 or 3 views                                                                                                            |
| 72110          | Radiologic examination, spine, lumbosacral; minimum of 4 views                                                                                                      |

|       |                                                                                                 |
|-------|-------------------------------------------------------------------------------------------------|
| 72114 | Radiologic examination, spine, lumbosacral; complete, including bending views, minimum 6 views  |
| 72120 | Radiologic examination, spine, lumbosacral, bending views only, 2 or 3 views                    |
| 72170 | Radiologic examination, pelvis; 1 or 2 views                                                    |
| 72200 | Radiologic examination, sacroiliac joints; less than 3 views                                    |
| 72220 | Radiologic examination, sacrum & coccyx, minimum of 2 views                                     |
| 73000 | Radiologic examination, clavicle, complete                                                      |
| 73010 | Radiologic examination, scapula, complete                                                       |
| 73020 | Radiologic examination, shoulder; 1 view                                                        |
| 73030 | Radiologic examination, shoulder, complete, minimum of 2 views                                  |
| 73040 | Radiologic examination, shoulder, arthrography, radiological supervision & interpretation       |
| 73050 | Radiologic examination, acromioclavicular joints, bilateral, with or w/out weighted distraction |
| 73060 | Radiologic examination, humerus, minimum of 2 views                                             |
| 73070 | Radiologic examination, elbow; 2 views                                                          |
| 73090 | Radiologic examination, forearm; 2 views                                                        |
| 73100 | Radiologic examination, wrist; 2 views                                                          |
| 73110 | Radiologic examination, wrist; complete, minimum of 3 views                                     |
| 73115 | Radiologic examination, wrist; arthrography, radiological supervision & interpretation          |
| 73120 | Radiologic examination, hand; 2 views                                                           |
| 73130 | Radiologic examination, hand; minimum of 3 views                                                |
| 73140 | Radiologic examination, finger(s), minimum of 2 views                                           |
| 73501 | Radiologic examination, hip, unilateral, with pelvis when performed; 1 view                     |
| 73502 | Radiologic examination, hip, unilateral, with pelvis when performed; 2-3 views                  |
| 73503 | Radiologic examination, hip, unilateral, with pelvis when performed; minimum of 4 views         |
| 73521 | Radiologic examination, hips, bilateral, with pelvis when performed; 2 views                    |
| 73522 | Radiologic examination, hips, bilateral, with pelvis when performed; 3-4 views                  |
| 73523 | Radiologic examination, hips, bilateral, with pelvis when performed;                            |

|       |                                                             |
|-------|-------------------------------------------------------------|
|       | minimum of 5 views                                          |
| 73551 | Radiologic examination, femur; 1 view                       |
| 73552 | Radiologic examination, femur; minimum 2 views              |
| 73560 | Radiologic examination, knee; 1 or 2 views                  |
| 73562 | Radiologic examination, knee; 3 views                       |
| 73564 | Radiologic examination, knee; complete, 4 or more views     |
| 73590 | Radiologic examination, tibia & fibula, 2 views             |
| 73600 | Radiologic examination, ankle; 2 views                      |
| 73610 | Radiologic examination, ankle; complete, minimum of 3 views |
| 73620 | Radiologic examination, foot; 2 views                       |
| 73630 | Radiologic examination, foot; complete, minimum of 3 views  |
| 73650 | Radiologic examination, calcaneus; minimum of 2 views       |
| 73660 | Radiologic examination, toe(s), minimum of 2 views          |

Attachment IV  
ICD-10-CM Coding Table

| ICD-10-CM                                                                                                                  | Description                                                                |
|----------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------|
| <b>The following ICD-10-CM diagnoses will be considered as medically necessary when applicable criteria have been met.</b> |                                                                            |
| <b>G43.E01</b>                                                                                                             | Chronic migraine with aura, not intractable, with status migrainosus       |
| <b>G43.E09</b>                                                                                                             | Chronic migraine with aura, not intractable, without status migrainosus    |
| <b>G43.E11</b>                                                                                                             | Chronic migraine with aura, intractable, with status migrainosus           |
| <b>G43.E19</b>                                                                                                             | Chronic migraine with aura, intractable, without status migrainosus        |
| <b>G43.009</b>                                                                                                             | Migraine without aura, not intractable, without status migrainosus         |
| <b>G43.101</b>                                                                                                             | Migraine with aura, not intractable, with status migrainosus               |
| <b>G43.109</b>                                                                                                             | Migraine with aura, not intractable, without status migrainosus            |
| <b>G43.111</b>                                                                                                             | Migraine with aura, intractable, with status migrainosus                   |
| <b>G43.701</b>                                                                                                             | Chronic migraine without aura, not intractable, with status migrainosus    |
| <b>G43.709</b>                                                                                                             | Chronic migraine without aura, not intractable, without status migrainosus |
| <b>G43.909</b>                                                                                                             | Migraine, unspecified, not intractable, without status migrainosus         |
| <b>G44.1</b>                                                                                                               | Vascular headache, not elsewhere classified                                |
| <b>G44.201</b>                                                                                                             | Tension-type headache, unspecified, intractable                            |
| <b>G44.209</b>                                                                                                             | Tension-type headache, unspecified, not intractable                        |
| <b>G44.211</b>                                                                                                             | Episodic tension-type headache, intractable                                |

|                |                                                      |
|----------------|------------------------------------------------------|
| <b>G44.219</b> | Episodic tension-type headache, not intractable      |
| <b>G44.221</b> | Chronic tension-type headache, intractable           |
| <b>G44.229</b> | Chronic tension-type headache, not intractable       |
| <b>G44.319</b> | Acute post-traumatic headache, not intractable       |
| <b>G44.89</b>  | Other headache syndrome                              |
| <b>G50.0</b>   | Trigeminal neuralgia                                 |
| <b>G54.0</b>   | Brachial plexus disorders                            |
| <b>G54.1</b>   | Lumbosacral plexus disorders                         |
| <b>G54.2</b>   | Cervical root disorders, not elsewhere classified    |
| <b>G54.3</b>   | Thoracic root disorders, not elsewhere classified    |
| <b>G54.4</b>   | Lumbosacral root disorders, not elsewhere classified |
| <b>G54.8</b>   | Other nerve root and plexus disorders                |
| <b>G56.00</b>  | Carpal tunnel syndrome, unspecified upper limb       |
| <b>G56.01</b>  | Carpal tunnel syndrome, right upper limb             |
| <b>G56.02</b>  | Carpal tunnel syndrome, left upper limb              |
| <b>G56.03</b>  | Carpal tunnel syndrome, bilateral upper limbs        |
| <b>G56.20</b>  | Lesion of ulnar nerve, unspecified upper limb        |
| <b>G56.21</b>  | Lesion of ulnar nerve, right upper limb              |
| <b>G56.22</b>  | Lesion of ulnar nerve, left upper limb               |
| <b>G56.23</b>  | Lesion of ulnar nerve, bilateral upper limbs         |
| <b>G56.90</b>  | Unspecified mononeuropathy of unspecified upper limb |
| <b>G56.91</b>  | Unspecified mononeuropathy of right upper limb       |
| <b>G56.92</b>  | Unspecified mononeuropathy of left upper limb        |
| <b>G56.93</b>  | Unspecified mononeuropathy of bilateral upper limbs  |
| <b>G57.00</b>  | Lesion of sciatic nerve, unspecified lower limb      |
| <b>G57.01</b>  | Lesion of sciatic nerve, right lower limb            |
| <b>G57.02</b>  | Lesion of sciatic nerve, left lower limb             |
| <b>G57.03</b>  | Lesion of sciatic nerve, bilateral lower limbs       |
| <b>G57.10</b>  | Meralgia paresthetica, unspecified lower limb        |
| <b>G57.11</b>  | Meralgia paresthetica, right lower limb              |
| <b>G57.12</b>  | Meralgia paresthetica, left lower limb               |
| <b>G57.13</b>  | Meralgia paresthetica, bilateral lower limbs         |
| <b>G57.50</b>  | Tarsal tunnel syndrome, unspecified lower limb       |
| <b>G57.51</b>  | Tarsal tunnel syndrome, right lower limb             |
| <b>G57.52</b>  | Tarsal tunnel syndrome, left lower limb              |
| <b>G57.53</b>  | Tarsal tunnel syndrome, bilateral lower limbs        |
| <b>G57.60</b>  | Lesion of plantar nerve, unspecified lower limb      |

|                |                                                                                    |
|----------------|------------------------------------------------------------------------------------|
| <b>G57.61</b>  | Lesion of plantar nerve, right lower limb                                          |
| <b>G57.62</b>  | Lesion of plantar nerve, left lower limb                                           |
| <b>G57.63</b>  | Lesion of plantar nerve, bilateral lower limbs                                     |
| <b>G57.80</b>  | Other specified mononeuropathies of unspecified lower limb                         |
| <b>G57.81</b>  | Other specified mononeuropathies of right lower limb                               |
| <b>G57.82</b>  | Other specified mononeuropathies of left lower limb                                |
| <b>G57.83</b>  | Other specified mononeuropathies of bilateral lower limbs                          |
| <b>G58.0</b>   | Intercostal neuropathy                                                             |
| <b>G58.7</b>   | Mononeuritis multiplex                                                             |
| <b>G58.8</b>   | Other specified mononeuropathies                                                   |
| <b>G58.9</b>   | Mononeuropathy, unspecified                                                        |
| <b>M12.511</b> | Traumatic arthropathy, right shoulder                                              |
| <b>M12.512</b> | Traumatic arthropathy, left shoulder                                               |
| <b>M12.519</b> | Traumatic arthropathy, unspecified shoulder                                        |
| <b>M12.551</b> | Traumatic arthropathy, right hip                                                   |
| <b>M12.552</b> | Traumatic arthropathy, left hip                                                    |
| <b>M12.559</b> | Traumatic arthropathy, unspecified hip                                             |
| <b>M12.9</b>   | Arthropathy, unspecified                                                           |
| <b>M15.0</b>   | Primary generalized (osteo)arthritis                                               |
| <b>M16.10</b>  | Unilateral primary osteoarthritis, unspecified hip                                 |
| <b>M16.11</b>  | Unilateral primary osteoarthritis, right hip                                       |
| <b>M16.12</b>  | Unilateral primary osteoarthritis, left hip                                        |
| <b>M16.9</b>   | Osteoarthritis of hip, unspecified                                                 |
| <b>M17.0</b>   | Bilateral primary osteoarthritis of knee                                           |
| <b>M17.10</b>  | Unilateral primary osteoarthritis, unspecified knee                                |
| <b>M17.11</b>  | Unilateral primary osteoarthritis, right knee                                      |
| <b>M17.12</b>  | Unilateral primary osteoarthritis, left knee                                       |
| <b>M18.10</b>  | Unilateral primary osteoarthritis of first carpometacarpal joint, unspecified hand |
| <b>M18.11</b>  | Unilateral primary osteoarthritis of first carpometacarpal joint, right hand       |
| <b>M18.12</b>  | Unilateral primary osteoarthritis of first carpometacarpal joint, left hand        |
| <b>M19.011</b> | Primary osteoarthritis, right shoulder                                             |
| <b>M19.012</b> | Primary osteoarthritis, left shoulder                                              |
| <b>M19.019</b> | Primary osteoarthritis, unspecified shoulder                                       |
| <b>M19.031</b> | Primary osteoarthritis, right wrist                                                |
| <b>M19.032</b> | Primary osteoarthritis, left wrist                                                 |
| <b>M19.039</b> | Primary osteoarthritis, unspecified wrist                                          |

|                |                                                               |
|----------------|---------------------------------------------------------------|
| <b>M19.071</b> | Primary osteoarthritis, right ankle and foot                  |
| <b>M19.072</b> | Primary osteoarthritis, left ankle and foot                   |
| <b>M19.079</b> | Primary osteoarthritis, unspecified ankle and foot            |
| <b>M19.91</b>  | Primary osteoarthritis, unspecified site                      |
| <b>M20.10</b>  | Hallux valgus (acquired), unspecified foot                    |
| <b>M20.11</b>  | Hallux valgus (acquired), right foot                          |
| <b>M20.12</b>  | Hallux valgus (acquired), left foot                           |
| <b>M20.20</b>  | Hallux rigidus, unspecified foot                              |
| <b>M20.21</b>  | Hallux rigidus, right foot                                    |
| <b>M20.22</b>  | Hallux rigidus, left foot                                     |
| <b>M20.5X1</b> | Other deformities of toe(s) (acquired), right foot            |
| <b>M20.5X2</b> | Other deformities of toe(s) (acquired), left foot             |
| <b>M20.5X9</b> | Other deformities of toe(s) (acquired), unspecified foot      |
| <b>M21.371</b> | Foot drop, right foot                                         |
| <b>M21.372</b> | Foot drop, left foot                                          |
| <b>M21.379</b> | Foot drop, unspecified foot                                   |
| <b>M21.6X1</b> | Other acquired deformities of right foot                      |
| <b>M21.6X2</b> | Other acquired deformities of left foot                       |
| <b>M21.6X9</b> | Other acquired deformities of unspecified foot                |
| <b>M21.721</b> | Unequal limb length (acquired), right humerus                 |
| <b>M21.722</b> | Unequal limb length (acquired), left humerus                  |
| <b>M21.729</b> | Unequal limb length (acquired), unspecified humerus           |
| <b>M21.861</b> | Other specified acquired deformities of right lower leg       |
| <b>M21.862</b> | Other specified acquired deformities of left lower leg        |
| <b>M21.869</b> | Other specified acquired deformities of unspecified lower leg |
| <b>M21.961</b> | Unspecified acquired deformity of right lower leg             |
| <b>M21.962</b> | Unspecified acquired deformity of left lower leg              |
| <b>M21.969</b> | Unspecified acquired deformity of unspecified lower leg       |
| <b>M22.10</b>  | Recurrent subluxation of patella, unspecified knee            |
| <b>M22.11</b>  | Recurrent subluxation of patella, right knee                  |
| <b>M22.12</b>  | Recurrent subluxation of patella, left knee                   |
| <b>M22.2X1</b> | Patellofemoral disorders, right knee                          |
| <b>M22.2X2</b> | Patellofemoral disorders, left knee                           |
| <b>M22.2X9</b> | Patellofemoral disorders, unspecified knee                    |
| <b>M22.40</b>  | Chondromalacia patellae, unspecified knee                     |
| <b>M22.41</b>  | Chondromalacia patellae, right knee                           |
| <b>M22.42</b>  | Chondromalacia patellae, left knee                            |

|                |                                                                                         |
|----------------|-----------------------------------------------------------------------------------------|
| <b>M22.90</b>  | Unspecified disorder of patella, unspecified knee                                       |
| <b>M22.91</b>  | Unspecified disorder of patella, right knee                                             |
| <b>M22.92</b>  | Unspecified disorder of patella, left knee                                              |
| <b>M23.051</b> | Cystic meniscus, posterior horn of lateral meniscus, right knee                         |
| <b>M23.052</b> | Cystic meniscus, posterior horn of lateral meniscus, left knee                          |
| <b>M23.059</b> | Cystic meniscus, posterior horn of lateral meniscus, unspecified knee                   |
| <b>M23.200</b> | Derangement of unspecified lateral meniscus due to old tear or injury, right knee       |
| <b>M23.201</b> | Derangement of unspecified lateral meniscus due to old tear or injury, left knee        |
| <b>M23.202</b> | Derangement of unspecified lateral meniscus due to old tear or injury, unspecified knee |
| <b>M23.203</b> | Derangement of unspecified medial meniscus due to old tear or injury, right knee        |
| <b>M23.204</b> | Derangement of unspecified medial meniscus due to old tear or injury, left knee         |
| <b>M23.205</b> | Derangement of unspecified medial meniscus due to old tear or injury, unspecified knee  |
| <b>M23.206</b> | Derangement of unspecified meniscus due to old tear or injury, right knee               |
| <b>M23.207</b> | Derangement of unspecified meniscus due to old tear or injury, left knee                |
| <b>M23.209</b> | Derangement of unspecified meniscus due to old tear or injury, unspecified knee         |
| <b>M23.211</b> | Derangement of anterior horn of medial meniscus due to old tear or injury, right knee   |
| <b>M23.212</b> | Derangement of anterior horn of medial meniscus due to old tear or injury, left knee    |
| <b>M23.219</b> | Derangement of anterior horn of medial meniscus due to old tear or injury, left knee    |
| <b>M23.671</b> | Other spontaneous disruption of capsular ligament of right knee                         |
| <b>M23.672</b> | Other spontaneous disruption of capsular ligament of left knee                          |
| <b>M23.679</b> | Other spontaneous disruption of capsular ligament of unspecified knee                   |
| <b>M23.90</b>  | Unspecified internal derangement of unspecified knee                                    |
| <b>M23.91</b>  | Unspecified internal derangement of right knee                                          |
| <b>M23.92</b>  | Unspecified internal derangement of left knee                                           |
| <b>M24.151</b> | Other articular cartilage disorders, right hip                                          |
| <b>M24.152</b> | Other articular cartilage disorders, left hip                                           |
| <b>M24.159</b> | Other articular cartilage disorders, unspecified hip                                    |
| <b>M24.271</b> | Disorder of ligament, right ankle                                                       |
| <b>M24.272</b> | Disorder of ligament, left ankle                                                        |
| <b>M24.273</b> | Disorder of ligament, unspecified ankle                                                 |
| <b>M24.274</b> | Disorder of ligament, right foot                                                        |
| <b>M24.275</b> | Disorder of ligament, left foot                                                         |
| <b>M24.276</b> | Disorder of ligament, unspecified foot                                                  |
| <b>M24.451</b> | Recurrent dislocation, right hip                                                        |
| <b>M24.452</b> | Recurrent dislocation, left hip                                                         |

|                |                                                                                |
|----------------|--------------------------------------------------------------------------------|
| <b>M24.459</b> | Recurrent dislocation, unspecified hip                                         |
| <b>M24.511</b> | Contracture, right shoulder                                                    |
| <b>M24.512</b> | Contracture, left shoulder                                                     |
| <b>M24.519</b> | Contracture, unspecified shoulder                                              |
| <b>M24.851</b> | Other specific joint derangements of right hip, not elsewhere classified       |
| <b>M24.852</b> | Other specific joint derangements of left hip, not elsewhere classified        |
| <b>M24.859</b> | Other specific joint derangements of unspecified hip, not elsewhere classified |
| <b>M25.311</b> | Other instability, right shoulder                                              |
| <b>M25.312</b> | Other instability, left shoulder                                               |
| <b>M25.319</b> | Other instability, unspecified shoulder                                        |
| <b>M25.331</b> | Other instability, right wrist                                                 |
| <b>M25.332</b> | Other instability, left wrist                                                  |
| <b>M25.339</b> | Other instability, unspecified wrist                                           |
| <b>M25.351</b> | Other instability, right hip                                                   |
| <b>M25.352</b> | Other instability, left hip                                                    |
| <b>M25.359</b> | Other instability, unspecified hip                                             |
| <b>M25.451</b> | Effusion, right hip                                                            |
| <b>M25.452</b> | Effusion, left hip                                                             |
| <b>M25.459</b> | Effusion, unspecified hip                                                      |
| <b>M25.461</b> | Effusion, right knee                                                           |
| <b>M25.462</b> | Effusion, left knee                                                            |
| <b>M25.469</b> | Effusion, unspecified knee                                                     |
| <b>M25.471</b> | Effusion, right ankle                                                          |
| <b>M25.472</b> | Effusion, left ankle                                                           |
| <b>M25.473</b> | Effusion, unspecified ankle                                                    |
| <b>M25.474</b> | Effusion, right foot                                                           |
| <b>M25.475</b> | Effusion, left foot                                                            |
| <b>M25.476</b> | Effusion, unspecified foot                                                     |
| <b>M25.50</b>  | Pain in unspecified joint                                                      |
| <b>M25.511</b> | Pain in right shoulder                                                         |
| <b>M25.512</b> | Pain in left shoulder                                                          |
| <b>M25.519</b> | Pain in unspecified shoulder                                                   |
| <b>M25.521</b> | Pain in right elbow                                                            |
| <b>M25.522</b> | Pain in left elbow                                                             |
| <b>M25.529</b> | Pain in unspecified elbow                                                      |
| <b>M25.531</b> | Pain in right wrist                                                            |
| <b>M25.532</b> | Pain in left wrist                                                             |

|                |                                                             |
|----------------|-------------------------------------------------------------|
| <b>M25.539</b> | Pain in unspecified wrist                                   |
| <b>M25.541</b> | Pain in joints of right hand                                |
| <b>M25.542</b> | Pain in joints of left hand                                 |
| <b>M25.549</b> | Pain in joints of unspecified hand                          |
| <b>M25.551</b> | Pain in right hip                                           |
| <b>M25.552</b> | Pain in left hip                                            |
| <b>M25.559</b> | Pain in unspecified hip                                     |
| <b>M25.561</b> | Pain in right knee                                          |
| <b>M25.562</b> | Pain in left knee                                           |
| <b>M25.569</b> | Pain in unspecified knee                                    |
| <b>M25.571</b> | Pain in right ankle and joints of right foot                |
| <b>M25.572</b> | Pain in left ankle and joints of left foot                  |
| <b>M25.579</b> | Pain in unspecified ankle and joints of unspecified foot    |
| <b>M25.60</b>  | Stiffness of unspecified joint, not elsewhere classified    |
| <b>M25.611</b> | Stiffness of right shoulder, not elsewhere classified       |
| <b>M25.612</b> | Stiffness of left shoulder, not elsewhere classified        |
| <b>M25.619</b> | Stiffness of unspecified shoulder, not elsewhere classified |
| <b>M25.621</b> | Stiffness of right elbow, not elsewhere classified          |
| <b>M25.622</b> | Stiffness of left elbow, not elsewhere classified           |
| <b>M25.629</b> | Stiffness of unspecified elbow, not elsewhere classified    |
| <b>M25.631</b> | Stiffness of right wrist, not elsewhere classified          |
| <b>M25.632</b> | Stiffness of left wrist, not elsewhere classified           |
| <b>M25.639</b> | Stiffness of unspecified wrist, not elsewhere classified    |
| <b>M25.651</b> | Stiffness of right hip, not elsewhere classified            |
| <b>M25.652</b> | Stiffness of left hip, not elsewhere classified             |
| <b>M25.659</b> | Stiffness of unspecified hip, not elsewhere classified      |
| <b>M25.661</b> | Stiffness of right knee, not elsewhere classified           |
| <b>M25.662</b> | Stiffness of left knee, not elsewhere classified            |
| <b>M25.669</b> | Stiffness of unspecified knee, not elsewhere classified     |
| <b>M25.671</b> | Stiffness of right ankle, not elsewhere classified          |
| <b>M25.672</b> | Stiffness of left ankle, not elsewhere classified           |
| <b>M25.673</b> | Stiffness of unspecified ankle, not elsewhere classified    |
| <b>M25.674</b> | Stiffness of right foot, not elsewhere classified           |
| <b>M25.675</b> | Stiffness of left foot, not elsewhere classified            |
| <b>M25.676</b> | Stiffness of unspecified foot, not elsewhere classified     |
| <b>M25.80</b>  | Other specified joint disorders, unspecified joint          |
| <b>M25.811</b> | Other specified joint disorders, right shoulder             |

|                |                                                                      |
|----------------|----------------------------------------------------------------------|
| <b>M25.812</b> | Other specified joint disorders, left shoulder                       |
| <b>M25.819</b> | Other specified joint disorders, unspecified shoulder                |
| <b>M25.841</b> | Other specified joint disorders, right hand                          |
| <b>M25.842</b> | Other specified joint disorders, left hand                           |
| <b>M25.849</b> | Other specified joint disorders, unspecified hand                    |
| <b>M25.851</b> | Other specified joint disorders, right hip                           |
| <b>M25.852</b> | Other specified joint disorders, left hip                            |
| <b>M25.859</b> | Other specified joint disorders, unspecified hip                     |
| <b>M25.861</b> | Other specified joint disorders, right knee                          |
| <b>M25.862</b> | Other specified joint disorders, left knee                           |
| <b>M25.869</b> | Other specified joint disorders, unspecified knee                    |
| <b>M25.871</b> | Other specified joint disorders, right ankle and foot                |
| <b>M25.872</b> | Other specified joint disorders, left ankle and foot                 |
| <b>M25.879</b> | Other specified joint disorders, unspecified ankle and foot          |
| <b>M25.9</b>   | Joint disorder, unspecified                                          |
| <b>M26.601</b> | Right temporomandibular joint disorder, unspecified                  |
| <b>M26.602</b> | Left temporomandibular joint disorder, unspecified                   |
| <b>M26.603</b> | Bilateral temporomandibular joint disorder, unspecified              |
| <b>M26.609</b> | Unspecified temporomandibular joint disorder, unspecified side       |
| <b>M26.611</b> | Adhesions and ankylosis of right temporomandibular joint             |
| <b>M26.612</b> | Adhesions and ankylosis of left temporomandibular joint              |
| <b>M26.613</b> | Adhesions and ankylosis of bilateral temporomandibular joint         |
| <b>M26.619</b> | Adhesions and ankylosis of temporomandibular joint, unspecified side |
| <b>M26.621</b> | Arthralgia of right temporomandibular joint                          |
| <b>M26.622</b> | Arthralgia of left temporomandibular joint                           |
| <b>M26.623</b> | Arthralgia of bilateral temporomandibular joint                      |
| <b>M26.629</b> | Arthralgia of temporomandibular joint, unspecified side              |
| <b>M26.631</b> | Articular disc disorder of right temporomandibular joint             |
| <b>M26.632</b> | Articular disc disorder of left temporomandibular joint              |
| <b>M26.633</b> | Articular disc disorder of bilateral temporomandibular joint         |
| <b>M26.639</b> | Articular disc disorder of temporomandibular joint, unspecified side |
| <b>M26.69</b>  | Other specified disorders of temporomandibular joint                 |
| <b>M35.7</b>   | Hypermobility syndrome                                               |
| <b>M40.00</b>  | Postural kyphosis, site unspecified                                  |
| <b>M40.03</b>  | Postural kyphosis, cervicothoracic region                            |
| <b>M40.04</b>  | Postural kyphosis, thoracic region                                   |
| <b>M40.05</b>  | Postural kyphosis, thoracolumbar region                              |

|                |                                                         |
|----------------|---------------------------------------------------------|
| <b>M40.10</b>  | Other secondary kyphosis, site unspecified              |
| <b>M40.12</b>  | Other secondary kyphosis, cervical region               |
| <b>M40.13</b>  | Other secondary kyphosis, cervicothoracic region        |
| <b>M40.14</b>  | Other secondary kyphosis, thoracic region               |
| <b>M40.15</b>  | Other secondary kyphosis, thoracolumbar region          |
| <b>M40.202</b> | Unspecified kyphosis, cervical region                   |
| <b>M40.203</b> | Unspecified kyphosis, cervicothoracic region            |
| <b>M40.204</b> | Unspecified kyphosis, thoracic region                   |
| <b>M40.205</b> | Unspecified kyphosis, thoracolumbar region              |
| <b>M40.209</b> | Unspecified kyphosis, site unspecified                  |
| <b>M40.292</b> | Other kyphosis, cervical region                         |
| <b>M40.293</b> | Other kyphosis, cervicothoracic region                  |
| <b>M40.294</b> | Other kyphosis, thoracic region                         |
| <b>M40.295</b> | Other kyphosis, thoracolumbar region                    |
| <b>M40.299</b> | Other kyphosis, site unspecified                        |
| <b>M40.30</b>  | Flatback syndrome, site unspecified                     |
| <b>M40.35</b>  | Flatback syndrome, thoracolumbar region                 |
| <b>M40.36</b>  | Flatback syndrome, lumbar region                        |
| <b>M40.37</b>  | Flatback syndrome, lumbosacral region                   |
| <b>M40.40</b>  | Postural lordosis, site unspecified                     |
| <b>M40.45</b>  | Postural lordosis, thoracolumbar region                 |
| <b>M40.46</b>  | Postural lordosis, lumbar region                        |
| <b>M40.47</b>  | Postural lordosis, lumbosacral region                   |
| <b>M41.112</b> | Juvenile idiopathic scoliosis, cervical region          |
| <b>M41.113</b> | Juvenile idiopathic scoliosis, cervicothoracic region   |
| <b>M41.114</b> | Juvenile idiopathic scoliosis, thoracic region          |
| <b>M41.115</b> | Juvenile idiopathic scoliosis, thoracolumbar region     |
| <b>M41.116</b> | Juvenile idiopathic scoliosis, lumbar region            |
| <b>M41.117</b> | Juvenile idiopathic scoliosis, lumbosacral region       |
| <b>M41.119</b> | Juvenile idiopathic scoliosis, site unspecified         |
| <b>M41.122</b> | Adolescent idiopathic scoliosis, cervical region        |
| <b>M41.123</b> | Adolescent idiopathic scoliosis, cervicothoracic region |
| <b>M41.124</b> | Adolescent idiopathic scoliosis, thoracic region        |
| <b>M41.125</b> | Adolescent idiopathic scoliosis, thoracolumbar region   |
| <b>M41.126</b> | Adolescent idiopathic scoliosis, lumbar region          |
| <b>M41.127</b> | Adolescent idiopathic scoliosis, lumbosacral region     |
| <b>M41.129</b> | Adolescent idiopathic scoliosis, site unspecified       |

|               |                                                        |
|---------------|--------------------------------------------------------|
| <b>M41.20</b> | Other idiopathic scoliosis, site unspecified           |
| <b>M41.22</b> | Other idiopathic scoliosis, cervical region            |
| <b>M41.23</b> | Other idiopathic scoliosis, cervicothoracic region     |
| <b>M41.24</b> | Other idiopathic scoliosis, thoracic region            |
| <b>M41.25</b> | Other idiopathic scoliosis, thoracolumbar region       |
| <b>M41.26</b> | Other idiopathic scoliosis, lumbar region              |
| <b>M41.27</b> | Other idiopathic scoliosis, lumbosacral region         |
| <b>M41.30</b> | Thoracogenic scoliosis, site unspecified               |
| <b>M41.34</b> | Thoracogenic scoliosis, thoracic region                |
| <b>M41.35</b> | Thoracogenic scoliosis, thoracolumbar region           |
| <b>M41.40</b> | Neuromuscular scoliosis, site unspecified              |
| <b>M41.41</b> | Neuromuscular scoliosis, occipito-atlanto-axial region |
| <b>M41.42</b> | Neuromuscular scoliosis, cervical region               |
| <b>M41.43</b> | Neuromuscular scoliosis, cervicothoracic region        |
| <b>M41.44</b> | Neuromuscular scoliosis, thoracic region               |
| <b>M41.45</b> | Neuromuscular scoliosis, thoracolumbar region          |
| <b>M41.46</b> | Neuromuscular scoliosis, lumbar region                 |
| <b>M41.47</b> | Neuromuscular scoliosis, lumbosacral region            |
| <b>M41.50</b> | Other secondary scoliosis, site unspecified            |
| <b>M41.52</b> | Other secondary scoliosis, cervical region             |
| <b>M41.53</b> | Other secondary scoliosis, cervicothoracic region      |
| <b>M41.54</b> | Other secondary scoliosis, thoracic region             |
| <b>M41.55</b> | Other secondary scoliosis, thoracolumbar region        |
| <b>M41.56</b> | Other secondary scoliosis, lumbar region               |
| <b>M41.57</b> | Other secondary scoliosis, lumbosacral region          |
| <b>M41.80</b> | Other forms of scoliosis, site unspecified             |
| <b>M41.82</b> | Other forms of scoliosis, cervical region              |
| <b>M41.83</b> | Other forms of scoliosis, cervicothoracic region       |
| <b>M41.84</b> | Other forms of scoliosis, thoracic region              |
| <b>M41.85</b> | Other forms of scoliosis, thoracolumbar region         |
| <b>M41.86</b> | Other forms of scoliosis, lumbar region                |
| <b>M41.87</b> | Other forms of scoliosis, lumbosacral region           |
| <b>M41.9</b>  | Scoliosis, unspecified                                 |
| <b>M43.00</b> | Spondylolysis, site unspecified                        |
| <b>M43.01</b> | Spondylolysis, occipito-atlanto-axial region           |
| <b>M43.02</b> | Spondylolysis, cervical region                         |
| <b>M43.03</b> | Spondylolysis, cervicothoracic region                  |

|                |                                                                          |
|----------------|--------------------------------------------------------------------------|
| <b>M43.04</b>  | Spondylolysis, thoracic region                                           |
| <b>M43.05</b>  | Spondylolysis, thoracolumbar region                                      |
| <b>M43.06</b>  | Spondylolysis, lumbar region                                             |
| <b>M43.07</b>  | Spondylolysis, lumbosacral region                                        |
| <b>M43.08</b>  | Spondylolysis, sacral and sacrococcygeal region                          |
| <b>M43.09</b>  | Spondylolysis, multiple sites in spine                                   |
| <b>M43.10</b>  | Spondylolisthesis, site unspecified                                      |
| <b>M43.11</b>  | Spondylolisthesis, occipito-atlanto-axial region                         |
| <b>M43.12</b>  | Spondylolisthesis, cervical region                                       |
| <b>M43.13</b>  | Spondylolisthesis, cervicothoracic region                                |
| <b>M43.14</b>  | Spondylolisthesis, thoracic region                                       |
| <b>M43.15</b>  | Spondylolisthesis, thoracolumbar region                                  |
| <b>M43.16</b>  | Spondylolisthesis, lumbar region                                         |
| <b>M43.17</b>  | Spondylolisthesis, lumbosacral region                                    |
| <b>M43.6</b>   | Torticollis                                                              |
| <b>M43.8X1</b> | Other specified deforming dorsopathies, occipito-atlanto-axial region    |
| <b>M43.8X2</b> | Other specified deforming dorsopathies, cervical region                  |
| <b>M43.8X3</b> | Other specified deforming dorsopathies, cervicothoracic region           |
| <b>M43.8X4</b> | Other specified deforming dorsopathies, thoracic region                  |
| <b>M43.8X5</b> | Other specified deforming dorsopathies, thoracolumbar region             |
| <b>M43.8X6</b> | Other specified deforming dorsopathies, lumbar region                    |
| <b>M43.8X7</b> | Other specified deforming dorsopathies, lumbosacral region               |
| <b>M43.8X8</b> | Other specified deforming dorsopathies, sacral and sacrococcygeal region |
| <b>M43.8X9</b> | Other specified deforming dorsopathies, site unspecified                 |
| <b>M45.0</b>   | Ankylosing spondylitis of multiple sites in spine                        |
| <b>M45.1</b>   | Ankylosing spondylitis of occipito-atlanto-axial region                  |
| <b>M45.2</b>   | Ankylosing spondylitis of cervical region                                |
| <b>M45.3</b>   | Ankylosing spondylitis of cervicothoracic region                         |
| <b>M45.4</b>   | Ankylosing spondylitis of thoracic region                                |
| <b>M45.5</b>   | Ankylosing spondylitis of thoracolumbar region                           |
| <b>M45.6</b>   | Ankylosing spondylitis of lumbar region                                  |
| <b>M45.7</b>   | Ankylosing spondylitis of lumbosacral region                             |
| <b>M45.8</b>   | Ankylosing spondylitis sacral and sacrococcygeal region                  |
| <b>M45.9</b>   | Ankylosing spondylitis of unspecified sites in spine                     |
| <b>M46.00</b>  | Spinal enthesopathy, site unspecified                                    |
| <b>M46.01</b>  | Spinal enthesopathy, occipito-atlanto-axial region                       |
| <b>M46.02</b>  | Spinal enthesopathy, cervical region                                     |

|                |                                                                        |
|----------------|------------------------------------------------------------------------|
| <b>M46.03</b>  | Spinal enthesopathy, cervicothoracic region                            |
| <b>M46.04</b>  | Spinal enthesopathy, thoracic region                                   |
| <b>M46.05</b>  | Spinal enthesopathy, thoracolumbar region                              |
| <b>M46.06</b>  | Spinal enthesopathy, lumbar region                                     |
| <b>M46.07</b>  | Spinal enthesopathy, lumbosacral region                                |
| <b>M46.08</b>  | Spinal enthesopathy, sacral and sacrococcygeal region                  |
| <b>M46.09</b>  | Spinal enthesopathy, multiple sites in spine                           |
| <b>M46.1</b>   | Sacroiliitis, not elsewhere classified                                 |
| <b>M46.40</b>  | Discitis, unspecified, site unspecified                                |
| <b>M46.41</b>  | Discitis, unspecified, occipito-atlanto-axial region                   |
| <b>M46.42</b>  | Discitis, unspecified, cervical region                                 |
| <b>M46.43</b>  | Discitis, unspecified, cervicothoracic region                          |
| <b>M46.44</b>  | Discitis, unspecified, thoracic region                                 |
| <b>M46.45</b>  | Discitis, unspecified, thoracolumbar region                            |
| <b>M46.46</b>  | Discitis, unspecified, lumbar region                                   |
| <b>M46.47</b>  | Discitis, unspecified, lumbosacral region                              |
| <b>M46.48</b>  | Discitis, unspecified, sacral and sacrococcygeal region                |
| <b>M46.49</b>  | Discitis, unspecified, multiple sites in spine                         |
| <b>M47.021</b> | Vertebral artery compression syndromes, occipito-atlanto-axial region  |
| <b>M47.022</b> | Vertebral artery compression syndromes, cervical region                |
| <b>M47.029</b> | Vertebral artery compression syndromes, site unspecified               |
| <b>M47.10</b>  | Other spondylosis with myelopathy, site unspecified                    |
| <b>M47.11</b>  | Other spondylosis with myelopathy, occipito-atlanto-axial region       |
| <b>M47.12</b>  | Other spondylosis with myelopathy, cervical region                     |
| <b>M47.13</b>  | Other spondylosis with myelopathy, cervicothoracic region              |
| <b>M47.14</b>  | Other spondylosis with myelopathy, thoracic region                     |
| <b>M47.15</b>  | Other spondylosis with myelopathy, thoracolumbar region                |
| <b>M47.16</b>  | Other spondylosis with myelopathy, lumbar region                       |
| <b>M47.20</b>  | Other spondylosis with radiculopathy, site unspecified                 |
| <b>M47.21</b>  | Other spondylosis with radiculopathy, occipito-atlanto-axial region    |
| <b>M47.22</b>  | Other spondylosis with radiculopathy, cervical region                  |
| <b>M47.23</b>  | Other spondylosis with radiculopathy, cervicothoracic region           |
| <b>M47.24</b>  | Other spondylosis with radiculopathy, thoracic region                  |
| <b>M47.25</b>  | Other spondylosis with radiculopathy, thoracolumbar region             |
| <b>M47.26</b>  | Other spondylosis with radiculopathy, lumbar region                    |
| <b>M47.27</b>  | Other spondylosis with radiculopathy, lumbosacral region               |
| <b>M47.28</b>  | Other spondylosis with radiculopathy, sacral and sacrococcygeal region |

|                |                                                                                   |
|----------------|-----------------------------------------------------------------------------------|
| <b>M47.811</b> | Spondylosis without myelopathy or radiculopathy, occipito-atlanto-axial region    |
| <b>M47.812</b> | Spondylosis without myelopathy or radiculopathy, cervical region                  |
| <b>M47.813</b> | Spondylosis without myelopathy or radiculopathy, cervicothoracic region           |
| <b>M47.814</b> | Spondylosis without myelopathy or radiculopathy, thoracic region                  |
| <b>M47.815</b> | Spondylosis without myelopathy or radiculopathy, thoracolumbar region             |
| <b>M47.816</b> | Spondylosis without myelopathy or radiculopathy, lumbar region                    |
| <b>M47.817</b> | Spondylosis without myelopathy or radiculopathy, lumbosacral region               |
| <b>M47.818</b> | Spondylosis without myelopathy or radiculopathy, sacral and sacrococcygeal region |
| <b>M47.819</b> | Spondylosis without myelopathy or radiculopathy, site unspecified                 |
| <b>M47.891</b> | Other spondylosis, occipito-atlanto-axial region                                  |
| <b>M47.892</b> | Other spondylosis, cervical region                                                |
| <b>M47.893</b> | Other spondylosis, cervicothoracic region                                         |
| <b>M47.894</b> | Other spondylosis, thoracic region                                                |
| <b>M47.895</b> | Other spondylosis, thoracolumbar region                                           |
| <b>M47.896</b> | Other spondylosis, lumbar region                                                  |
| <b>M47.897</b> | Other spondylosis, lumbosacral region                                             |
| <b>M47.898</b> | Other spondylosis, sacral and sacrococcygeal region                               |
| <b>M47.899</b> | Other spondylosis, site unspecified                                               |
| <b>M48.00</b>  | Spinal stenosis, site unspecified                                                 |
| <b>M48.01</b>  | Spinal stenosis, occipito-atlanto-axial region                                    |
| <b>M48.02</b>  | Spinal stenosis, cervical region                                                  |
| <b>M48.03</b>  | Spinal stenosis, cervicothoracic region                                           |
| <b>M48.04</b>  | Spinal stenosis, thoracic region                                                  |
| <b>M48.05</b>  | Spinal stenosis, thoracolumbar region                                             |
| <b>M48.061</b> | Spinal stenosis, lumbar region without neurogenic claudication                    |
| <b>M48.062</b> | Spinal stenosis, lumbar region with neurogenic claudication                       |
| <b>M48.07</b>  | Spinal stenosis, lumbosacral region                                               |
| <b>M48.08</b>  | Spinal stenosis, sacral and sacrococcygeal region                                 |
| <b>M48.10</b>  | Ankylosing hyperostosis [Forestier], site unspecified                             |
| <b>M48.11</b>  | Ankylosing hyperostosis [Forestier], occipito-atlanto-axial region                |
| <b>M48.12</b>  | Ankylosing hyperostosis [Forestier], cervical region                              |
| <b>M48.13</b>  | Ankylosing hyperostosis [Forestier], cervicothoracic region                       |
| <b>M48.14</b>  | Ankylosing hyperostosis [Forestier], thoracic region                              |
| <b>M48.15</b>  | Ankylosing hyperostosis [Forestier], thoracolumbar region                         |
| <b>M48.16</b>  | Ankylosing hyperostosis [Forestier], lumbar region                                |
| <b>M48.17</b>  | Ankylosing hyperostosis [Forestier], lumbosacral region                           |
| <b>M48.18</b>  | Ankylosing hyperostosis [Forestier], sacral and sacrococcygeal region             |

|                |                                                                                |
|----------------|--------------------------------------------------------------------------------|
| <b>M48.19</b>  | Ankylosing hyperostosis [Forestier], multiple sites in spine                   |
| <b>M48.20</b>  | Kissing spine, site unspecified                                                |
| <b>M48.21</b>  | Kissing spine, occipito-atlanto-axial region                                   |
| <b>M48.22</b>  | Kissing spine, cervical region                                                 |
| <b>M48.23</b>  | Kissing spine, cervicothoracic region                                          |
| <b>M48.24</b>  | Kissing spine, thoracic region                                                 |
| <b>M48.25</b>  | Kissing spine, thoracolumbar region                                            |
| <b>M48.26</b>  | Kissing spine, lumbar region                                                   |
| <b>M48.27</b>  | Kissing spine, lumbosacral region                                              |
| <b>M48.8X1</b> | Other specified spondylopathies, occipito-atlanto-axial region                 |
| <b>M48.8X2</b> | Other specified spondylopathies, cervical region                               |
| <b>M48.8X3</b> | Other specified spondylopathies, cervicothoracic region                        |
| <b>M48.8X4</b> | Other specified spondylopathies, thoracic region                               |
| <b>M48.8X5</b> | Other specified spondylopathies, thoracolumbar region                          |
| <b>M48.8X6</b> | Other specified spondylopathies, lumbar region                                 |
| <b>M48.8X7</b> | Other specified spondylopathies, lumbosacral region                            |
| <b>M48.8X8</b> | Other specified spondylopathies, sacral and sacrococcygeal region              |
| <b>M48.8X9</b> | Other specified spondylopathies, site unspecified                              |
| <b>M50.020</b> | Cervical disc disorder with myelopathy, mid-cervical region, unspecified level |
| <b>M50.021</b> | Cervical disc disorder at C4-C5 level with myelopathy                          |
| <b>M50.022</b> | Cervical disc disorder at C5-C6 level with myelopathy                          |
| <b>M50.023</b> | Cervical disc disorder at C6-C7 level with myelopathy                          |
| <b>M50.03</b>  | Cervical disc disorder with myelopathy, cervicothoracic region                 |
| <b>M50.10</b>  | Cervical disc disorder with radiculopathy, unspecified cervical region         |
| <b>M50.11</b>  | Cervical disc disorder with radiculopathy, high cervical region                |
| <b>M50.120</b> | Mid-cervical disc disorder, unspecified                                        |
| <b>M50.121</b> | Cervical disc disorder at C4-C5 level with radiculopathy                       |
| <b>M50.122</b> | Cervical disc disorder at C5-C6 level with radiculopathy                       |
| <b>M50.123</b> | Cervical disc disorder at C6-C7 level with radiculopathy                       |
| <b>M50.13</b>  | Cervical disc disorder with radiculopathy, cervicothoracic region              |
| <b>M50.20</b>  | Other cervical disc displacement, unspecified cervical region                  |
| <b>M50.21</b>  | Other cervical disc displacement, high cervical region                         |
| <b>M50.220</b> | Other cervical disc displacement, mid-cervical region, unspecified level       |
| <b>M50.221</b> | Other cervical disc displacement at C4-C5 level                                |
| <b>M50.222</b> | Other cervical disc displacement at C5-C6 level                                |
| <b>M50.223</b> | Other cervical disc displacement at C6-C7 level                                |
| <b>M50.23</b>  | Other cervical disc displacement, cervicothoracic region                       |

|                |                                                                            |
|----------------|----------------------------------------------------------------------------|
| <b>M50.30</b>  | Other cervical disc degeneration, unspecified cervical region              |
| <b>M50.31</b>  | Other cervical disc degeneration, high cervical region                     |
| <b>M50.320</b> | Other cervical disc degeneration, mid-cervical region, unspecified level   |
| <b>M50.321</b> | Other cervical disc degeneration at C4-C5 level                            |
| <b>M50.322</b> | Other cervical disc degeneration at C5-C6 level                            |
| <b>M50.323</b> | Other cervical disc degeneration at C6-C7 level                            |
| <b>M50.33</b>  | Other cervical disc degeneration, cervicothoracic region                   |
| <b>M50.820</b> | Other cervical disc disorders, mid-cervical region, unspecified level      |
| <b>M50.821</b> | Other cervical disc disorders at C4-C5 level                               |
| <b>M50.822</b> | Other cervical disc disorders at C5-C6 level                               |
| <b>M50.823</b> | Other cervical disc disorders at C6-C7 level                               |
| <b>M50.90</b>  | Cervical disc disorder, unspecified, unspecified cervical region           |
| <b>M50.91</b>  | Cervical disc disorder, unspecified, high cervical region                  |
| <b>M50.920</b> | Unspecified cervical disc disorder, mid-cervical region, unspecified level |
| <b>M50.921</b> | Unspecified cervical disc disorder at C4-C5 level                          |
| <b>M50.922</b> | Unspecified cervical disc disorder at C5-C6 level                          |
| <b>M50.923</b> | Unspecified cervical disc disorder at C6-C7 level                          |
| <b>M50.93</b>  | Cervical disc disorder, unspecified, cervicothoracic region                |
| <b>M51.04</b>  | Intervertebral disc disorders with myelopathy, thoracic region             |
| <b>M51.05</b>  | Intervertebral disc disorders with myelopathy, thoracolumbar region        |
| <b>M51.06</b>  | Intervertebral disc disorders with myelopathy, lumbar region               |
| <b>M51.14</b>  | Intervertebral disc disorders with radiculopathy, thoracic region          |
| <b>M51.15</b>  | Intervertebral disc disorders with radiculopathy, thoracolumbar region     |
| <b>M51.16</b>  | Intervertebral disc disorders with radiculopathy, lumbar region            |
| <b>M51.17</b>  | Intervertebral disc disorders with radiculopathy, lumbosacral region       |
| <b>M51.24</b>  | Other intervertebral disc displacement, thoracic region                    |
| <b>M51.25</b>  | Other intervertebral disc displacement, thoracolumbar region               |
| <b>M51.26</b>  | Other intervertebral disc displacement, lumbar region                      |
| <b>M51.27</b>  | Other intervertebral disc displacement, lumbosacral region                 |
| <b>M51.34</b>  | Other intervertebral disc degeneration, thoracic region                    |
| <b>M51.35</b>  | Other intervertebral disc degeneration, thoracolumbar region               |
| <b>M51.360</b> | Other intervertebral disc degeneration, lumbar region                      |
| <b>M51.370</b> | Other intervertebral disc degeneration, lumbosacral region                 |
| <b>M51.44</b>  | Schmorl's nodes, thoracic region                                           |
| <b>M51.45</b>  | Schmorl's nodes, thoracolumbar region                                      |
| <b>M51.46</b>  | Schmorl's nodes, lumbar region                                             |
| <b>M51.47</b>  | Schmorl's nodes, lumbosacral region                                        |

|                |                                                                                   |
|----------------|-----------------------------------------------------------------------------------|
| <b>M51.84</b>  | Other intervertebral disc disorders, thoracic region                              |
| <b>M51.85</b>  | Other intervertebral disc disorders, thoracolumbar region                         |
| <b>M51.86</b>  | Other intervertebral disc disorders, lumbar region                                |
| <b>M51.87</b>  | Other intervertebral disc disorders, lumbosacral region                           |
| <b>M51.9</b>   | Unspecified thoracic, thoracolumbar and lumbosacral intervertebral disc disorder  |
| <b>M53.0</b>   | Cervicocranial syndrome                                                           |
| <b>M53.1</b>   | Cervicobrachial syndrome                                                          |
| <b>M53.2X1</b> | Spinal instabilities, occipito-atlanto-axial region                               |
| <b>M53.2X2</b> | Spinal instabilities, cervical region                                             |
| <b>M53.2X3</b> | Spinal instabilities, cervicothoracic region                                      |
| <b>M53.2X4</b> | Spinal instabilities, thoracic region                                             |
| <b>M53.2X5</b> | Spinal instabilities, thoracolumbar region                                        |
| <b>M53.2X6</b> | Spinal instabilities, lumbar region                                               |
| <b>M53.2X7</b> | Spinal instabilities, lumbosacral region                                          |
| <b>M53.2X8</b> | Spinal instabilities, sacral and sacrococcygeal region                            |
| <b>M53.2X9</b> | Spinal instabilities, site unspecified                                            |
| <b>M53.3</b>   | Sacrococcygeal disorders, not elsewhere classified                                |
| <b>M53.80</b>  | Other specified dorsopathies, site unspecified                                    |
| <b>M53.81</b>  | Other specified dorsopathies, occipito-atlanto-axial region                       |
| <b>M53.82</b>  | Other specified dorsopathies, cervical region                                     |
| <b>M53.83</b>  | Other specified dorsopathies, cervicothoracic region                              |
| <b>M53.84</b>  | Other specified dorsopathies, thoracic region                                     |
| <b>M53.85</b>  | Other specified dorsopathies, thoracolumbar region                                |
| <b>M53.86</b>  | Other specified dorsopathies, lumbar region                                       |
| <b>M53.87</b>  | Other specified dorsopathies, lumbosacral region                                  |
| <b>M53.88</b>  | Other specified dorsopathies, sacral and sacrococcygeal region                    |
| <b>M53.9</b>   | Dorsopathy, unspecified                                                           |
| <b>M54.00</b>  | Panniculitis affecting regions of neck and back, site unspecified                 |
| <b>M54.01</b>  | Panniculitis affecting regions of neck and back, occipito-atlanto-axial region    |
| <b>M54.02</b>  | Panniculitis affecting regions of neck and back, cervical region                  |
| <b>M54.03</b>  | Panniculitis affecting regions of neck and back, cervicothoracic region           |
| <b>M54.04</b>  | Panniculitis affecting regions of neck and back, thoracic region                  |
| <b>M54.05</b>  | Panniculitis affecting regions of neck and back, thoracolumbar region             |
| <b>M54.06</b>  | Panniculitis affecting regions of neck and back, lumbar region                    |
| <b>M54.07</b>  | Panniculitis affecting regions of neck and back, lumbosacral region               |
| <b>M54.08</b>  | Panniculitis affecting regions of neck and back, sacral and sacrococcygeal region |
| <b>M54.09</b>  | Panniculitis affecting regions, neck and back, multiple sites in spine            |

|                |                                                                        |
|----------------|------------------------------------------------------------------------|
| <b>M54.10</b>  | Radiculopathy, site unspecified                                        |
| <b>M54.11</b>  | Radiculopathy, occipito-atlanto-axial region                           |
| <b>M54.12</b>  | Radiculopathy, cervical region                                         |
| <b>M54.13</b>  | Radiculopathy, cervicothoracic region                                  |
| <b>M54.14</b>  | Radiculopathy, thoracic region                                         |
| <b>M54.15</b>  | Radiculopathy, thoracolumbar region                                    |
| <b>M54.16</b>  | Radiculopathy, lumbar region                                           |
| <b>M54.17</b>  | Radiculopathy, lumbosacral region                                      |
| <b>M54.18</b>  | Radiculopathy, sacral and sacrococcygeal region                        |
| <b>M54.2</b>   | Cervicalgia                                                            |
| <b>M54.30</b>  | Sciatica, unspecified side                                             |
| <b>M54.31</b>  | Sciatica, right side                                                   |
| <b>M54.32</b>  | Sciatica, left side                                                    |
| <b>M54.40</b>  | Lumbago with sciatica, unspecified side                                |
| <b>M54.41</b>  | Lumbago with sciatica, right side                                      |
| <b>M54.42</b>  | Lumbago with sciatica, left side                                       |
| <b>M54.50</b>  | Low back pain, unspecified                                             |
| <b>M54.51</b>  | Vertebrogenic low back pain                                            |
| <b>M54.59</b>  | Other low back pain                                                    |
| <b>M54.6</b>   | Pain in thoracic spine                                                 |
| <b>M54.81</b>  | Occipital neuralgia                                                    |
| <b>M54.89</b>  | Other dorsalgia                                                        |
| <b>M54.9</b>   | Dorsalgia, unspecified                                                 |
| <b>M60.831</b> | Other myositis, right forearm                                          |
| <b>M60.832</b> | Other myositis, left forearm                                           |
| <b>M60.839</b> | Other myositis, unspecified forearm                                    |
| <b>M60.9</b>   | Myositis, unspecified                                                  |
| <b>M62.40</b>  | Contracture of muscle, unspecified site                                |
| <b>M62.411</b> | Contracture of muscle, right shoulder                                  |
| <b>M62.412</b> | Contracture of muscle, left shoulder                                   |
| <b>M62.419</b> | Contracture of muscle, unspecified shoulder                            |
| <b>M62.451</b> | Contracture of muscle, right thigh                                     |
| <b>M62.452</b> | Contracture of muscle, left thigh                                      |
| <b>M62.459</b> | Contracture of muscle, unspecified thigh                               |
| <b>M62.49</b>  | Contracture of muscle, multiple sites                                  |
| <b>M62.50</b>  | Muscle wasting and atrophy, not elsewhere classified, unspecified site |
| <b>M62.521</b> | Muscle wasting and atrophy, not elsewhere classified, right upper arm  |

|                |                                                                             |
|----------------|-----------------------------------------------------------------------------|
| <b>M62.522</b> | Muscle wasting and atrophy, not elsewhere classified, left upper arm        |
| <b>M62.529</b> | Muscle wasting and atrophy, not elsewhere classified, unspecified upper arm |
| <b>M62.561</b> | Muscle wasting and atrophy, not elsewhere classified, right lower leg       |
| <b>M62.562</b> | Muscle wasting and atrophy, not elsewhere classified, left lower leg        |
| <b>M62.569</b> | Muscle wasting and atrophy, not elsewhere classified, unspecified lower leg |
| <b>M62.81</b>  | Muscle weakness (generalized)                                               |
| <b>M62.82</b>  | Rhabdomyolysis                                                              |
| <b>M62.830</b> | Muscle spasm of back                                                        |
| <b>M62.831</b> | Muscle spasm of calf                                                        |
| <b>M62.838</b> | Other muscle spasm                                                          |
| <b>M62.89</b>  | Other specified disorders of muscle                                         |
| <b>M62.9</b>   | Disorder of muscle, unspecified                                             |
| <b>M65.311</b> | Trigger thumb, right thumb                                                  |
| <b>M65.312</b> | Trigger thumb, left thumb                                                   |
| <b>M65.319</b> | Trigger thumb, unspecified thumb                                            |
| <b>M65.341</b> | Trigger finger, right ring finger                                           |
| <b>M65.342</b> | Trigger finger, left ring finger                                            |
| <b>M65.349</b> | Trigger finger, unspecified ring finger                                     |
| <b>M65.351</b> | Trigger finger, right little finger                                         |
| <b>M65.352</b> | Trigger finger, left little finger                                          |
| <b>M65.359</b> | Trigger finger, unspecified little finger                                   |
| <b>M65.4</b>   | Radial styloid tenosynovitis [de Quervain]                                  |
| <b>M65.811</b> | Other synovitis and tenosynovitis, right shoulder                           |
| <b>M65.812</b> | Other synovitis and tenosynovitis, left shoulder                            |
| <b>M65.819</b> | Other synovitis and tenosynovitis, unspecified shoulder                     |
| <b>M65.831</b> | Other synovitis and tenosynovitis, right forearm                            |
| <b>M65.832</b> | Other synovitis and tenosynovitis, left forearm                             |
| <b>M65.839</b> | Other synovitis and tenosynovitis, unspecified forearm                      |
| <b>M65.841</b> | Other synovitis and tenosynovitis, right hand                               |
| <b>M65.842</b> | Other synovitis and tenosynovitis, left hand                                |
| <b>M65.849</b> | Other synovitis and tenosynovitis, unspecified hand                         |
| <b>M65.861</b> | Other synovitis and tenosynovitis, right lower leg                          |
| <b>M65.862</b> | Other synovitis and tenosynovitis, left lower leg                           |
| <b>M65.869</b> | Other synovitis and tenosynovitis, unspecified lower leg                    |
| <b>M65.871</b> | Other synovitis and tenosynovitis, right ankle and foot                     |
| <b>M65.872</b> | Other synovitis and tenosynovitis, left ankle and foot                      |
| <b>M65.879</b> | Other synovitis and tenosynovitis, unspecified ankle and foot               |

|                |                                                                        |
|----------------|------------------------------------------------------------------------|
| <b>M65.88</b>  | Other synovitis and tenosynovitis, other site                          |
| <b>M65.89</b>  | Other synovitis and tenosynovitis, multiple sites                      |
| <b>M65.9</b>   | Synovitis and tenosynovitis, unspecified                               |
| <b>M66.0</b>   | Rupture of popliteal cyst                                              |
| <b>M66.871</b> | Spontaneous rupture of other tendons, right ankle and foot             |
| <b>M66.872</b> | Spontaneous rupture of other tendons, left ankle and foot              |
| <b>M66.879</b> | Spontaneous rupture of other tendons, unspecified ankle and foot       |
| <b>M67.00</b>  | Short Achilles tendon (acquired), unspecified ankle                    |
| <b>M67.01</b>  | Short Achilles tendon (acquired), right ankle                          |
| <b>M67.02</b>  | Short Achilles tendon (acquired), left ankle                           |
| <b>M67.811</b> | Other specified disorders of synovium, right shoulder                  |
| <b>M67.812</b> | Other specified disorders of synovium, left shoulder                   |
| <b>M67.813</b> | Other specified disorders of tendon, right shoulder                    |
| <b>M67.814</b> | Other specified disorders of tendon, left shoulder                     |
| <b>M67.819</b> | Other specified disorders of synovium and tendon, unspecified shoulder |
| <b>M67.912</b> | Unspecified disorder of synovium and tendon, left shoulder             |
| <b>M70.20</b>  | Olecranon bursitis, unspecified elbow                                  |
| <b>M70.21</b>  | Olecranon bursitis, right elbow                                        |
| <b>M70.22</b>  | Olecranon bursitis, left elbow                                         |
| <b>M70.40</b>  | Prepatellar bursitis, unspecified knee                                 |
| <b>M70.41</b>  | Prepatellar bursitis, right knee                                       |
| <b>M70.42</b>  | Prepatellar bursitis, left knee                                        |
| <b>M70.50</b>  | Other bursitis of knee, unspecified knee                               |
| <b>M70.51</b>  | Other bursitis of knee, right knee                                     |
| <b>M70.52</b>  | Other bursitis of knee, left knee                                      |
| <b>M70.60</b>  | Trochanteric bursitis, unspecified hip                                 |
| <b>M70.61</b>  | Trochanteric bursitis, right hip                                       |
| <b>M70.62</b>  | Trochanteric bursitis, left hip                                        |
| <b>M70.70</b>  | Other bursitis of hip, unspecified hip                                 |
| <b>M70.71</b>  | Other bursitis of hip, right hip                                       |
| <b>M70.72</b>  | Other bursitis of hip, left hip                                        |
| <b>M72.2</b>   | Plantar fascial fibromatosis                                           |
| <b>M72.9</b>   | Fibroblastic disorder, unspecified                                     |
| <b>M75.00</b>  | Adhesive capsulitis of unspecified shoulder                            |
| <b>M75.01</b>  | Adhesive capsulitis of right shoulder                                  |
| <b>M75.02</b>  | Adhesive capsulitis of left shoulder                                   |

|                |                                                                                              |
|----------------|----------------------------------------------------------------------------------------------|
| <b>M75.100</b> | Unspecified rotator cuff tear or rupture of unspecified shoulder, not specified as traumatic |
| <b>M75.101</b> | Unspecified rotator cuff tear or rupture of right shoulder, not specified as traumatic       |
| <b>M75.102</b> | Unspecified rotator cuff tear or rupture of left shoulder, not specified as traumatic        |
| <b>M75.110</b> | Incomplete rotator cuff tear or rupture of unspecified shoulder, not specified as traumatic  |
| <b>M75.111</b> | Incomplete rotator cuff tear or rupture of right shoulder, not specified as traumatic        |
| <b>M75.112</b> | Incomplete rotator cuff tear or rupture of left shoulder, not specified as traumatic         |
| <b>M75.120</b> | Complete rotator cuff tear or rupture of unspecified shoulder, not specified as traumatic    |
| <b>M75.121</b> | Complete rotator cuff tear or rupture of right shoulder, not specified as traumatic          |
| <b>M75.122</b> | Complete rotator cuff tear or rupture of left shoulder, not specified as traumatic           |
| <b>M75.20</b>  | Bicipital tendinitis, unspecified shoulder                                                   |
| <b>M75.21</b>  | Bicipital tendinitis, right shoulder                                                         |
| <b>M75.22</b>  | Bicipital tendinitis, left shoulder                                                          |
| <b>M75.30</b>  | Calcific tendinitis of unspecified shoulder                                                  |
| <b>M75.31</b>  | Calcific tendinitis of right shoulder                                                        |
| <b>M75.32</b>  | Calcific tendinitis of left shoulder                                                         |
| <b>M75.40</b>  | Impingement syndrome of unspecified shoulder                                                 |
| <b>M75.41</b>  | Impingement syndrome of right shoulder                                                       |
| <b>M75.42</b>  | Impingement syndrome of left shoulder                                                        |
| <b>M75.50</b>  | Bursitis of unspecified shoulder                                                             |
| <b>M75.51</b>  | Bursitis of right shoulder                                                                   |
| <b>M75.52</b>  | Bursitis of left shoulder                                                                    |
| <b>M75.80</b>  | Other shoulder lesions, unspecified shoulder                                                 |
| <b>M75.81</b>  | Other shoulder lesions, right shoulder                                                       |
| <b>M75.82</b>  | Other shoulder lesions, left shoulder                                                        |
| <b>M75.90</b>  | Shoulder lesion, unspecified, unspecified shoulder                                           |
| <b>M75.91</b>  | Shoulder lesion, unspecified, right shoulder                                                 |
| <b>M75.92</b>  | Shoulder lesion, unspecified, left shoulder                                                  |
| <b>M76.00</b>  | Gluteal tendinitis, unspecified hip                                                          |
| <b>M76.01</b>  | Gluteal tendinitis, right hip                                                                |
| <b>M76.02</b>  | Gluteal tendinitis, left hip                                                                 |
| <b>M76.10</b>  | Psoas tendinitis, unspecified hip                                                            |
| <b>M76.11</b>  | Psoas tendinitis, right hip                                                                  |
| <b>M76.12</b>  | Psoas tendinitis, left hip                                                                   |
| <b>M76.30</b>  | Iliotibial band syndrome, unspecified leg                                                    |

|                |                                                                          |
|----------------|--------------------------------------------------------------------------|
| <b>M76.31</b>  | Iliotibial band syndrome, right leg                                      |
| <b>M76.32</b>  | Iliotibial band syndrome, left leg                                       |
| <b>M76.50</b>  | Patellar tendinitis, unspecified knee                                    |
| <b>M76.51</b>  | Patellar tendinitis, right knee                                          |
| <b>M76.52</b>  | Patellar tendinitis, left knee                                           |
| <b>M76.60</b>  | Achilles tendinitis, unspecified leg                                     |
| <b>M76.61</b>  | Achilles tendinitis, right leg                                           |
| <b>M76.62</b>  | Achilles tendinitis, left leg                                            |
| <b>M76.70</b>  | Peroneal tendinitis, unspecified leg                                     |
| <b>M76.71</b>  | Peroneal tendinitis, right leg                                           |
| <b>M76.72</b>  | Peroneal tendinitis, left leg                                            |
| <b>M76.811</b> | Anterior tibial syndrome, right leg                                      |
| <b>M76.812</b> | Anterior tibial syndrome, left leg                                       |
| <b>M76.819</b> | Anterior tibial syndrome, unspecified leg                                |
| <b>M76.821</b> | Posterior tibial tendinitis, right leg                                   |
| <b>M76.822</b> | Posterior tibial tendinitis, left leg                                    |
| <b>M76.829</b> | Posterior tibial tendinitis, unspecified leg                             |
| <b>M76.891</b> | Other specified enthesopathies of right lower limb, excluding foot       |
| <b>M76.892</b> | Other specified enthesopathies of left lower limb, excluding foot        |
| <b>M76.899</b> | Other specified enthesopathies of unspecified lower limb, excluding foot |
| <b>M76.9</b>   | Unspecified enthesopathy, lower limb, excluding foot                     |
| <b>M77.00</b>  | Medial epicondylitis, unspecified elbow                                  |
| <b>M77.01</b>  | Medial epicondylitis, right elbow                                        |
| <b>M77.02</b>  | Medial epicondylitis, left elbow                                         |
| <b>M77.10</b>  | Lateral epicondylitis, unspecified elbow                                 |
| <b>M77.11</b>  | Lateral epicondylitis, right elbow                                       |
| <b>M77.12</b>  | Lateral epicondylitis, left elbow                                        |
| <b>M77.20</b>  | Periarthritis, unspecified wrist                                         |
| <b>M77.21</b>  | Periarthritis, right wrist                                               |
| <b>M77.22</b>  | Periarthritis, left wrist                                                |
| <b>M77.30</b>  | Calcaneal spur, unspecified foot                                         |
| <b>M77.31</b>  | Calcaneal spur, right foot                                               |
| <b>M77.32</b>  | Calcaneal spur, left foot                                                |
| <b>M77.40</b>  | Metatarsalgia, unspecified foot                                          |
| <b>M77.41</b>  | Metatarsalgia, right foot                                                |
| <b>M77.42</b>  | Metatarsalgia, left foot                                                 |
| <b>M77.50</b>  | Other enthesopathy of unspecified foot and ankle                         |

|                |                                             |
|----------------|---------------------------------------------|
| <b>M77.51</b>  | Other enthesopathy of right foot and ankle  |
| <b>M77.52</b>  | Other enthesopathy of left foot and ankle   |
| <b>M77.9</b>   | Enthesopathy, unspecified                   |
| <b>M79.10</b>  | Myalgia, unspecified site                   |
| <b>M79.11</b>  | Myalgia of mastication muscle               |
| <b>M79.12</b>  | Myalgia of auxiliary muscles, head and neck |
| <b>M79.18</b>  | Myalgia, other site                         |
| <b>M79.2</b>   | Neuralgia and neuritis, unspecified         |
| <b>M79.601</b> | Pain in right arm                           |
| <b>M79.602</b> | Pain in left arm                            |
| <b>M79.603</b> | Pain in arm, unspecified                    |
| <b>M79.604</b> | Pain in right leg                           |
| <b>M79.605</b> | Pain in left leg                            |
| <b>M79.606</b> | Pain in leg, unspecified                    |
| <b>M79.609</b> | Pain in unspecified limb                    |
| <b>M79.621</b> | Pain in right upper arm                     |
| <b>M79.622</b> | Pain in left upper arm                      |
| <b>M79.629</b> | Pain in unspecified upper arm               |
| <b>M79.631</b> | Pain in right forearm                       |
| <b>M79.632</b> | Pain in left forearm                        |
| <b>M79.639</b> | Pain in unspecified forearm                 |
| <b>M79.641</b> | Pain in right hand                          |
| <b>M79.642</b> | Pain in left hand                           |
| <b>M79.643</b> | Pain in unspecified hand                    |
| <b>M79.644</b> | Pain in right finger(s)                     |
| <b>M79.645</b> | Pain in left finger(s)                      |
| <b>M79.646</b> | Pain in unspecified finger(s)               |
| <b>M79.651</b> | Pain in right thigh                         |
| <b>M79.652</b> | Pain in left thigh                          |
| <b>M79.659</b> | Pain in unspecified thigh                   |
| <b>M79.661</b> | Pain in right lower leg                     |
| <b>M79.662</b> | Pain in left lower leg                      |
| <b>M79.669</b> | Pain in unspecified lower leg               |
| <b>M79.671</b> | Pain in right foot                          |
| <b>M79.672</b> | Pain in left foot                           |
| <b>M79.673</b> | Pain in unspecified foot                    |
| <b>M79.674</b> | Pain in right toe(s)                        |

|                 |                                                                                           |
|-----------------|-------------------------------------------------------------------------------------------|
| <b>M79.675</b>  | Pain in left toe(s)                                                                       |
| <b>M79.676</b>  | Pain in unspecified toe(s)                                                                |
| <b>M84.374A</b> | Stress fracture, right foot, initial encounter for fracture                               |
| <b>M84.374D</b> | Stress fracture, right foot, subsequent encounter for fracture with routine healing       |
| <b>M84.374G</b> | Stress fracture, right foot, subsequent encounter for fracture with delayed healing       |
| <b>M84.374K</b> | Stress fracture, right foot, subsequent encounter for fracture with nonunion              |
| <b>M84.374P</b> | Stress fracture, right foot, subsequent encounter for fracture with malunion              |
| <b>M84.374S</b> | Stress fracture, right foot, sequela                                                      |
| <b>M84.375A</b> | Stress fracture, left foot, initial encounter for fracture                                |
| <b>M84.375D</b> | Stress fracture, left foot, subsequent encounter for fracture with routine healing        |
| <b>M84.375G</b> | Stress fracture, left foot, subsequent encounter for fracture with delayed healing        |
| <b>M84.375K</b> | Stress fracture, left foot, subsequent encounter for fracture with nonunion               |
| <b>M84.375P</b> | Stress fracture, left foot, subsequent encounter for fracture with malunion               |
| <b>M84.375S</b> | Stress fracture, left foot, sequela                                                       |
| <b>M84.376A</b> | Stress fracture, unspecified foot, initial encounter for fracture                         |
| <b>M84.376D</b> | Stress fracture, unspecified foot, subsequent encounter for fracture with routine healing |
| <b>M84.376G</b> | Stress fracture, unspecified foot, subsequent encounter for fracture with delayed healing |
| <b>M84.376K</b> | Stress fracture, unspecified foot, subsequent encounter for fracture with nonunion        |
| <b>M84.376P</b> | Stress fracture, unspecified foot, subsequent encounter for fracture with malunion        |
| <b>M84.376S</b> | Stress fracture, unspecified foot, sequela                                                |
| <b>M94.0</b>    | Chondrocostal junction syndrome [Tietze]                                                  |
| <b>M94.1</b>    | Relapsing polychondritis                                                                  |
| <b>M95.2</b>    | Other acquired deformity of head                                                          |
| <b>M95.3</b>    | Acquired deformity of neck                                                                |
| <b>M95.4</b>    | Acquired deformity of chest and rib                                                       |
| <b>M95.5</b>    | Acquired deformity of pelvis                                                              |
| <b>M96.1</b>    | Postlaminectomy syndrome, not elsewhere classified                                        |
| <b>M99.00</b>   | Segmental and somatic dysfunction of the head region                                      |
| <b>M99.01</b>   | Segmental and somatic dysfunction of cervical region                                      |
| <b>M99.02</b>   | Segmental and somatic dysfunction of thoracic region                                      |
| <b>M99.03</b>   | Segmental and somatic dysfunction of lumbar region                                        |
| <b>M99.04</b>   | Segmental and somatic dysfunction of sacral region                                        |
| <b>M99.05</b>   | Segmental and somatic dysfunction of pelvic region                                        |
| <b>M99.06</b>   | Segmental and somatic dysfunction of lower extremity                                      |
| <b>M99.07</b>   | Segmental and somatic dysfunction of upper extremity                                      |

|               |                                                                   |
|---------------|-------------------------------------------------------------------|
| <b>M99.08</b> | Segmental and somatic dysfunction of rib cage                     |
| <b>M99.09</b> | Segmental and somatic dysfunction of abdomen and other regions    |
| <b>M99.10</b> | Subluxation complex (vertebral) of head region                    |
| <b>M99.11</b> | Subluxation complex (vertebral) of cervical region                |
| <b>M99.12</b> | Subluxation complex (vertebral) of thoracic region                |
| <b>M99.13</b> | Subluxation complex (vertebral) of lumbar region                  |
| <b>M99.14</b> | Subluxation complex (vertebral) of sacral region                  |
| <b>M99.15</b> | Subluxation complex (vertebral) of pelvic region                  |
| <b>M99.16</b> | Subluxation complex (vertebral) of lower extremity                |
| <b>M99.17</b> | Subluxation complex (vertebral) of upper extremity                |
| <b>M99.18</b> | Subluxation complex (vertebral) of rib cage                       |
| <b>M99.19</b> | Subluxation complex (vertebral) of abdomen and other regions      |
| <b>M99.20</b> | Subluxation stenosis of neural canal of head region               |
| <b>M99.21</b> | Subluxation stenosis of neural canal of cervical region           |
| <b>M99.22</b> | Subluxation stenosis of neural canal of thoracic region           |
| <b>M99.23</b> | Subluxation stenosis of neural canal of lumbar region             |
| <b>M99.24</b> | Subluxation stenosis of neural canal of sacral region             |
| <b>M99.25</b> | Subluxation stenosis of neural canal of pelvic region             |
| <b>M99.26</b> | Subluxation stenosis of neural canal of lower extremity           |
| <b>M99.27</b> | Subluxation stenosis of neural canal of upper extremity           |
| <b>M99.28</b> | Subluxation stenosis of neural canal of rib cage                  |
| <b>M99.29</b> | Subluxation stenosis of neural canal of abdomen and other regions |
| <b>M99.30</b> | Osseous stenosis of neural canal of head region                   |
| <b>M99.31</b> | Osseous stenosis of neural canal of cervical region               |
| <b>M99.32</b> | Osseous stenosis of neural canal of thoracic region               |
| <b>M99.33</b> | Osseous stenosis of neural canal of lumbar region                 |
| <b>M99.34</b> | Osseous stenosis of neural canal of sacral region                 |
| <b>M99.35</b> | Osseous stenosis of neural canal of pelvic region                 |
| <b>M99.36</b> | Osseous stenosis of neural canal of lower extremity               |
| <b>M99.37</b> | Osseous stenosis of neural canal of upper extremity               |
| <b>M99.38</b> | Osseous stenosis of neural canal of rib cage                      |
| <b>M99.39</b> | Osseous stenosis of neural canal of abdomen and other regions     |
| <b>M99.40</b> | Connective tissue stenosis of neural canal of head region         |
| <b>M99.41</b> | Connective tissue stenosis of neural canal of cervical region     |
| <b>M99.42</b> | Connective tissue stenosis of neural canal of thoracic region     |
| <b>M99.43</b> | Connective tissue stenosis of neural canal of lumbar region       |
| <b>M99.44</b> | Connective tissue stenosis of neural canal of sacral region       |

|               |                                                                                             |
|---------------|---------------------------------------------------------------------------------------------|
| <b>M99.45</b> | Connective tissue stenosis of neural canal of pelvic region                                 |
| <b>M99.46</b> | Connective tissue stenosis of neural canal of lower extremity                               |
| <b>M99.47</b> | Connective tissue stenosis of neural canal of upper extremity                               |
| <b>M99.48</b> | Connective tissue stenosis of neural canal of rib cage                                      |
| <b>M99.49</b> | Connective tissue stenosis of neural canal of abdomen and other regions                     |
| <b>M99.50</b> | Intervertebral disc stenosis of neural canal of head region                                 |
| <b>M99.51</b> | Intervertebral disc stenosis of neural canal of cervical region                             |
| <b>M99.52</b> | Intervertebral disc stenosis of neural canal of thoracic region                             |
| <b>M99.53</b> | Intervertebral disc stenosis of neural canal of lumbar region                               |
| <b>M99.54</b> | Intervertebral disc stenosis of neural canal of sacral region                               |
| <b>M99.55</b> | Intervertebral disc stenosis of neural canal of pelvic region                               |
| <b>M99.56</b> | Intervertebral disc stenosis of neural canal of lower extremity                             |
| <b>M99.57</b> | Intervertebral disc stenosis of neural canal of upper extremity                             |
| <b>M99.58</b> | Intervertebral disc stenosis of neural canal of rib cage                                    |
| <b>M99.59</b> | Intervertebral disc stenosis of neural canal of abdomen and other regions                   |
| <b>M99.60</b> | Osseous and subluxation stenosis of intervertebral foramina of head region                  |
| <b>M99.61</b> | Osseous and subluxation stenosis of intervertebral foramina of cervical region              |
| <b>M99.62</b> | Osseous and subluxation stenosis of intervertebral foramina of thoracic region              |
| <b>M99.63</b> | Osseous and subluxation stenosis of intervertebral foramina of lumbar region                |
| <b>M99.64</b> | Osseous and subluxation stenosis of intervertebral foramina of sacral region                |
| <b>M99.65</b> | Osseous and subluxation stenosis of intervertebral foramina of pelvic region                |
| <b>M99.66</b> | Osseous and subluxation stenosis of intervertebral foramina of lower extremity              |
| <b>M99.67</b> | Osseous and subluxation stenosis of intervertebral foramina of upper extremity              |
| <b>M99.68</b> | Osseous and subluxation stenosis of intervertebral foramina of rib cage                     |
| <b>M99.69</b> | Osseous and subluxation stenosis of intervertebral foramina of abdomen and other regions    |
| <b>M99.70</b> | Connective tissue and disc stenosis of intervertebral foramina of head region               |
| <b>M99.71</b> | Connective tissue and disc stenosis of intervertebral foramina of cervical region           |
| <b>M99.72</b> | Connective tissue and disc stenosis of intervertebral foramina of thoracic region           |
| <b>M99.73</b> | Connective tissue and disc stenosis of intervertebral foramina of lumbar region             |
| <b>M99.74</b> | Connective tissue and disc stenosis of intervertebral foramina of sacral region             |
| <b>M99.75</b> | Connective tissue and disc stenosis of intervertebral foramina of pelvic region             |
| <b>M99.76</b> | Connective tissue and disc stenosis of intervertebral foramina of lower extremity           |
| <b>M99.77</b> | Connective tissue and disc stenosis of intervertebral foramina of upper extremity           |
| <b>M99.78</b> | Connective tissue and disc stenosis of intervertebral foramina of rib cage                  |
| <b>M99.79</b> | Connective tissue and disc stenosis of intervertebral foramina of abdomen and other regions |
| <b>M99.80</b> | Other biomechanical lesions of head region                                                  |

|                 |                                                                            |
|-----------------|----------------------------------------------------------------------------|
| <b>M99.81</b>   | Other biomechanical lesions of cervical region                             |
| <b>M99.82</b>   | Other biomechanical lesions of thoracic region                             |
| <b>M99.83</b>   | Other biomechanical lesions of lumbar region                               |
| <b>M99.84</b>   | Other biomechanical lesions of sacral region                               |
| <b>M99.85</b>   | Other biomechanical lesions of pelvic region                               |
| <b>M99.86</b>   | Other biomechanical lesions of lower extremity                             |
| <b>M99.87</b>   | Other biomechanical lesions of upper extremity                             |
| <b>M99.88</b>   | Other biomechanical lesions of rib cage                                    |
| <b>M99.89</b>   | Other biomechanical lesions of abdomen and other regions                   |
| <b>M99.9</b>    | Biomechanical lesion, unspecified                                          |
| <b>P15.2</b>    | Sternomastoid injury due to birth injury                                   |
| <b>Q66.50</b>   | Congenital pes planus, unspecified foot                                    |
| <b>Q66.51</b>   | Congenital pes planus, right foot                                          |
| <b>Q66.52</b>   | Congenital pes planus, left foot                                           |
| <b>Q74.0</b>    | Other congenital malformations of upper limb(s), including shoulder girdle |
| <b>Q76.2</b>    | Congenital spondylolisthesis                                               |
| <b>Q76.49</b>   | Other congenital malformations of spine, not associated with scoliosis     |
| <b>R20.2</b>    | Paresthesia                                                                |
| <b>R42</b>      | Dizziness                                                                  |
| <b>R51.0</b>    | Headache with orthostatic component, not elsewhere classified              |
| <b>R51.9</b>    | Headache, unspecified                                                      |
| <b>R68.84</b>   | Jaw pain                                                                   |
| <b>S03.40XA</b> | Sprain of jaw, unspecified side, initial encounter                         |
| <b>S03.40XD</b> | Sprain of jaw, unspecified side, subsequent encounter                      |
| <b>S03.40XS</b> | Sprain of jaw, unspecified side, sequela                                   |
| <b>S13.0XXA</b> | Traumatic rupture of cervical intervertebral disc, initial encounter       |
| <b>S13.0XXD</b> | Traumatic rupture of cervical intervertebral disc, subsequent encounter    |
| <b>S13.0XXS</b> | Traumatic rupture of cervical intervertebral disc, sequela                 |
| <b>S13.100A</b> | Subluxation of unspecified cervical vertebrae, initial encounter           |
| <b>S13.100D</b> | Subluxation of unspecified cervical vertebrae, subsequent encounter        |
| <b>S13.100S</b> | Subluxation of unspecified cervical vertebrae, sequela                     |
| <b>S13.101A</b> | Dislocation of unspecified cervical vertebrae, initial encounter           |
| <b>S13.101D</b> | Dislocation of unspecified cervical vertebrae, subsequent encounter        |
| <b>S13.101S</b> | Dislocation of unspecified cervical vertebrae, sequela                     |
| <b>S13.110A</b> | Subluxation of C0/C1 cervical vertebrae, initial encounter                 |
| <b>S13.110D</b> | Subluxation of C0/C1 cervical vertebrae, subsequent encounter              |
| <b>S13.110S</b> | Subluxation of C0/C1 cervical vertebrae, sequela                           |

|                 |                                                                                |
|-----------------|--------------------------------------------------------------------------------|
| <b>S13.111A</b> | Dislocation of C0/C1 cervical vertebrae, initial encounter                     |
| <b>S13.111D</b> | Dislocation of C0/C1 cervical vertebrae, subsequent encounter                  |
| <b>S13.111S</b> | Dislocation of C0/C1 cervical vertebrae, sequela                               |
| <b>S13.120A</b> | Subluxation of C1/C2 cervical vertebrae, initial encounter                     |
| <b>S13.120D</b> | Subluxation of C1/C2 cervical vertebrae, subsequent encounter                  |
| <b>S13.120S</b> | Subluxation of C1/C2 cervical vertebrae, sequela                               |
| <b>S13.121A</b> | Dislocation of C1/C2 cervical vertebrae, initial encounter                     |
| <b>S13.121D</b> | Subluxation of C1/C2 cervical vertebrae, subsequent encounter                  |
| <b>S13.121S</b> | Dislocation of C1/C2 cervical vertebrae, sequela                               |
| <b>S13.130A</b> | Subluxation of C2/C3 cervical vertebrae, initial encounter                     |
| <b>S13.130D</b> | Subluxation of C2/C3 cervical vertebrae, subsequent encounter                  |
| <b>S13.130S</b> | Subluxation of C2/C3 cervical vertebrae, sequela                               |
| <b>S13.140A</b> | Subluxation of C3/C4 cervical vertebrae, initial encounter                     |
| <b>S13.140D</b> | Subluxation of C3/C4 cervical vertebrae, subsequent encounter                  |
| <b>S13.140S</b> | Subluxation of C3/C4 cervical vertebrae, sequela                               |
| <b>S13.150A</b> | Subluxation of C4/C5 cervical vertebrae, initial encounter                     |
| <b>S13.150D</b> | Subluxation of C4/C5 cervical vertebrae, subsequent encounter                  |
| <b>S13.150S</b> | Subluxation of C4/C5 cervical vertebrae, sequela                               |
| <b>S13.151A</b> | Dislocation of C4/C5 cervical vertebrae, initial encounter                     |
| <b>S13.151D</b> | Dislocation of C4/C5 cervical vertebrae, subsequent encounter                  |
| <b>S13.151S</b> | Dislocation of C4/C5 cervical vertebrae, sequela                               |
| <b>S13.160A</b> | Subluxation of C5/C6 cervical vertebrae, initial encounter                     |
| <b>S13.160D</b> | Subluxation of C5/C6 cervical vertebrae, subsequent encounter                  |
| <b>S13.160S</b> | Subluxation of C5/C6 cervical vertebrae, sequela                               |
| <b>S13.170A</b> | Subluxation of C6/C7 cervical vertebrae, initial encounter                     |
| <b>S13.170D</b> | Subluxation of C6/C7 cervical vertebrae, subsequent encounter                  |
| <b>S13.170S</b> | Subluxation of C6/C7 cervical vertebrae, sequela                               |
| <b>S13.180A</b> | Subluxation of C7/T1 cervical vertebrae, initial encounter                     |
| <b>S13.180D</b> | Subluxation of C7/T1 cervical vertebrae, subsequent encounter                  |
| <b>S13.180S</b> | Subluxation of C7/T1 cervical vertebrae, sequela                               |
| <b>S13.4XXA</b> | Sprain of ligaments of cervical spine, initial encounter                       |
| <b>S13.4XXD</b> | Sprain of ligaments of cervical spine, subsequent encounter                    |
| <b>S13.4XXS</b> | Sprain of ligaments of cervical spine, sequela                                 |
| <b>S13.8XXA</b> | Sprain of joints and ligaments of other parts of neck, initial encounter       |
| <b>S13.8XXD</b> | Sprain of joints and ligaments of other parts of neck, subsequent encounter    |
| <b>S13.8XXS</b> | Sprain of joints and ligaments of other parts of neck, sequela                 |
| <b>S13.9XXA</b> | Sprain of joints and ligaments of unspecified parts of neck, initial encounter |

|                 |                                                                                   |
|-----------------|-----------------------------------------------------------------------------------|
| <b>S13.9XXD</b> | Sprain of joints and ligaments of unspecified parts of neck, subsequent encounter |
| <b>S13.9XXS</b> | Sprain of joints and ligaments of unspecified parts of neck, sequela              |
| <b>S16.1XXA</b> | Strain of muscle, fascia and tendon at neck level, initial encounter              |
| <b>S16.1XXD</b> | Strain of muscle, fascia and tendon at neck level, subsequent encounter           |
| <b>S16.1XXS</b> | Strain of muscle, fascia and tendon at neck level, sequela                        |
| <b>S23.100A</b> | Subluxation of unspecified thoracic vertebra, initial encounter                   |
| <b>S23.100D</b> | Subluxation of unspecified thoracic vertebra, subsequent encounter                |
| <b>S23.100S</b> | Subluxation of unspecified thoracic vertebra, sequela                             |
| <b>S23.101A</b> | Dislocation of unspecified thoracic vertebra, initial encounter                   |
| <b>S23.101D</b> | Dislocation of unspecified thoracic vertebra, subsequent encounter                |
| <b>S23.101S</b> | Dislocation of unspecified thoracic vertebra, sequela                             |
| <b>S23.110A</b> | Subluxation of T1/T2 thoracic vertebra, initial encounter                         |
| <b>S23.110D</b> | Subluxation of T1/T2 thoracic vertebra, subsequent encounter                      |
| <b>S23.110S</b> | Subluxation of T1/T2 thoracic vertebra, sequela                                   |
| <b>S23.120A</b> | Subluxation of T2/T3 thoracic vertebra, initial encounter                         |
| <b>S23.120D</b> | Subluxation of T2/T3 thoracic vertebra, subsequent encounter                      |
| <b>S23.120S</b> | Subluxation of T2/T3 thoracic vertebra, sequela                                   |
| <b>S23.122A</b> | Subluxation of T3/T4 thoracic vertebra, initial encounter                         |
| <b>S23.122D</b> | Subluxation of T3/T4 thoracic vertebra, subsequent encounter                      |
| <b>S23.122S</b> | Subluxation of T3/T4 thoracic vertebra, sequela                                   |
| <b>S23.130A</b> | Subluxation of T4/T5 thoracic vertebra, initial encounter                         |
| <b>S23.130D</b> | Subluxation of T4/T5 thoracic vertebra, subsequent encounter                      |
| <b>S23.130S</b> | Subluxation of T4/T5 thoracic vertebra, sequela                                   |
| <b>S23.132A</b> | Subluxation of T5/T6 thoracic vertebra, initial encounter                         |
| <b>S23.132D</b> | Subluxation of T5/T6 thoracic vertebra, subsequent encounter                      |
| <b>S23.132S</b> | Subluxation of T5/T6 thoracic vertebra, sequela                                   |
| <b>S23.140A</b> | Subluxation of T6/T7 thoracic vertebra, initial encounter                         |
| <b>S23.140D</b> | Subluxation of T6/T7 thoracic vertebra, subsequent encounter                      |
| <b>S23.140S</b> | Subluxation of T6/T7 thoracic vertebra, sequela                                   |
| <b>S23.142A</b> | Subluxation of T7/T8 thoracic vertebra, initial encounter                         |
| <b>S23.142D</b> | Subluxation of T7/T8 thoracic vertebra, subsequent encounter                      |
| <b>S23.142S</b> | Subluxation of T7/T8 thoracic vertebra, sequela                                   |
| <b>S23.3XXA</b> | Sprain of ligaments of thoracic spine, initial encounter                          |
| <b>S23.3XXD</b> | Sprain of ligaments of thoracic spine, subsequent encounter                       |
| <b>S23.3XXS</b> | Sprain of ligaments of thoracic spine, sequela                                    |
| <b>S23.41XA</b> | Sprain of ribs, initial encounter                                                 |
| <b>S23.41XD</b> | Sprain of ribs, subsequent encounter                                              |

|                 |                                                                                            |
|-----------------|--------------------------------------------------------------------------------------------|
| <b>S23.41XS</b> | Sprain of ribs, sequela                                                                    |
| <b>S23.420A</b> | Sprain of sternoclavicular (joint) (ligament), initial encounter                           |
| <b>S23.420D</b> | Sprain of sternoclavicular (joint) (ligament), subsequent encounter                        |
| <b>S23.420S</b> | Sprain of sternoclavicular (joint) (ligament), sequela                                     |
| <b>S23.421A</b> | Sprain of chondrosternal joint, initial encounter                                          |
| <b>S23.421D</b> | Sprain of chondrosternal joint, subsequent encounter                                       |
| <b>S23.421S</b> | Sprain of chondrosternal joint, sequela                                                    |
| <b>S23.428A</b> | Other sprain of sternum, initial encounter                                                 |
| <b>S23.428D</b> | Other sprain of sternum, subsequent encounter                                              |
| <b>S23.428S</b> | Other sprain of sternum, sequela                                                           |
| <b>S23.429A</b> | Unspecified sprain of sternum, initial encounter                                           |
| <b>S23.429D</b> | Unspecified sprain of sternum, subsequent encounter                                        |
| <b>S23.429S</b> | Unspecified sprain of sternum, sequela                                                     |
| <b>S23.8XXA</b> | Sprain of other specified parts of thorax, initial encounter                               |
| <b>S23.8XXD</b> | Sprain of other specified parts of thorax, subsequent encounter                            |
| <b>S23.8XXS</b> | Sprain of other specified parts of thorax, sequela                                         |
| <b>S29.001A</b> | Unspecified injury of muscle and tendon of front wall of thorax, initial encounter         |
| <b>S29.001D</b> | Unspecified injury of muscle and tendon of front wall of thorax, subsequent encounter      |
| <b>S29.001S</b> | Unspecified injury of muscle and tendon of front wall of thorax, sequela                   |
| <b>S29.011A</b> | Strain of muscle and tendon of front wall of thorax, initial encounter                     |
| <b>S29.011D</b> | Strain of muscle and tendon of front wall of thorax, subsequent encounter                  |
| <b>S29.011S</b> | Strain of muscle and tendon of front wall of thorax, sequela                               |
| <b>S29.012A</b> | Strain of muscle and tendon of back wall of thorax, initial encounter                      |
| <b>S29.012D</b> | Strain of muscle and tendon of back wall of thorax, subsequent encounter                   |
| <b>S29.012S</b> | Strain of muscle and tendon of back wall of thorax, sequela                                |
| <b>S29.019A</b> | Strain of muscle and tendon of unspecified wall of thorax, initial encounter               |
| <b>S29.019D</b> | Strain of muscle and tendon of unspecified wall of thorax, subsequent encounter            |
| <b>S29.019S</b> | Strain of muscle and tendon of unspecified wall of thorax, sequela                         |
| <b>S29.9XXA</b> | Unspecified injury of thorax, initial encounter                                            |
| <b>S29.9XXD</b> | Unspecified injury of thorax, subsequent encounter                                         |
| <b>S29.9XXS</b> | Unspecified injury of thorax, sequela                                                      |
| <b>S30.0XXA</b> | Contusion of lower back and pelvis, initial encounter                                      |
| <b>S30.0XXD</b> | Contusion of lower back and pelvis, subsequent encounter                                   |
| <b>S30.0XXS</b> | Contusion of lower back and pelvis, sequela                                                |
| <b>S32.009A</b> | Unspecified fracture of unspecified lumbar vertebra, initial encounter for closed fracture |

|                 |                                                                                                                       |
|-----------------|-----------------------------------------------------------------------------------------------------------------------|
| <b>S32.009D</b> | Unspecified fracture of unspecified lumbar vertebra, subsequent encounter for fracture with routine healing           |
| <b>S32.009S</b> | Unspecified fracture of unspecified lumbar vertebra, sequela                                                          |
| <b>S32.010A</b> | Wedge compression fracture of first lumbar vertebra, initial encounter for closed fracture                            |
| <b>S32.010D</b> | Wedge compression fracture of first lumbar vertebra, subsequent encounter for fracture with routine healing           |
| <b>S32.010S</b> | Wedge compression fracture of first lumbar vertebra, sequela                                                          |
| <b>S32.028A</b> | Other fracture of second lumbar vertebra, initial encounter for closed fracture                                       |
| <b>S32.028D</b> | Other fracture of second lumbar vertebra, subsequent encounter for fracture with routine healing                      |
| <b>S32.028S</b> | Other fracture of second lumbar vertebra, sequela                                                                     |
| <b>S32.9XXA</b> | Fracture of unspecified parts of lumbosacral spine and pelvis, initial encounter for closed fracture                  |
| <b>S32.9XXD</b> | Fracture of unspecified parts of lumbosacral spine and pelvis, subsequent encounter for fracture with routine healing |
| <b>S32.9XXS</b> | Fracture of unspecified parts of lumbosacral spine and pelvis, sequela                                                |
| <b>S33.0XXA</b> | Traumatic rupture of lumbar intervertebral disc, initial encounter                                                    |
| <b>S33.0XXD</b> | Traumatic rupture of lumbar intervertebral disc, subsequent encounter                                                 |
| <b>S33.0XXS</b> | Traumatic rupture of lumbar intervertebral disc, sequela                                                              |
| <b>S33.100A</b> | Subluxation of unspecified lumbar vertebra, initial encounter                                                         |
| <b>S33.100D</b> | Subluxation of unspecified lumbar vertebra, subsequent encounter                                                      |
| <b>S33.100S</b> | Subluxation of unspecified lumbar vertebra, sequela                                                                   |
| <b>S33.101A</b> | Dislocation of unspecified lumbar vertebra, initial encounter                                                         |
| <b>S33.101D</b> | Dislocation of unspecified lumbar vertebra, subsequent encounter                                                      |
| <b>S33.101S</b> | Dislocation of unspecified lumbar vertebra, sequela                                                                   |
| <b>S33.110A</b> | Subluxation of L1/L2 lumbar vertebra, initial encounter                                                               |
| <b>S33.110D</b> | Subluxation of L1/L2 lumbar vertebra, subsequent encounter                                                            |
| <b>S33.110S</b> | Subluxation of L1/L2 lumbar vertebra, sequela                                                                         |
| <b>S33.120A</b> | Subluxation of L2/L3 lumbar vertebra, initial encounter                                                               |
| <b>S33.120D</b> | Subluxation of L2/L3 lumbar vertebra, subsequent encounter                                                            |
| <b>S33.120S</b> | Subluxation of L2/L3 lumbar vertebra, sequela                                                                         |
| <b>S33.130A</b> | Subluxation of L3/L4 lumbar vertebra, initial encounter                                                               |
| <b>S33.130D</b> | Subluxation of L3/L4 lumbar vertebra, subsequent encounter                                                            |
| <b>S33.130S</b> | Subluxation of L3/L4 lumbar vertebra, sequela                                                                         |
| <b>S33.140A</b> | Subluxation of L4/L5 lumbar vertebra, initial encounter                                                               |
| <b>S33.140D</b> | Subluxation of L4/L5 lumbar vertebra, subsequent encounter                                                            |
| <b>S33.140S</b> | Subluxation of L4/L5 lumbar vertebra, sequela                                                                         |
| <b>S33.2XXA</b> | Dislocation of sacroiliac and sacrococcygeal joint, initial encounter                                                 |

|                 |                                                                              |
|-----------------|------------------------------------------------------------------------------|
| <b>S33.2XXD</b> | Dislocation of sacroiliac and sacrococcygeal joint, subsequent encounter     |
| <b>S33.2XXS</b> | Dislocation of sacroiliac and sacrococcygeal joint, sequela                  |
| <b>S33.39XA</b> | Dislocation of other parts of lumbar spine and pelvis, initial encounter     |
| <b>S33.39XD</b> | Dislocation of other parts of lumbar spine and pelvis, subsequent encounter  |
| <b>S33.39XS</b> | Dislocation of other parts of lumbar spine and pelvis, sequela               |
| <b>S33.4XXA</b> | Traumatic rupture of symphysis pubis, initial encounter                      |
| <b>S33.4XXD</b> | Traumatic rupture of symphysis pubis, subsequent encounter                   |
| <b>S33.4XXS</b> | Traumatic rupture of symphysis pubis, sequela                                |
| <b>S33.5XXA</b> | Sprain of ligaments of lumbar spine, initial encounter                       |
| <b>S33.5XXD</b> | Sprain of ligaments of lumbar spine, subsequent encounter                    |
| <b>S33.5XXS</b> | Sprain of ligaments of lumbar spine, sequela                                 |
| <b>S33.6XXA</b> | Sprain of sacroiliac joint, initial encounter                                |
| <b>S33.6XXD</b> | Sprain of sacroiliac joint, subsequent encounter                             |
| <b>S33.6XXS</b> | Sprain of sacroiliac joint, sequela                                          |
| <b>S33.8XXA</b> | Sprain of other parts of lumbar spine and pelvis, initial encounter          |
| <b>S33.8XXD</b> | Sprain of other parts of lumbar spine and pelvis, subsequent encounter       |
| <b>S33.8XXS</b> | Sprain of other parts of lumbar spine and pelvis, sequela                    |
| <b>S33.9XXA</b> | Sprain of unspecified parts of lumbar spine and pelvis, initial encounter    |
| <b>S33.9XXD</b> | Sprain of unspecified parts of lumbar spine and pelvis, subsequent encounter |
| <b>S33.9XXS</b> | Sprain of unspecified parts of lumbar spine and pelvis, sequela              |
| <b>S39.011A</b> | Strain of muscle, fascia and tendon of abdomen, initial encounter            |
| <b>S39.011D</b> | Strain of muscle, fascia and tendon of abdomen, subsequent encounter         |
| <b>S39.011S</b> | Strain of muscle, fascia and tendon of abdomen, sequela                      |
| <b>S39.012A</b> | Strain of muscle, fascia and tendon of lower back, initial encounter         |
| <b>S39.012D</b> | Strain of muscle, fascia and tendon of lower back, subsequent encounter      |
| <b>S39.012S</b> | Strain of muscle, fascia and tendon of lower back, sequela                   |
| <b>S39.013A</b> | Strain of muscle, fascia and tendon of pelvis, initial encounter             |
| <b>S39.013D</b> | Strain of muscle, fascia and tendon of pelvis, subsequent encounter          |
| <b>S39.013S</b> | Strain of muscle, fascia and tendon of pelvis, sequela                       |
| <b>S40.012A</b> | Contusion of left shoulder, initial encounter                                |
| <b>S40.012D</b> | Contusion of left shoulder, subsequent encounter                             |
| <b>S40.012S</b> | Contusion of left shoulder, sequela                                          |
| <b>S40.022A</b> | Contusion of left upper arm, initial encounter                               |
| <b>S40.022D</b> | Contusion of left upper arm, subsequent encounter                            |
| <b>S40.022S</b> | Contusion of left upper arm, sequela                                         |
| <b>S43.001A</b> | Unspecified subluxation of right shoulder joint, initial encounter           |
| <b>S43.001D</b> | Unspecified subluxation of right shoulder joint, subsequent encounter        |

|                 |                                                                               |
|-----------------|-------------------------------------------------------------------------------|
| <b>S43.001S</b> | Unspecified subluxation of right shoulder joint, sequela                      |
| <b>S43.002A</b> | Unspecified subluxation of left shoulder joint, initial encounter             |
| <b>S43.002D</b> | Unspecified subluxation of left shoulder joint, subsequent encounter          |
| <b>S43.002S</b> | Unspecified subluxation of left shoulder joint, sequela                       |
| <b>S43.003A</b> | Unspecified subluxation of unspecified shoulder joint, initial encounter      |
| <b>S43.003D</b> | Unspecified subluxation of unspecified shoulder joint, subsequent encounter   |
| <b>S43.003S</b> | Unspecified subluxation of unspecified shoulder joint, sequela                |
| <b>S43.011A</b> | Anterior subluxation of right humerus, initial encounter                      |
| <b>S43.011D</b> | Anterior subluxation of right humerus, subsequent encounter                   |
| <b>S43.011S</b> | Anterior subluxation of right humerus, sequela                                |
| <b>S43.012A</b> | Anterior subluxation of left humerus, initial encounter                       |
| <b>S43.012D</b> | Anterior subluxation of left humerus, subsequent encounter                    |
| <b>S43.012S</b> | Anterior subluxation of left humerus, sequela                                 |
| <b>S43.016A</b> | Anterior dislocation of unspecified humerus, initial encounter                |
| <b>S43.016D</b> | Anterior dislocation of unspecified humerus, subsequent encounter             |
| <b>S43.016S</b> | Anterior dislocation of unspecified humerus, sequela                          |
| <b>S43.021A</b> | Posterior subluxation of right humerus, initial encounter                     |
| <b>S43.021D</b> | Posterior subluxation of right humerus, subsequent encounter                  |
| <b>S43.021S</b> | Posterior subluxation of right humerus, sequela                               |
| <b>S43.022A</b> | Posterior subluxation of left humerus, initial encounter                      |
| <b>S43.022D</b> | Posterior subluxation of left humerus, subsequent encounter                   |
| <b>S43.022S</b> | Posterior subluxation of left humerus, sequela                                |
| <b>S43.023A</b> | Posterior subluxation of unspecified humerus, initial encounter               |
| <b>S43.023D</b> | Posterior subluxation of unspecified humerus, subsequent encounter            |
| <b>S43.023S</b> | Posterior subluxation of unspecified humerus, sequela                         |
| <b>S43.111A</b> | Subluxation of right acromioclavicular joint, initial encounter               |
| <b>S43.111D</b> | Subluxation of right acromioclavicular joint, subsequent encounter            |
| <b>S43.111S</b> | Subluxation of right acromioclavicular joint, sequela                         |
| <b>S43.112A</b> | Subluxation of left acromioclavicular joint, initial encounter                |
| <b>S43.112D</b> | Subluxation of left acromioclavicular joint, subsequent encounter             |
| <b>S43.112S</b> | Subluxation of left acromioclavicular joint, sequela                          |
| <b>S43.119A</b> | Subluxation of unspecified acromioclavicular joint, initial encounter         |
| <b>S43.119D</b> | Subluxation of unspecified acromioclavicular joint, subsequent encounter      |
| <b>S43.119S</b> | Subluxation of unspecified acromioclavicular joint, sequela                   |
| <b>S43.201A</b> | Unspecified subluxation of right sternoclavicular joint, initial encounter    |
| <b>S43.201D</b> | Unspecified subluxation of right sternoclavicular joint, subsequent encounter |
| <b>S43.201S</b> | Unspecified subluxation of right sternoclavicular joint, sequela              |

|          |                                                                              |
|----------|------------------------------------------------------------------------------|
| S43.202A | Unspecified subluxation of left sternoclavicular joint, initial encounter    |
| S43.202D | Unspecified subluxation of left sternoclavicular joint, subsequent encounter |
| S43.202S | Unspecified subluxation of left sternoclavicular joint, sequela              |
| S43.311A | Subluxation of right scapula, initial encounter                              |
| S43.311D | Subluxation of right scapula, subsequent encounter                           |
| S43.311S | Subluxation of right scapula, sequela                                        |
| S43.391A | Subluxation of other parts of right shoulder girdle, initial encounter       |
| S43.391D | Subluxation of other parts of right shoulder girdle, subsequent encounter    |
| S43.391S | Subluxation of other parts of right shoulder girdle, sequela                 |
| S43.401A | Unspecified sprain of right shoulder joint, initial encounter                |
| S43.401D | Unspecified sprain of right shoulder joint, subsequent encounter             |
| S43.401S | Unspecified sprain of right shoulder joint, sequela                          |
| S43.402A | Unspecified sprain of left shoulder joint, initial encounter                 |
| S43.402D | Unspecified sprain of left shoulder joint, subsequent encounter              |
| S43.402S | Unspecified sprain of left shoulder joint, sequela                           |
| S43.409A | Unspecified sprain of unspecified shoulder joint, initial encounter          |
| S43.409D | Unspecified sprain of unspecified shoulder joint, subsequent encounter       |
| S43.409S | Unspecified sprain of unspecified shoulder joint, sequela                    |
| S43.411A | Sprain of right coracohumeral (ligament), initial encounter                  |
| S43.411D | Sprain of right coracohumeral (ligament), subsequent encounter               |
| S43.411S | Sprain of right coracohumeral (ligament), sequela                            |
| S43.412A | Sprain of left coracohumeral (ligament), initial encounter                   |
| S43.412D | Sprain of left coracohumeral (ligament), subsequent encounter                |
| S43.412S | Sprain of left coracohumeral (ligament), sequela                             |
| S43.419A | Sprain of unspecified coracohumeral (ligament), initial encounter            |
| S43.419D | Sprain of unspecified coracohumeral (ligament), subsequent encounter         |
| S43.419S | Sprain of unspecified coracohumeral (ligament), sequela                      |
| S43.421A | Sprain of right rotator cuff capsule, initial encounter                      |
| S43.421D | Sprain of right rotator cuff capsule, subsequent encounter                   |
| S43.421S | Sprain of right rotator cuff capsule, sequela                                |
| S43.422A | Sprain of left rotator cuff capsule, initial encounter                       |
| S43.422D | Sprain of left rotator cuff capsule, subsequent encounter                    |
| S43.422S | Sprain of left rotator cuff capsule, sequela                                 |
| S43.429A | Sprain of unspecified rotator cuff capsule, initial encounter                |
| S43.429D | Sprain of unspecified rotator cuff capsule, subsequent encounter             |
| S43.429S | Sprain of unspecified rotator cuff capsule, sequela                          |
| S43.431A | Superior glenoid labrum lesion of right shoulder, initial encounter          |

|          |                                                                                                        |
|----------|--------------------------------------------------------------------------------------------------------|
| S43.431D | Superior glenoid labrum lesion of right shoulder, subsequent encounter                                 |
| S43.431S | Superior glenoid labrum lesion of right shoulder, sequela                                              |
| S43.432A | Superior glenoid labrum lesion of left shoulder, initial encounter                                     |
| S43.432D | Superior glenoid labrum lesion of left shoulder, subsequent encounter                                  |
| S43.432S | Superior glenoid labrum lesion of left shoulder, sequela                                               |
| S43.439A | Superior glenoid labrum lesion of unspecified shoulder, initial encounter                              |
| S43.439D | Superior glenoid labrum lesion of unspecified shoulder, subsequent encounter                           |
| S43.439S | Superior glenoid labrum lesion of unspecified shoulder, sequela                                        |
| S43.491A | Other sprain of right shoulder joint, initial encounter                                                |
| S43.491D | Other sprain of right shoulder joint, subsequent encounter                                             |
| S43.491S | Other sprain of right shoulder joint, sequela                                                          |
| S43.492A | Other sprain of left shoulder joint, initial encounter                                                 |
| S43.492D | Other sprain of left shoulder joint, subsequent encounter                                              |
| S43.492S | Other sprain of left shoulder joint, sequela                                                           |
| S43.499A | Other sprain of unspecified shoulder joint, initial encounter                                          |
| S43.499D | Other sprain of unspecified shoulder joint, subsequent encounter                                       |
| S43.499S | Other sprain of unspecified shoulder joint, sequela                                                    |
| S43.50XA | Sprain of unspecified acromioclavicular joint, initial encounter                                       |
| S43.50XD | Sprain of unspecified acromioclavicular joint, subsequent encounter                                    |
| S43.50XS | Sprain of unspecified acromioclavicular joint, sequela                                                 |
| S43.51XA | Sprain of right acromioclavicular joint, initial encounter                                             |
| S43.51XD | Sprain of right acromioclavicular joint, subsequent encounter                                          |
| S43.51XS | Sprain of right acromioclavicular joint, sequela                                                       |
| S43.52XA | Sprain of left acromioclavicular joint, initial encounter                                              |
| S43.52XD | Sprain of left acromioclavicular joint, subsequent encounter                                           |
| S43.52XS | Sprain of left acromioclavicular joint, sequela                                                        |
| S43.80XA | Sprain of other specified parts of unspecified shoulder girdle, initial encounter                      |
| S43.80XD | Sprain of other specified parts of unspecified shoulder girdle, subsequent encounter                   |
| S43.80XS | Sprain of other specified parts of unspecified shoulder girdle, sequela                                |
| S43.81XA | Sprain of other specified parts of right shoulder girdle, initial encounter                            |
| S43.81XD | Sprain of other specified parts of right shoulder girdle, subsequent encounter                         |
| S43.81XS | Sprain of other specified parts of right shoulder girdle, sequela                                      |
| S43.82XA | Sprain of other specified parts of left shoulder girdle, initial encounter                             |
| S43.82XD | Sprain of other specified parts of left shoulder girdle, subsequent encounter                          |
| S43.82XS | Sprain of other specified parts of left shoulder girdle, sequela                                       |
| S46.001A | Unspecified injury of muscle(s) and tendon(s) of the rotator cuff of right shoulder, initial encounter |

|                 |                                                                                                           |
|-----------------|-----------------------------------------------------------------------------------------------------------|
| <b>S46.001D</b> | Unspecified injury of muscle(s) and tendon(s) of the rotator cuff of right shoulder, subsequent encounter |
| <b>S46.001S</b> | Unspecified injury of muscle(s) and tendon(s) of the rotator cuff of right shoulder, sequela              |
| <b>S46.011A</b> | Strain of muscle(s) and tendon(s) of the rotator cuff of right shoulder, initial encounter                |
| <b>S46.011D</b> | Strain of muscle(s) and tendon(s) of the rotator cuff of right shoulder, subsequent encounter             |
| <b>S46.011S</b> | Strain of muscle(s) and tendon(s) of the rotator cuff of right shoulder, sequela                          |
| <b>S46.012A</b> | Strain of muscle(s) and tendon(s) of the rotator cuff of left shoulder, initial encounter                 |
| <b>S46.012D</b> | Strain of muscle(s) and tendon(s) of the rotator cuff of left shoulder, subsequent encounter              |
| <b>S46.012S</b> | Strain of muscle(s) and tendon(s) of the rotator cuff of left shoulder, sequela                           |
| <b>S46.019A</b> | Strain of muscle(s) and tendon(s) of the rotator cuff of unspecified shoulder, initial encounter          |
| <b>S46.019D</b> | Strain of muscle(s) and tendon(s) of the rotator cuff of unspecified shoulder, subsequent encounter       |
| <b>S46.019S</b> | Strain of muscle(s) and tendon(s) of the rotator cuff of unspecified shoulder, sequela                    |
| <b>S46.111A</b> | Strain of muscle, fascia and tendon of long head of biceps, right arm, initial encounter                  |
| <b>S46.111D</b> | Strain of muscle, fascia and tendon of long head of biceps, right arm, subsequent encounter               |
| <b>S46.111S</b> | Strain of muscle, fascia and tendon of long head of biceps, right arm, sequela                            |
| <b>S46.112A</b> | Strain of muscle, fascia and tendon of long head of biceps, left arm, initial encounter                   |
| <b>S46.112D</b> | Strain of muscle, fascia and tendon of long head of biceps, left arm, subsequent encounter                |
| <b>S46.112S</b> | Strain of muscle, fascia and tendon of long head of biceps, left arm, sequela                             |
| <b>S46.211A</b> | Strain of muscle, fascia and tendon of other parts of biceps, right arm, initial encounter                |
| <b>S46.211D</b> | Strain of muscle, fascia and tendon of other parts of biceps, right arm, subsequent encounter             |
| <b>S46.211S</b> | Strain of muscle, fascia and tendon of other parts of biceps, right arm, sequela                          |
| <b>S46.212A</b> | Strain of muscle, fascia and tendon of other parts of biceps, left arm, initial encounter                 |
| <b>S46.212D</b> | Strain of muscle, fascia and tendon of other parts of biceps, left arm, subsequent encounter              |
| <b>S46.212S</b> | Strain of muscle, fascia and tendon of other parts of biceps, left arm, sequela                           |
| <b>S46.219A</b> | Strain of muscle, fascia and tendon of other parts of biceps, unspecified arm, initial encounter          |
| <b>S46.219D</b> | Strain of muscle, fascia and tendon of other parts of biceps, unspecified arm, subsequent encounter       |
| <b>S46.219S</b> | Strain of muscle, fascia and tendon of other parts of biceps, unspecified arm, sequela                    |

|                 |                                                                                                                                |
|-----------------|--------------------------------------------------------------------------------------------------------------------------------|
| <b>S46.801A</b> | Unspecified injury of other muscles, fascia and tendons at shoulder and upper arm level, right arm, initial encounter          |
| <b>S46.801D</b> | Unspecified injury of other muscles, fascia and tendons at shoulder and upper arm level, right arm, subsequent encounter       |
| <b>S46.801S</b> | Unspecified injury of other muscles, fascia and tendons at shoulder and upper arm level, right arm, sequela                    |
| <b>S46.802A</b> | Unspecified injury of other muscles, fascia and tendons at shoulder and upper arm level, left arm, initial encounter           |
| <b>S46.802D</b> | Unspecified injury of other muscles, fascia and tendons at shoulder and upper arm level, left arm, subsequent encounter        |
| <b>S46.802S</b> | Unspecified injury of other muscles, fascia and tendons at shoulder and upper arm level, left arm, sequela                     |
| <b>S46.809A</b> | Unspecified injury of other muscles, fascia and tendons at shoulder and upper arm level, unspecified arm, initial encounter    |
| <b>S46.809D</b> | Unspecified injury of other muscles, fascia and tendons at shoulder and upper arm level, unspecified arm, subsequent encounter |
| <b>S46.809S</b> | Unspecified injury of other muscles, fascia and tendons at shoulder and upper arm level, unspecified arm, sequela              |
| <b>S46.811A</b> | Strain of other muscles, fascia and tendons at shoulder and upper arm level, right arm, initial encounter                      |
| <b>S46.811D</b> | Strain of other muscles, fascia and tendons at shoulder and upper arm level, right arm, subsequent encounter                   |
| <b>S46.811S</b> | Strain of other muscles, fascia and tendons at shoulder and upper arm level, right arm, sequela                                |
| <b>S46.812A</b> | Strain of other muscles, fascia and tendons at shoulder and upper arm level, left arm, initial encounter                       |
| <b>S46.812D</b> | Strain of other muscles, fascia and tendons at shoulder and upper arm level, left arm, subsequent encounter                    |
| <b>S46.812S</b> | Strain of other muscles, fascia and tendons at shoulder and upper arm level, left arm, sequela                                 |
| <b>S46.819A</b> | Strain of other muscles, fascia and tendons at shoulder and upper arm level, unspecified arm, initial encounter                |
| <b>S46.819D</b> | Strain of other muscles, fascia and tendons at shoulder and upper arm level, unspecified arm, subsequent encounter             |
| <b>S46.819S</b> | Strain of other muscles, fascia and tendons at shoulder and upper arm level, unspecified arm, sequela                          |
| <b>S46.911A</b> | Strain of unspecified muscle, fascia and tendon at shoulder and upper arm level, right arm, initial encounter                  |
| <b>S46.911D</b> | Strain of unspecified muscle, fascia and tendon at shoulder and upper arm level, right arm, subsequent encounter               |
| <b>S46.911S</b> | Strain of unspecified muscle, fascia and tendon at shoulder and upper arm level, right arm, sequela                            |
| <b>S46.912A</b> | Strain of unspecified muscle, fascia and tendon at shoulder and upper arm level, left arm, initial encounter                   |
| <b>S46.912D</b> | Strain of unspecified muscle, fascia and tendon at shoulder and upper arm level, left arm, subsequent encounter                |

|                 |                                                                                                                        |
|-----------------|------------------------------------------------------------------------------------------------------------------------|
| <b>S46.912S</b> | Strain of unspecified muscle, fascia and tendon at shoulder and upper arm level, left arm, sequela                     |
| <b>S46.919A</b> | Strain of unspecified muscle, fascia and tendon at shoulder and upper arm level, unspecified arm, initial encounter    |
| <b>S46.919D</b> | Strain of unspecified muscle, fascia and tendon at shoulder and upper arm level, unspecified arm, subsequent encounter |
| <b>S46.919S</b> | Strain of unspecified muscle, fascia and tendon at shoulder and upper arm level, unspecified arm, sequela              |
| <b>S53.104A</b> | Unspecified dislocation of right ulnohumeral joint, initial encounter                                                  |
| <b>S53.104D</b> | Unspecified dislocation of right ulnohumeral joint, subsequent encounter                                               |
| <b>S53.104S</b> | Unspecified dislocation of right ulnohumeral joint, sequela                                                            |
| <b>S53.105A</b> | Unspecified dislocation of left ulnohumeral joint, initial encounter                                                   |
| <b>S53.105D</b> | Unspecified dislocation of left ulnohumeral joint, subsequent encounter                                                |
| <b>S53.105S</b> | Unspecified dislocation of left ulnohumeral joint, sequela                                                             |
| <b>S53.106A</b> | Unspecified dislocation of unspecified ulnohumeral joint, initial encounter                                            |
| <b>S53.106D</b> | Unspecified dislocation of unspecified ulnohumeral joint, subsequent encounter                                         |
| <b>S53.106S</b> | Unspecified dislocation of unspecified ulnohumeral joint, sequela                                                      |
| <b>S53.401A</b> | Unspecified sprain of right elbow, initial encounter                                                                   |
| <b>S53.401D</b> | Unspecified sprain of right elbow, subsequent encounter                                                                |
| <b>S53.401S</b> | Unspecified sprain of right elbow, sequela                                                                             |
| <b>S53.402A</b> | Unspecified sprain of left elbow, initial encounter                                                                    |
| <b>S53.402D</b> | Unspecified sprain of left elbow, subsequent encounter                                                                 |
| <b>S53.402S</b> | Unspecified sprain of left elbow, sequela                                                                              |
| <b>S53.409A</b> | Unspecified sprain of unspecified elbow, initial encounter                                                             |
| <b>S53.409D</b> | Unspecified sprain of unspecified elbow, subsequent encounter                                                          |
| <b>S53.409S</b> | Unspecified sprain of unspecified elbow, sequela                                                                       |
| <b>S53.411A</b> | Radiohumeral (joint) sprain of right elbow, initial encounter                                                          |
| <b>S53.411D</b> | Radiohumeral (joint) sprain of right elbow, subsequent encounter                                                       |
| <b>S53.411S</b> | Radiohumeral (joint) sprain of right elbow, sequela                                                                    |
| <b>S53.421A</b> | Ulnohumeral (joint) sprain of right elbow, initial encounter                                                           |
| <b>S53.421D</b> | Ulnohumeral (joint) sprain of right elbow, subsequent encounter                                                        |
| <b>S53.421S</b> | Ulnohumeral (joint) sprain of right elbow, sequela                                                                     |
| <b>S53.422A</b> | Ulnohumeral (joint) sprain of left elbow, initial encounter                                                            |
| <b>S53.422D</b> | Ulnohumeral (joint) sprain of left elbow, subsequent encounter                                                         |
| <b>S53.422S</b> | Ulnohumeral (joint) sprain of left elbow, sequela                                                                      |
| <b>S53.429A</b> | Ulnohumeral (joint) sprain of unspecified elbow, initial encounter                                                     |
| <b>S53.429D</b> | Ulnohumeral (joint) sprain of unspecified elbow, subsequent encounter                                                  |
| <b>S53.429S</b> | Ulnohumeral (joint) sprain of unspecified elbow, sequela                                                               |

|                 |                                                                                                                 |
|-----------------|-----------------------------------------------------------------------------------------------------------------|
| <b>S56.511A</b> | Strain of other extensor muscle, fascia and tendon at forearm level, right arm, initial encounter               |
| <b>S56.511D</b> | Strain of other extensor muscle, fascia and tendon at forearm level, right arm, subsequent encounter            |
| <b>S56.511S</b> | Strain of other extensor muscle, fascia and tendon at forearm level, right arm, sequela                         |
| <b>S56.512A</b> | Strain of other extensor muscle, fascia and tendon at forearm level, left arm, initial encounter                |
| <b>S56.512D</b> | Strain of other extensor muscle, fascia and tendon at forearm level, left arm, subsequent encounter             |
| <b>S56.512S</b> | Strain of other extensor muscle, fascia and tendon at forearm level, left arm, sequela                          |
| <b>S56.519A</b> | Strain of other extensor muscle, fascia and tendon at forearm level, unspecified arm, initial encounter         |
| <b>S56.519D</b> | Strain of other extensor muscle, fascia and tendon at forearm level, unspecified arm, subsequent encounter      |
| <b>S56.519S</b> | Strain of other extensor muscle, fascia and tendon at forearm level, unspecified arm, sequela                   |
| <b>S56.811A</b> | Strain of other muscles, fascia and tendons at forearm level, right arm, initial encounter                      |
| <b>S56.811D</b> | Strain of other muscles, fascia and tendons at forearm level, right arm, subsequent encounter                   |
| <b>S56.811S</b> | Strain of other muscles, fascia and tendons at forearm level, right arm, sequela                                |
| <b>S56.812A</b> | Strain of other muscles, fascia and tendons at forearm level, left arm, initial encounter                       |
| <b>S56.812D</b> | Strain of other muscles, fascia and tendons at forearm level, left arm, subsequent encounter                    |
| <b>S56.812S</b> | Strain of other muscles, fascia and tendons at forearm level, left arm, sequela                                 |
| <b>S56.819A</b> | Strain of other muscles, fascia and tendons at forearm level, unspecified arm, initial encounter                |
| <b>S56.819D</b> | Strain of other muscles, fascia and tendons at forearm level, unspecified arm, subsequent encounter             |
| <b>S56.819S</b> | Strain of other muscles, fascia and tendons at forearm level, unspecified arm, sequela                          |
| <b>S56.901A</b> | Unspecified injury of unspecified muscles, fascia and tendons at forearm level, right arm, initial encounter    |
| <b>S56.901D</b> | Unspecified injury of unspecified muscles, fascia and tendons at forearm level, right arm, subsequent encounter |
| <b>S56.901S</b> | Unspecified injury of unspecified muscles, fascia and tendons at forearm level, right arm, sequela              |
| <b>S56.902A</b> | Unspecified injury of unspecified muscles, fascia and tendons at forearm level, left arm, initial encounter     |
| <b>S56.902D</b> | Unspecified injury of unspecified muscles, fascia and tendons at forearm level, left arm, subsequent encounter  |
| <b>S56.902S</b> | Unspecified injury of unspecified muscles, fascia and tendons at forearm level, left arm, sequela               |

|                 |                                                                                                                       |
|-----------------|-----------------------------------------------------------------------------------------------------------------------|
| <b>S56.909A</b> | Unspecified injury of unspecified muscles, fascia and tendons at forearm level, unspecified arm, initial encounter    |
| <b>S56.909D</b> | Unspecified injury of unspecified muscles, fascia and tendons at forearm level, unspecified arm, subsequent encounter |
| <b>S56.909S</b> | Unspecified injury of unspecified muscles, fascia and tendons at forearm level, unspecified arm, sequela              |
| <b>S56.911A</b> | Strain of unspecified muscles, fascia and tendons at forearm level, right arm, initial encounter                      |
| <b>S56.911D</b> | Strain of unspecified muscles, fascia and tendons at forearm level, right arm, subsequent encounter                   |
| <b>S56.911S</b> | Strain of unspecified muscles, fascia and tendons at forearm level, right arm, sequela                                |
| <b>S56.912A</b> | Strain of unspecified muscles, fascia and tendons at forearm level, left arm, initial encounter                       |
| <b>S56.912D</b> | Strain of unspecified muscles, fascia and tendons at forearm level, left arm, subsequent encounter                    |
| <b>S56.912S</b> | Strain of unspecified muscles, fascia and tendons at forearm level, left arm, sequela                                 |
| <b>S56.919A</b> | Strain of unspecified muscles, fascia and tendons at forearm level, unspecified arm, initial encounter                |
| <b>S56.919D</b> | Strain of unspecified muscles, fascia and tendons at forearm level, unspecified arm, subsequent encounter             |
| <b>S56.919S</b> | Strain of unspecified muscles, fascia and tendons at forearm level, unspecified arm, sequela                          |
| <b>S63.041A</b> | Subluxation of carpometacarpal joint of right thumb, initial encounter                                                |
| <b>S63.041D</b> | Subluxation of carpometacarpal joint of right thumb, subsequent encounter                                             |
| <b>S63.041S</b> | Subluxation of carpometacarpal joint of right thumb, sequela                                                          |
| <b>S63.042A</b> | Subluxation of carpometacarpal joint of left thumb, initial encounter                                                 |
| <b>S63.042D</b> | Subluxation of carpometacarpal joint of left thumb, subsequent encounter                                              |
| <b>S63.042S</b> | Subluxation of carpometacarpal joint of left thumb, sequela                                                           |
| <b>S63.043A</b> | Subluxation of carpometacarpal joint of unspecified thumb, initial encounter                                          |
| <b>S63.043D</b> | Subluxation of carpometacarpal joint of unspecified thumb, subsequent encounter                                       |
| <b>S63.043S</b> | Subluxation of carpometacarpal joint of unspecified thumb, sequela                                                    |
| <b>S63.101A</b> | Unspecified subluxation of right thumb, initial encounter                                                             |
| <b>S63.101D</b> | Unspecified subluxation of right thumb, subsequent encounter                                                          |
| <b>S63.101S</b> | Unspecified subluxation of right thumb, sequela                                                                       |
| <b>S63.102A</b> | Unspecified subluxation of left thumb, initial encounter                                                              |
| <b>S63.102D</b> | Unspecified subluxation of left thumb, subsequent encounter                                                           |
| <b>S63.102S</b> | Unspecified subluxation of left thumb, sequela                                                                        |
| <b>S63.103A</b> | Unspecified subluxation of unspecified thumb, initial encounter                                                       |
| <b>S63.103D</b> | Unspecified subluxation of unspecified thumb, subsequent encounter                                                    |
| <b>S63.103S</b> | Unspecified subluxation of unspecified thumb, sequela                                                                 |

|                 |                                                                        |
|-----------------|------------------------------------------------------------------------|
| <b>S63.501A</b> | Unspecified sprain of right wrist, initial encounter                   |
| <b>S63.501D</b> | Unspecified sprain of right wrist, subsequent encounter                |
| <b>S63.501S</b> | Unspecified sprain of right wrist, sequela                             |
| <b>S63.502A</b> | Unspecified sprain of left wrist, initial encounter                    |
| <b>S63.502D</b> | Unspecified sprain of left wrist, subsequent encounter                 |
| <b>S63.502S</b> | Unspecified sprain of left wrist, sequela                              |
| <b>S63.509A</b> | Unspecified sprain of unspecified wrist, initial encounter             |
| <b>S63.509D</b> | Unspecified sprain of unspecified wrist, subsequent encounter          |
| <b>S63.509S</b> | Unspecified sprain of unspecified wrist, sequela                       |
| <b>S63.511A</b> | Sprain of carpal joint of right wrist, initial encounter               |
| <b>S63.511D</b> | Sprain of carpal joint of right wrist, subsequent encounter            |
| <b>S63.511S</b> | Sprain of carpal joint of right wrist, sequela                         |
| <b>S63.512A</b> | Sprain of carpal joint of left wrist, initial encounter                |
| <b>S63.512D</b> | Sprain of carpal joint of left wrist, subsequent encounter             |
| <b>S63.512S</b> | Sprain of carpal joint of left wrist, sequela                          |
| <b>S63.519A</b> | Sprain of carpal joint of unspecified wrist, initial encounter         |
| <b>S63.519D</b> | Sprain of carpal joint of unspecified wrist, subsequent encounter      |
| <b>S63.519S</b> | Sprain of carpal joint of unspecified wrist, sequela                   |
| <b>S63.521A</b> | Sprain of radiocarpal joint of right wrist, initial encounter          |
| <b>S63.521D</b> | Sprain of radiocarpal joint of right wrist, subsequent encounter       |
| <b>S63.521S</b> | Sprain of radiocarpal joint of right wrist, sequela                    |
| <b>S63.522A</b> | Sprain of radiocarpal joint of left wrist, initial encounter           |
| <b>S63.522D</b> | Sprain of radiocarpal joint of left wrist, subsequent encounter        |
| <b>S63.522S</b> | Sprain of radiocarpal joint of left wrist, sequela                     |
| <b>S63.529A</b> | Sprain of radiocarpal joint of unspecified wrist, initial encounter    |
| <b>S63.529D</b> | Sprain of radiocarpal joint of unspecified wrist, subsequent encounter |
| <b>S63.529S</b> | Sprain of radiocarpal joint of unspecified wrist, sequela              |
| <b>S63.591A</b> | Other specified sprain of right wrist, initial encounter               |
| <b>S63.591D</b> | Other specified sprain of right wrist, subsequent encounter            |
| <b>S63.591S</b> | Other specified sprain of right wrist, sequela                         |
| <b>S63.592A</b> | Other specified sprain of left wrist, initial encounter                |
| <b>S63.592D</b> | Other specified sprain of left wrist, subsequent encounter             |
| <b>S63.592S</b> | Other specified sprain of left wrist, sequela                          |
| <b>S63.599A</b> | Other specified sprain of unspecified wrist, initial encounter         |
| <b>S63.599D</b> | Other specified sprain of unspecified wrist, subsequent encounter      |
| <b>S63.599S</b> | Other specified sprain of unspecified wrist, sequela                   |
| <b>S63.601A</b> | Unspecified sprain of right thumb, initial encounter                   |

|                 |                                                                              |
|-----------------|------------------------------------------------------------------------------|
| <b>S63.601D</b> | Unspecified sprain of right thumb, subsequent encounter                      |
| <b>S63.601S</b> | Unspecified sprain of right thumb, sequela                                   |
| <b>S63.602A</b> | Unspecified sprain of left thumb, initial encounter                          |
| <b>S63.602D</b> | Unspecified sprain of left thumb, subsequent encounter                       |
| <b>S63.602S</b> | Unspecified sprain of left thumb, sequela                                    |
| <b>S63.609A</b> | Unspecified sprain of unspecified thumb, initial encounter                   |
| <b>S63.609D</b> | Unspecified sprain of unspecified thumb, subsequent encounter                |
| <b>S63.609S</b> | Unspecified sprain of unspecified thumb, sequela                             |
| <b>S63.610A</b> | Unspecified sprain of right index finger, initial encounter                  |
| <b>S63.610D</b> | Unspecified sprain of right index finger, subsequent encounter               |
| <b>S63.610S</b> | Unspecified sprain of right index finger, sequela                            |
| <b>S63.611A</b> | Unspecified sprain of left index finger, initial encounter                   |
| <b>S63.611D</b> | Unspecified sprain of left index finger, subsequent encounter                |
| <b>S63.611S</b> | Unspecified sprain of left index finger, sequela                             |
| <b>S63.619A</b> | Unspecified sprain of unspecified finger, initial encounter                  |
| <b>S63.619D</b> | Unspecified sprain of unspecified finger, subsequent encounter               |
| <b>S63.619S</b> | Unspecified sprain of unspecified finger, sequela                            |
| <b>S63.621A</b> | Sprain of interphalangeal joint of right thumb, initial encounter            |
| <b>S63.621D</b> | Sprain of interphalangeal joint of right thumb, subsequent encounter         |
| <b>S63.621S</b> | Sprain of interphalangeal joint of right thumb, sequela                      |
| <b>S63.622A</b> | Sprain of interphalangeal joint of left thumb, initial encounter             |
| <b>S63.622D</b> | Sprain of interphalangeal joint of left thumb, subsequent encounter          |
| <b>S63.622S</b> | Sprain of interphalangeal joint of left thumb, sequela                       |
| <b>S63.629A</b> | Sprain of interphalangeal joint of unspecified thumb, initial encounter      |
| <b>S63.629D</b> | Sprain of interphalangeal joint of unspecified thumb, subsequent encounter   |
| <b>S63.629S</b> | Sprain of interphalangeal joint of unspecified thumb, sequela                |
| <b>S63.634A</b> | Sprain of interphalangeal joint of right ring finger, initial encounter      |
| <b>S63.634D</b> | Sprain of interphalangeal joint of right ring finger, subsequent encounter   |
| <b>S63.634S</b> | Sprain of interphalangeal joint of right ring finger, sequela                |
| <b>S63.636A</b> | Sprain of interphalangeal joint of right little finger, initial encounter    |
| <b>S63.636D</b> | Sprain of interphalangeal joint of right little finger, subsequent encounter |
| <b>S63.636S</b> | Sprain of interphalangeal joint of right little finger, sequela              |
| <b>S63.641A</b> | Sprain of metacarpophalangeal joint of right thumb, initial encounter        |
| <b>S63.641D</b> | Sprain of metacarpophalangeal joint of right thumb, subsequent encounter     |
| <b>S63.641S</b> | Sprain of metacarpophalangeal joint of right thumb, sequela                  |
| <b>S63.642A</b> | Sprain of metacarpophalangeal joint of left thumb, initial encounter         |
| <b>S63.642D</b> | Sprain of metacarpophalangeal joint of left thumb, subsequent encounter      |

|                 |                                                                                                                  |
|-----------------|------------------------------------------------------------------------------------------------------------------|
| <b>S63.642S</b> | Sprain of metacarpophalangeal joint of left thumb, sequela                                                       |
| <b>S63.655A</b> | Sprain of metacarpophalangeal joint of left ring finger, initial encounter                                       |
| <b>S63.655D</b> | Sprain of metacarpophalangeal joint of left ring finger, subsequent encounter                                    |
| <b>S63.655S</b> | Sprain of metacarpophalangeal joint of left ring finger, sequela                                                 |
| <b>S63.8X1A</b> | Sprain of other part of right wrist and hand, initial encounter                                                  |
| <b>S63.8X1D</b> | Sprain of metacarpophalangeal joint of left ring finger, sequela                                                 |
| <b>S63.8X1S</b> | Sprain of other part of right wrist and hand, sequela                                                            |
| <b>S63.8X2A</b> | Sprain of other part of left wrist and hand, initial encounter                                                   |
| <b>S63.8X2D</b> | Sprain of other part of left wrist and hand, subsequent encounter                                                |
| <b>S63.8X2S</b> | Sprain of other part of left wrist and hand, sequela                                                             |
| <b>S63.8X9A</b> | Sprain of other part of unspecified wrist and hand, initial encounter                                            |
| <b>S63.8X9D</b> | Sprain of other part of unspecified wrist and hand, subsequent encounter                                         |
| <b>S63.8X9S</b> | Sprain of other part of unspecified wrist and hand, sequela                                                      |
| <b>S63.90XA</b> | Sprain of unspecified part of unspecified wrist and hand, initial encounter                                      |
| <b>S63.90XD</b> | Sprain of unspecified part of unspecified wrist and hand, subsequent encounter                                   |
| <b>S63.90XS</b> | Sprain of unspecified part of unspecified wrist and hand, sequela                                                |
| <b>S63.91XA</b> | Sprain of unspecified part of right wrist and hand, initial encounter                                            |
| <b>S63.91XD</b> | Sprain of unspecified part of right wrist and hand, subsequent encounter                                         |
| <b>S63.91XS</b> | Sprain of unspecified part of right wrist and hand, sequela                                                      |
| <b>S63.92XA</b> | Sprain of unspecified part of left wrist and hand, initial encounter                                             |
| <b>S63.92XD</b> | Sprain of unspecified part of left wrist and hand, subsequent encounter                                          |
| <b>S63.92XS</b> | Sprain of unspecified part of left wrist and hand, sequela                                                       |
| <b>S66.110A</b> | Strain of flexor muscle, fascia and tendon of right index finger at wrist and hand level, initial encounter      |
| <b>S66.110D</b> | Strain of flexor muscle, fascia and tendon of right index finger at wrist and hand level, subsequent encounter   |
| <b>S66.110S</b> | Strain of flexor muscle, fascia and tendon of right index finger at wrist and hand level, sequela                |
| <b>S66.514A</b> | Strain of intrinsic muscle, fascia and tendon of right ring finger at wrist and hand level, initial encounter    |
| <b>S66.514D</b> | Strain of intrinsic muscle, fascia and tendon of right ring finger at wrist and hand level, subsequent encounter |
| <b>S66.514S</b> | Strain of intrinsic muscle, fascia and tendon of right ring finger at wrist and hand level, sequela              |
| <b>S66.911A</b> | Strain of unspecified muscle, fascia and tendon at wrist and hand level, right hand, initial encounter           |
| <b>S66.911D</b> | Strain of unspecified muscle, fascia and tendon at wrist and hand level, right hand, subsequent encounter        |
| <b>S66.911S</b> | Strain of unspecified muscle, fascia and tendon at wrist and hand level, right hand, sequela                     |

|                 |                                                                                                                 |
|-----------------|-----------------------------------------------------------------------------------------------------------------|
| <b>S66.919A</b> | Strain of unspecified muscle, fascia and tendon at wrist and hand level, unspecified hand, initial encounter    |
| <b>S66.919D</b> | Strain of unspecified muscle, fascia and tendon at wrist and hand level, unspecified hand, subsequent encounter |
| <b>S66.919S</b> | Strain of unspecified muscle, fascia and tendon at wrist and hand level, unspecified hand, sequela              |
| <b>S73.001A</b> | Unspecified subluxation of right hip, initial encounter                                                         |
| <b>S73.001D</b> | Unspecified subluxation of right hip, subsequent encounter                                                      |
| <b>S73.001S</b> | Unspecified subluxation of right hip, sequela                                                                   |
| <b>S73.002A</b> | Unspecified subluxation of left hip, initial encounter                                                          |
| <b>S73.002D</b> | Unspecified subluxation of left hip, subsequent encounter                                                       |
| <b>S73.002S</b> | Unspecified subluxation of left hip, sequela                                                                    |
| <b>S73.003A</b> | Unspecified subluxation of unspecified hip, initial encounter                                                   |
| <b>S73.003D</b> | Unspecified subluxation of unspecified hip, subsequent encounter                                                |
| <b>S73.003S</b> | Unspecified subluxation of unspecified hip, sequela                                                             |
| <b>S73.011A</b> | Posterior subluxation of right hip, initial encounter                                                           |
| <b>S73.011D</b> | Posterior subluxation of right hip, subsequent encounter                                                        |
| <b>S73.011S</b> | Posterior subluxation of right hip, sequela                                                                     |
| <b>S73.012A</b> | Posterior subluxation of left hip, initial encounter                                                            |
| <b>S73.012D</b> | Posterior subluxation of left hip, subsequent encounter                                                         |
| <b>S73.012S</b> | Posterior subluxation of left hip, sequela                                                                      |
| <b>S73.013A</b> | Posterior subluxation of unspecified hip, initial encounter                                                     |
| <b>S73.013D</b> | Posterior subluxation of unspecified hip, subsequent encounter                                                  |
| <b>S73.013S</b> | Posterior subluxation of unspecified hip, sequela                                                               |
| <b>S73.101A</b> | Unspecified sprain of right hip, initial encounter                                                              |
| <b>S73.101D</b> | Unspecified sprain of right hip, subsequent encounter                                                           |
| <b>S73.101S</b> | Unspecified sprain of right hip, sequela                                                                        |
| <b>S73.102A</b> | Unspecified sprain of left hip, initial encounter                                                               |
| <b>S73.102D</b> | Unspecified sprain of left hip, subsequent encounter                                                            |
| <b>S73.102S</b> | Unspecified sprain of left hip, sequela                                                                         |
| <b>S73.109A</b> | Unspecified sprain of unspecified hip, initial encounter                                                        |
| <b>S73.109D</b> | Unspecified sprain of unspecified hip, subsequent encounter                                                     |
| <b>S73.109S</b> | Unspecified sprain of unspecified hip, sequela                                                                  |
| <b>S73.111A</b> | Iliofemoral ligament sprain of right hip, initial encounter                                                     |
| <b>S73.111D</b> | Iliofemoral ligament sprain of right hip, subsequent encounter                                                  |
| <b>S73.111S</b> | Iliofemoral ligament sprain of right hip, sequela                                                               |
| <b>S73.112A</b> | Iliofemoral ligament sprain of left hip, initial encounter                                                      |
| <b>S73.112D</b> | Iliofemoral ligament sprain of left hip, subsequent encounter                                                   |

|                 |                                                                                              |
|-----------------|----------------------------------------------------------------------------------------------|
| <b>S73.112S</b> | Iliofemoral ligament sprain of left hip, sequela                                             |
| <b>S73.119A</b> | Iliofemoral ligament sprain of unspecified hip, initial encounter                            |
| <b>S73.119D</b> | Iliofemoral ligament sprain of unspecified hip, subsequent encounter                         |
| <b>S73.119S</b> | Iliofemoral ligament sprain of unspecified hip, sequela                                      |
| <b>S73.191A</b> | Other sprain of right hip, initial encounter                                                 |
| <b>S73.191D</b> | Other sprain of right hip, subsequent encounter                                              |
| <b>S73.191S</b> | Other sprain of right hip, sequela                                                           |
| <b>S73.192A</b> | Other sprain of left hip, initial encounter                                                  |
| <b>S73.192D</b> | Other sprain of left hip, subsequent encounter                                               |
| <b>S73.192S</b> | Other sprain of left hip, sequela                                                            |
| <b>S73.199A</b> | Other sprain of unspecified hip, initial encounter                                           |
| <b>S73.199D</b> | Other sprain of unspecified hip, subsequent encounter                                        |
| <b>S73.199S</b> | Other sprain of unspecified hip, sequela                                                     |
| <b>S76.011A</b> | Strain of muscle, fascia and tendon of right hip, initial encounter                          |
| <b>S76.011D</b> | Strain of muscle, fascia and tendon of right hip, subsequent encounter                       |
| <b>S76.011S</b> | Strain of muscle, fascia and tendon of right hip, sequela                                    |
| <b>S76.012A</b> | Strain of muscle, fascia and tendon of left hip, initial encounter                           |
| <b>S76.012D</b> | Strain of muscle, fascia and tendon of left hip, subsequent encounter                        |
| <b>S76.012S</b> | Strain of muscle, fascia and tendon of left hip, sequela                                     |
| <b>S76.019A</b> | Strain of muscle, fascia and tendon of unspecified hip, initial encounter                    |
| <b>S76.019D</b> | Strain of muscle, fascia and tendon of unspecified hip, subsequent encounter                 |
| <b>S76.019S</b> | Strain of muscle, fascia and tendon of unspecified hip, sequela                              |
| <b>S76.091A</b> | Other specified injury of muscle, fascia and tendon of right hip, initial encounter          |
| <b>S76.091D</b> | Other specified injury of muscle, fascia and tendon of right hip, subsequent encounter       |
| <b>S76.091S</b> | Other specified injury of muscle, fascia and tendon of right hip, sequela                    |
| <b>S76.092A</b> | Other specified injury of muscle, fascia and tendon of left hip, initial encounter           |
| <b>S76.092D</b> | Other specified injury of muscle, fascia and tendon of left hip, subsequent encounter        |
| <b>S76.092S</b> | Other specified injury of muscle, fascia and tendon of left hip, sequela                     |
| <b>S76.099A</b> | Other specified injury of muscle, fascia and tendon of unspecified hip, initial encounter    |
| <b>S76.099D</b> | Other specified injury of muscle, fascia and tendon of unspecified hip, subsequent encounter |
| <b>S76.099S</b> | Other specified injury of muscle, fascia and tendon of unspecified hip, sequela              |
| <b>S76.111A</b> | Strain of right quadriceps muscle, fascia and tendon, initial encounter                      |
| <b>S76.111D</b> | Strain of right quadriceps muscle, fascia and tendon, subsequent encounter                   |
| <b>S76.111S</b> | Strain of right quadriceps muscle, fascia and tendon, sequela                                |

|                 |                                                                                                                           |
|-----------------|---------------------------------------------------------------------------------------------------------------------------|
| <b>S76.112A</b> | Strain of left quadriceps muscle, fascia and tendon, initial encounter                                                    |
| <b>S76.112D</b> | Strain of left quadriceps muscle, fascia and tendon, subsequent encounter                                                 |
| <b>S76.112S</b> | Strain of left quadriceps muscle, fascia and tendon, sequela                                                              |
| <b>S76.119A</b> | Strain of unspecified quadriceps muscle, fascia and tendon, initial encounter                                             |
| <b>S76.119D</b> | Strain of unspecified quadriceps muscle, fascia and tendon, subsequent encounter                                          |
| <b>S76.119S</b> | Strain of unspecified quadriceps muscle, fascia and tendon, sequela                                                       |
| <b>S76.211A</b> | Strain of adductor muscle, fascia and tendon of right thigh, initial encounter                                            |
| <b>S76.211D</b> | Strain of adductor muscle, fascia and tendon of right thigh, subsequent encounter                                         |
| <b>S76.211S</b> | Strain of adductor muscle, fascia and tendon of right thigh, sequela                                                      |
| <b>S76.212A</b> | Strain of adductor muscle, fascia and tendon of left thigh, initial encounter                                             |
| <b>S76.212D</b> | Strain of adductor muscle, fascia and tendon of left thigh, subsequent encounter                                          |
| <b>S76.212S</b> | Strain of adductor muscle, fascia and tendon of left thigh, sequela                                                       |
| <b>S76.219A</b> | Strain of adductor muscle, fascia and tendon of unspecified thigh, initial encounter                                      |
| <b>S76.219D</b> | Strain of adductor muscle, fascia and tendon of unspecified thigh, subsequent encounter                                   |
| <b>S76.219S</b> | Strain of adductor muscle, fascia and tendon of unspecified thigh, sequela                                                |
| <b>S76.311A</b> | Strain of muscle, fascia and tendon of the posterior muscle group at thigh level, right thigh, initial encounter          |
| <b>S76.311D</b> | Strain of muscle, fascia and tendon of the posterior muscle group at thigh level, right thigh, subsequent encounter       |
| <b>S76.311S</b> | Strain of muscle, fascia and tendon of the posterior muscle group at thigh level, right thigh, sequela                    |
| <b>S76.312A</b> | Strain of muscle, fascia and tendon of the posterior muscle group at thigh level, left thigh, initial encounter           |
| <b>S76.312D</b> | Strain of muscle, fascia and tendon of the posterior muscle group at thigh level, left thigh, subsequent encounter        |
| <b>S76.312S</b> | Strain of muscle, fascia and tendon of the posterior muscle group at thigh level, left thigh, sequela                     |
| <b>S76.319A</b> | Strain of muscle, fascia and tendon of the posterior muscle group at thigh level, unspecified thigh, initial encounter    |
| <b>S76.319D</b> | Strain of muscle, fascia and tendon of the posterior muscle group at thigh level, unspecified thigh, subsequent encounter |
| <b>S76.319S</b> | Strain of muscle, fascia and tendon of the posterior muscle group at thigh level, unspecified thigh, sequela              |
| <b>S76.811A</b> | Strain of other specified muscles, fascia and tendons at thigh level, right thigh, initial encounter                      |
| <b>S76.811D</b> | Strain of other specified muscles, fascia and tendons at thigh level, right thigh, subsequent encounter                   |
| <b>S76.811S</b> | Strain of other specified muscles, fascia and tendons at thigh level, right thigh, sequela                                |
| <b>S76.812A</b> | Strain of other specified muscles, fascia and tendons at thigh level, left thigh, initial encounter                       |

|                 |                                                                                                               |
|-----------------|---------------------------------------------------------------------------------------------------------------|
| <b>S76.812D</b> | Strain of other specified muscles, fascia and tendons at thigh level, left thigh, subsequent encounter        |
| <b>S76.812S</b> | Strain of other specified muscles, fascia and tendons at thigh level, left thigh, sequela                     |
| <b>S76.819A</b> | Strain of other specified muscles, fascia and tendons at thigh level, unspecified thigh, initial encounter    |
| <b>S76.819D</b> | Strain of other specified muscles, fascia and tendons at thigh level, unspecified thigh, subsequent encounter |
| <b>S76.819S</b> | Strain of other specified muscles, fascia and tendons at thigh level, unspecified thigh, sequela              |
| <b>S76.911A</b> | Strain of unspecified muscles, fascia and tendons at thigh level, right thigh, initial encounter              |
| <b>S76.911D</b> | Strain of unspecified muscles, fascia and tendons at thigh level, right thigh, subsequent encounter           |
| <b>S76.911S</b> | Strain of unspecified muscles, fascia and tendons at thigh level, right thigh, sequela                        |
| <b>S76.912A</b> | Strain of unspecified muscles, fascia and tendons at thigh level, left thigh, initial encounter               |
| <b>S76.912D</b> | Strain of unspecified muscles, fascia and tendons at thigh level, left thigh, subsequent encounter            |
| <b>S76.912S</b> | Strain of unspecified muscles, fascia and tendons at thigh level, left thigh, sequela                         |
| <b>S76.919A</b> | Strain of unspecified muscles, fascia and tendons at thigh level, unspecified thigh, initial encounter        |
| <b>S76.919D</b> | Strain of unspecified muscles, fascia and tendons at thigh level, unspecified thigh, subsequent encounter     |
| <b>S76.919S</b> | Strain of unspecified muscles, fascia and tendons at thigh level, unspecified thigh, sequela                  |
| <b>S83.101A</b> | Unspecified subluxation of right knee, initial encounter                                                      |
| <b>S83.101D</b> | Unspecified subluxation of right knee, subsequent encounter                                                   |
| <b>S83.101S</b> | Unspecified subluxation of right knee, sequela                                                                |
| <b>S83.102A</b> | Unspecified subluxation of left knee, initial encounter                                                       |
| <b>S83.102D</b> | Unspecified subluxation of left knee, subsequent encounter                                                    |
| <b>S83.102S</b> | Unspecified subluxation of left knee, sequela                                                                 |
| <b>S83.103A</b> | Unspecified subluxation of unspecified knee, initial encounter                                                |
| <b>S83.103D</b> | Unspecified subluxation of unspecified knee, subsequent encounter                                             |
| <b>S83.103S</b> | Unspecified subluxation of unspecified knee, sequela                                                          |
| <b>S83.241A</b> | Other tear of medial meniscus, current injury, right knee, initial encounter                                  |
| <b>S83.241D</b> | Other tear of medial meniscus, current injury, right knee, subsequent encounter                               |
| <b>S83.241S</b> | Other tear of medial meniscus, current injury, right knee, sequela                                            |
| <b>S83.242A</b> | Other tear of medial meniscus, current injury, left knee, initial encounter                                   |
| <b>S83.242D</b> | Other tear of medial meniscus, current injury, left knee, subsequent encounter                                |
| <b>S83.242S</b> | Other tear of medial meniscus, current injury, left knee, sequela                                             |
| <b>S83.249A</b> | Other tear of medial meniscus, current injury, unspecified knee, initial encounter                            |

|                 |                                                                                       |
|-----------------|---------------------------------------------------------------------------------------|
| <b>S83.249D</b> | Other tear of medial meniscus, current injury, unspecified knee, subsequent encounter |
| <b>S83.249S</b> | Other tear of medial meniscus, current injury, unspecified knee, sequela              |
| <b>S83.281A</b> | Other tear of lateral meniscus, current injury, right knee, initial encounter         |
| <b>S83.281D</b> | Other tear of lateral meniscus, current injury, right knee, subsequent encounter      |
| <b>S83.281S</b> | Other tear of lateral meniscus, current injury, right knee, sequela                   |
| <b>S83.282A</b> | Other tear of lateral meniscus, current injury, left knee, initial encounter          |
| <b>S83.282D</b> | Other tear of lateral meniscus, current injury, left knee, subsequent encounter       |
| <b>S83.282S</b> | Other tear of lateral meniscus, current injury, left knee, sequela                    |
| <b>S83.401A</b> | Sprain of unspecified collateral ligament of right knee, initial encounter            |
| <b>S83.401D</b> | Sprain of unspecified collateral ligament of right knee, subsequent encounter         |
| <b>S83.401S</b> | Sprain of unspecified collateral ligament of right knee, sequela                      |
| <b>S83.402A</b> | Sprain of unspecified collateral ligament of left knee, initial encounter             |
| <b>S83.402D</b> | Sprain of unspecified collateral ligament of left knee, subsequent encounter          |
| <b>S83.402S</b> | Sprain of unspecified collateral ligament of left knee, sequela                       |
| <b>S83.409A</b> | Sprain of unspecified collateral ligament of unspecified knee, initial encounter      |
| <b>S83.409D</b> | Sprain of unspecified collateral ligament of unspecified knee, subsequent encounter   |
| <b>S83.409S</b> | Sprain of unspecified collateral ligament of unspecified knee, sequela                |
| <b>S83.411A</b> | Sprain of medial collateral ligament of right knee, initial encounter                 |
| <b>S83.411D</b> | Sprain of medial collateral ligament of right knee, subsequent encounter              |
| <b>S83.411S</b> | Sprain of medial collateral ligament of right knee, sequela                           |
| <b>S83.412A</b> | Sprain of medial collateral ligament of left knee, initial encounter                  |
| <b>S83.412D</b> | Sprain of medial collateral ligament of left knee, subsequent encounter               |
| <b>S83.412S</b> | Sprain of medial collateral ligament of left knee, sequela                            |
| <b>S83.419A</b> | Sprain of medial collateral ligament of unspecified knee, initial encounter           |
| <b>S83.419D</b> | Sprain of medial collateral ligament of unspecified knee, subsequent encounter        |
| <b>S83.419S</b> | Sprain of medial collateral ligament of unspecified knee, sequela                     |
| <b>S83.421A</b> | Sprain of lateral collateral ligament of right knee, initial encounter                |
| <b>S83.421D</b> | Sprain of lateral collateral ligament of right knee, subsequent encounter             |
| <b>S83.421S</b> | Sprain of lateral collateral ligament of right knee, sequela                          |
| <b>S83.422A</b> | Sprain of lateral collateral ligament of left knee, initial encounter                 |
| <b>S83.422D</b> | Sprain of lateral collateral ligament of left knee, subsequent encounter              |
| <b>S83.422S</b> | Sprain of lateral collateral ligament of left knee, sequela                           |
| <b>S83.429A</b> | Sprain of lateral collateral ligament of unspecified knee, initial encounter          |
| <b>S83.429D</b> | Sprain of lateral collateral ligament of unspecified knee, subsequent encounter       |
| <b>S83.429S</b> | Sprain of lateral collateral ligament of unspecified knee, sequela                    |
| <b>S83.511A</b> | Sprain of anterior cruciate ligament of right knee, initial encounter                 |

|                 |                                                                                                |
|-----------------|------------------------------------------------------------------------------------------------|
| <b>S83.511D</b> | Sprain of anterior cruciate ligament of right knee, subsequent encounter                       |
| <b>S83.511S</b> | Sprain of anterior cruciate ligament of right knee, sequela                                    |
| <b>S83.512A</b> | Sprain of anterior cruciate ligament of left knee, initial encounter                           |
| <b>S83.512D</b> | Sprain of anterior cruciate ligament of left knee, subsequent encounter                        |
| <b>S83.512S</b> | Sprain of anterior cruciate ligament of left knee, sequela                                     |
| <b>S83.519A</b> | Sprain of anterior cruciate ligament of unspecified knee, initial encounter                    |
| <b>S83.519D</b> | Sprain of anterior cruciate ligament of unspecified knee, subsequent encounter                 |
| <b>S83.519S</b> | Sprain of anterior cruciate ligament of unspecified knee, sequela                              |
| <b>S83.521A</b> | Sprain of posterior cruciate ligament of right knee, initial encounter                         |
| <b>S83.521D</b> | Sprain of posterior cruciate ligament of right knee, subsequent encounter                      |
| <b>S83.521S</b> | Sprain of posterior cruciate ligament of right knee, sequela                                   |
| <b>S83.522A</b> | Sprain of posterior cruciate ligament of left knee, initial encounter                          |
| <b>S83.522D</b> | Sprain of posterior cruciate ligament of left knee, subsequent encounter                       |
| <b>S83.522S</b> | Sprain of posterior cruciate ligament of left knee, sequela                                    |
| <b>S83.529A</b> | Sprain of posterior cruciate ligament of unspecified knee, initial encounter                   |
| <b>S83.529D</b> | Sprain of posterior cruciate ligament of unspecified knee, subsequent encounter                |
| <b>S83.529S</b> | Sprain of posterior cruciate ligament of unspecified knee, sequela                             |
| <b>S83.60XA</b> | Sprain of the superior tibiofibular joint and ligament, unspecified knee, initial encounter    |
| <b>S83.60XD</b> | Sprain of the superior tibiofibular joint and ligament, unspecified knee, subsequent encounter |
| <b>S83.60XS</b> | Sprain of the superior tibiofibular joint and ligament, unspecified knee, sequela              |
| <b>S83.61XA</b> | Sprain of the superior tibiofibular joint and ligament, right knee, initial encounter          |
| <b>S83.61XD</b> | Sprain of the superior tibiofibular joint and ligament, right knee, subsequent encounter       |
| <b>S83.61XS</b> | Sprain of the superior tibiofibular joint and ligament, right knee, sequela                    |
| <b>S83.62XA</b> | Sprain of the superior tibiofibular joint and ligament, left knee, initial encounter           |
| <b>S83.62XD</b> | Sprain of the superior tibiofibular joint and ligament, left knee, subsequent encounter        |
| <b>S83.62XS</b> | Sprain of the superior tibiofibular joint and ligament, left knee, sequela                     |
| <b>S83.8X1A</b> | Sprain of other specified parts of right knee, initial encounter                               |
| <b>S83.8X1D</b> | Sprain of other specified parts of right knee, subsequent encounter                            |
| <b>S83.8X1S</b> | Sprain of other specified parts of right knee, sequela                                         |
| <b>S83.8X2A</b> | Sprain of other specified parts of left knee, initial encounter                                |
| <b>S83.8X2D</b> | Sprain of other specified parts of left knee, subsequent encounter                             |
| <b>S83.8X2S</b> | Sprain of other specified parts of left knee, sequela                                          |
| <b>S83.8X9A</b> | Sprain of other specified parts of unspecified knee, initial encounter                         |
| <b>S83.8X9D</b> | Sprain of other specified parts of unspecified knee, subsequent encounter                      |

|                 |                                                                                                                             |
|-----------------|-----------------------------------------------------------------------------------------------------------------------------|
| <b>S83.8X9S</b> | Sprain of other specified parts of unspecified knee, sequela                                                                |
| <b>S83.90XA</b> | Sprain of unspecified site of unspecified knee, initial encounter                                                           |
| <b>S83.90XD</b> | Sprain of unspecified site of unspecified knee, subsequent encounter                                                        |
| <b>S83.90XS</b> | Sprain of unspecified site of unspecified knee, sequela                                                                     |
| <b>S83.91XA</b> | Sprain of unspecified site of right knee, initial encounter                                                                 |
| <b>S83.91XD</b> | Sprain of unspecified site of right knee, subsequent encounter                                                              |
| <b>S83.91XS</b> | Sprain of unspecified site of right knee, sequela                                                                           |
| <b>S83.92XA</b> | Sprain of unspecified site of left knee, initial encounter                                                                  |
| <b>S83.92XD</b> | Sprain of unspecified site of left knee, subsequent encounter                                                               |
| <b>S83.92XS</b> | Sprain of unspecified site of left knee, sequela                                                                            |
| <b>S86.011A</b> | Strain of right Achilles tendon, initial encounter                                                                          |
| <b>S86.011D</b> | Strain of right Achilles tendon, subsequent encounter                                                                       |
| <b>S86.011S</b> | Strain of right Achilles tendon, sequela                                                                                    |
| <b>S86.012A</b> | Strain of left Achilles tendon, initial encounter                                                                           |
| <b>S86.012D</b> | Strain of left Achilles tendon, subsequent encounter                                                                        |
| <b>S86.012S</b> | Strain of left Achilles tendon, sequela                                                                                     |
| <b>S86.019A</b> | Strain of unspecified Achilles tendon, initial encounter                                                                    |
| <b>S86.019D</b> | Strain of unspecified Achilles tendon, subsequent encounter                                                                 |
| <b>S86.019S</b> | Strain of unspecified Achilles tendon, sequela                                                                              |
| <b>S86.111A</b> | Strain of other muscle(s) and tendon(s) of posterior muscle group at lower leg level, right leg, initial encounter          |
| <b>S86.111D</b> | Strain of other muscle(s) and tendon(s) of posterior muscle group at lower leg level, right leg, subsequent encounter       |
| <b>S86.111S</b> | Strain of other muscle(s) and tendon(s) of posterior muscle group at lower leg level, right leg, sequela                    |
| <b>S86.112A</b> | Strain of other muscle(s) and tendon(s) of posterior muscle group at lower leg level, left leg, initial encounter           |
| <b>S86.112D</b> | Strain of other muscle(s) and tendon(s) of posterior muscle group at lower leg level, left leg, subsequent encounter        |
| <b>S86.112S</b> | Strain of other muscle(s) and tendon(s) of posterior muscle group at lower leg level, left leg, sequela                     |
| <b>S86.119A</b> | Strain of other muscle(s) and tendon(s) of posterior muscle group at lower leg level, unspecified leg, initial encounter    |
| <b>S86.119D</b> | Strain of other muscle(s) and tendon(s) of posterior muscle group at lower leg level, unspecified leg, subsequent encounter |
| <b>S86.119S</b> | Strain of other muscle(s) and tendon(s) of posterior muscle group at lower leg level, unspecified leg, sequela              |
| <b>S86.211A</b> | Strain of muscle(s) and tendon(s) of anterior muscle group at lower leg level, right leg, initial encounter                 |
| <b>S86.211D</b> | Strain of muscle(s) and tendon(s) of anterior muscle group at lower leg level, right leg, subsequent encounter              |

|                 |                                                                                                                      |
|-----------------|----------------------------------------------------------------------------------------------------------------------|
| <b>S86.211S</b> | Strain of muscle(s) and tendon(s) of anterior muscle group at lower leg level, right leg, sequela                    |
| <b>S86.212A</b> | Strain of muscle(s) and tendon(s) of anterior muscle group at lower leg level, left leg, initial encounter           |
| <b>S86.212D</b> | Strain of muscle(s) and tendon(s) of anterior muscle group at lower leg level, left leg, subsequent encounter        |
| <b>S86.212S</b> | Strain of muscle(s) and tendon(s) of anterior muscle group at lower leg level, left leg, sequela                     |
| <b>S86.219A</b> | Strain of muscle(s) and tendon(s) of anterior muscle group at lower leg level, unspecified leg, initial encounter    |
| <b>S86.219D</b> | Strain of muscle(s) and tendon(s) of anterior muscle group at lower leg level, unspecified leg, subsequent encounter |
| <b>S86.219S</b> | Strain of muscle(s) and tendon(s) of anterior muscle group at lower leg level, unspecified leg, sequela              |
| <b>S86.311A</b> | Strain of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, right leg, initial encounter          |
| <b>S86.311D</b> | Strain of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, right leg, subsequent encounter       |
| <b>S86.311S</b> | Strain of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, right leg, sequela                    |
| <b>S86.312A</b> | Strain of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, left leg, initial encounter           |
| <b>S86.312D</b> | Strain of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, left leg, subsequent encounter        |
| <b>S86.312S</b> | Strain of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, left leg, sequela                     |
| <b>S86.319A</b> | Strain of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, unspecified leg, initial encounter    |
| <b>S86.319D</b> | Strain of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, unspecified leg, subsequent encounter |
| <b>S86.319S</b> | Strain of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, unspecified leg, sequela              |
| <b>S86.811A</b> | Strain of other muscle(s) and tendon(s) at lower leg level, right leg, initial encounter                             |
| <b>S86.811D</b> | Strain of other muscle(s) and tendon(s) at lower leg level, right leg, subsequent encounter                          |
| <b>S86.811S</b> | Strain of other muscle(s) and tendon(s) at lower leg level, right leg, sequela                                       |
| <b>S86.812A</b> | Strain of other muscle(s) and tendon(s) at lower leg level, left leg, initial encounter                              |
| <b>S86.812D</b> | Strain of other muscle(s) and tendon(s) at lower leg level, left leg, subsequent encounter                           |
| <b>S86.812S</b> | Strain of other muscle(s) and tendon(s) at lower leg level, left leg, sequela                                        |
| <b>S86.819A</b> | Strain of other muscle(s) and tendon(s) at lower leg level, unspecified leg, initial encounter                       |
| <b>S86.819D</b> | Strain of other muscle(s) and tendon(s) at lower leg level, unspecified leg, subsequent encounter                    |
| <b>S86.819S</b> | Strain of other muscle(s) and tendon(s) at lower leg level, unspecified leg, sequela                                 |

|                 |                                                                                                         |
|-----------------|---------------------------------------------------------------------------------------------------------|
| <b>S86.891A</b> | Other injury of other muscle(s) and tendon(s) at lower leg level, right leg, initial encounter          |
| <b>S86.891D</b> | Other injury of other muscle(s) and tendon(s) at lower leg level, right leg, subsequent encounter       |
| <b>S86.891S</b> | Other injury of other muscle(s) and tendon(s) at lower leg level, right leg, sequela                    |
| <b>S86.892A</b> | Other injury of other muscle(s) and tendon(s) at lower leg level, left leg, initial encounter           |
| <b>S86.892D</b> | Other injury of other muscle(s) and tendon(s) at lower leg level, left leg, subsequent encounter        |
| <b>S86.892S</b> | Other injury of other muscle(s) and tendon(s) at lower leg level, left leg, sequela                     |
| <b>S86.899A</b> | Other injury of other muscle(s) and tendon(s) at lower leg level, unspecified leg, initial encounter    |
| <b>S86.899D</b> | Other injury of other muscle(s) and tendon(s) at lower leg level, unspecified leg, subsequent encounter |
| <b>S86.899S</b> | Other injury of other muscle(s) and tendon(s) at lower leg level, unspecified leg, sequela              |
| <b>S86.911A</b> | Strain of unspecified muscle(s) and tendon(s) at lower leg level, right leg, initial encounter          |
| <b>S86.911D</b> | Strain of unspecified muscle(s) and tendon(s) at lower leg level, right leg, subsequent encounter       |
| <b>S86.911S</b> | Strain of unspecified muscle(s) and tendon(s) at lower leg level, right leg, sequela                    |
| <b>S86.912A</b> | Strain of unspecified muscle(s) and tendon(s) at lower leg level, left leg, initial encounter           |
| <b>S86.912D</b> | Strain of unspecified muscle(s) and tendon(s) at lower leg level, left leg, subsequent encounter        |
| <b>S86.912S</b> | Strain of unspecified muscle(s) and tendon(s) at lower leg level, left leg, sequela                     |
| <b>S86.919A</b> | Strain of unspecified muscle(s) and tendon(s) at lower leg level, unspecified leg, initial encounter    |
| <b>S86.919D</b> | Strain of unspecified muscle(s) and tendon(s) at lower leg level, unspecified leg, subsequent encounter |
| <b>S86.919S</b> | Strain of unspecified muscle(s) and tendon(s) at lower leg level, unspecified leg, sequela              |
| <b>S93.01XA</b> | Subluxation of right ankle joint, initial encounter                                                     |
| <b>S93.01XD</b> | Subluxation of right ankle joint, subsequent encounter                                                  |
| <b>S93.01XS</b> | Subluxation of right ankle joint, sequela                                                               |
| <b>S93.02XA</b> | Subluxation of left ankle joint, initial encounter                                                      |
| <b>S93.02XD</b> | Subluxation of left ankle joint, subsequent encounter                                                   |
| <b>S93.02XS</b> | Subluxation of left ankle joint, sequela                                                                |
| <b>S93.03XA</b> | Subluxation of unspecified ankle joint, initial encounter                                               |
| <b>S93.03XD</b> | Subluxation of unspecified ankle joint, subsequent encounter                                            |
| <b>S93.03XS</b> | Subluxation of unspecified ankle joint, sequela                                                         |
| <b>S93.101A</b> | Unspecified subluxation of right toe(s), initial encounter                                              |

|                 |                                                                                |
|-----------------|--------------------------------------------------------------------------------|
| <b>S93.101D</b> | Unspecified subluxation of right toe(s), subsequent encounter                  |
| <b>S93.101S</b> | Unspecified subluxation of right toe(s), sequela                               |
| <b>S93.102A</b> | Unspecified subluxation of left toe(s), initial encounter                      |
| <b>S93.102D</b> | Unspecified subluxation of left toe(s), subsequent encounter                   |
| <b>S93.102S</b> | Unspecified subluxation of left toe(s), sequela                                |
| <b>S93.103A</b> | Unspecified subluxation of unspecified toe(s), initial encounter               |
| <b>S93.103D</b> | Unspecified subluxation of unspecified toe(s), subsequent encounter            |
| <b>S93.103S</b> | Unspecified subluxation of unspecified toe(s), sequela                         |
| <b>S93.301A</b> | Unspecified subluxation of right foot, initial encounter                       |
| <b>S93.301D</b> | Unspecified subluxation of right foot, subsequent encounter                    |
| <b>S93.301S</b> | Unspecified subluxation of right foot, sequela                                 |
| <b>S93.302A</b> | Unspecified subluxation of left foot, initial encounter                        |
| <b>S93.302D</b> | Unspecified subluxation of left foot, subsequent encounter                     |
| <b>S93.302S</b> | Unspecified subluxation of left foot, sequela                                  |
| <b>S93.303A</b> | Unspecified subluxation of unspecified foot, initial encounter                 |
| <b>S93.303D</b> | Unspecified subluxation of unspecified foot, subsequent encounter              |
| <b>S93.303S</b> | Unspecified subluxation of unspecified foot, sequela                           |
| <b>S93.304A</b> | Unspecified dislocation of right foot, initial encounter                       |
| <b>S93.304D</b> | Unspecified dislocation of right foot, subsequent encounter                    |
| <b>S93.304S</b> | Unspecified dislocation of right foot, sequela                                 |
| <b>S93.305A</b> | Unspecified dislocation of left foot, initial encounter                        |
| <b>S93.305D</b> | Unspecified dislocation of left foot, subsequent encounter                     |
| <b>S93.305S</b> | Unspecified dislocation of left foot, sequela                                  |
| <b>S93.306A</b> | Unspecified dislocation of unspecified foot, initial encounter                 |
| <b>S93.306D</b> | Unspecified dislocation of unspecified foot, subsequent encounter              |
| <b>S93.306S</b> | Unspecified dislocation of unspecified foot, sequela                           |
| <b>S93.321A</b> | Subluxation of tarsometatarsal joint of right foot, initial encounter          |
| <b>S93.321D</b> | Subluxation of tarsometatarsal joint of right foot, subsequent encounter       |
| <b>S93.321S</b> | Subluxation of tarsometatarsal joint of right foot, sequela                    |
| <b>S93.322A</b> | Subluxation of tarsometatarsal joint of left foot, initial encounter           |
| <b>S93.322D</b> | Subluxation of tarsometatarsal joint of left foot, subsequent encounter        |
| <b>S93.322S</b> | Subluxation of tarsometatarsal joint of left foot, sequela                     |
| <b>S93.323A</b> | Subluxation of tarsometatarsal joint of unspecified foot, initial encounter    |
| <b>S93.323D</b> | Subluxation of tarsometatarsal joint of unspecified foot, subsequent encounter |
| <b>S93.323S</b> | Subluxation of tarsometatarsal joint of unspecified foot, sequela              |
| <b>S93.401A</b> | Sprain of unspecified ligament of right ankle, initial encounter               |
| <b>S93.401D</b> | Sprain of unspecified ligament of right ankle, subsequent encounter            |

|                 |                                                                               |
|-----------------|-------------------------------------------------------------------------------|
| <b>S93.401S</b> | Sprain of unspecified ligament of right ankle, sequela                        |
| <b>S93.402A</b> | Sprain of unspecified ligament of left ankle, initial encounter               |
| <b>S93.402D</b> | Sprain of unspecified ligament of left ankle, subsequent encounter            |
| <b>S93.402S</b> | Sprain of unspecified ligament of left ankle, sequela                         |
| <b>S93.409A</b> | Sprain of unspecified ligament of unspecified ankle, initial encounter        |
| <b>S93.409D</b> | Sprain of unspecified ligament of unspecified ankle, subsequent encounter     |
| <b>S93.409S</b> | Sprain of unspecified ligament of unspecified ankle, sequela                  |
| <b>S93.411A</b> | Sprain of calcaneofibular ligament of right ankle, initial encounter          |
| <b>S93.411D</b> | Sprain of calcaneofibular ligament of right ankle, subsequent encounter       |
| <b>S93.411S</b> | Sprain of calcaneofibular ligament of right ankle, sequela                    |
| <b>S93.412A</b> | Sprain of calcaneofibular ligament of left ankle, initial encounter           |
| <b>S93.412D</b> | Sprain of calcaneofibular ligament of left ankle, subsequent encounter        |
| <b>S93.412S</b> | Sprain of calcaneofibular ligament of left ankle, sequela                     |
| <b>S93.419A</b> | Sprain of calcaneofibular ligament of unspecified ankle, initial encounter    |
| <b>S93.419D</b> | Sprain of calcaneofibular ligament of unspecified ankle, subsequent encounter |
| <b>S93.419S</b> | Sprain of calcaneofibular ligament of unspecified ankle, sequela              |
| <b>S93.421A</b> | Sprain of deltoid ligament of right ankle, initial encounter                  |
| <b>S93.421D</b> | Sprain of deltoid ligament of right ankle, subsequent encounter               |
| <b>S93.421S</b> | Sprain of deltoid ligament of right ankle, sequela                            |
| <b>S93.422A</b> | Sprain of deltoid ligament of left ankle, initial encounter                   |
| <b>S93.422D</b> | Sprain of deltoid ligament of left ankle, subsequent encounter                |
| <b>S93.422S</b> | Sprain of deltoid ligament of left ankle, sequela                             |
| <b>S93.429A</b> | Sprain of deltoid ligament of unspecified ankle, initial encounter            |
| <b>S93.429D</b> | Sprain of deltoid ligament of unspecified ankle, subsequent encounter         |
| <b>S93.429S</b> | Sprain of deltoid ligament of unspecified ankle, sequela                      |
| <b>S93.431A</b> | Sprain of tibiofibular ligament of right ankle, initial encounter             |
| <b>S93.431D</b> | Sprain of tibiofibular ligament of right ankle, subsequent encounter          |
| <b>S93.431S</b> | Sprain of tibiofibular ligament of right ankle, sequela                       |
| <b>S93.432A</b> | Sprain of tibiofibular ligament of left ankle, initial encounter              |
| <b>S93.432D</b> | Sprain of tibiofibular ligament of left ankle, subsequent encounter           |
| <b>S93.432S</b> | Sprain of tibiofibular ligament of left ankle, sequela                        |
| <b>S93.439A</b> | Sprain of tibiofibular ligament of unspecified ankle, initial encounter       |
| <b>S93.439D</b> | Sprain of tibiofibular ligament of unspecified ankle, subsequent encounter    |
| <b>S93.439S</b> | Sprain of tibiofibular ligament of unspecified ankle, sequela                 |
| <b>S93.491A</b> | Sprain of other ligament of right ankle, initial encounter                    |
| <b>S93.491D</b> | Sprain of other ligament of right ankle, subsequent encounter                 |
| <b>S93.491S</b> | Sprain of other ligament of right ankle, sequela                              |

|                 |                                                                                    |
|-----------------|------------------------------------------------------------------------------------|
| <b>S93.492A</b> | Sprain of other ligament of left ankle, initial encounter                          |
| <b>S93.492D</b> | Sprain of other ligament of left ankle, subsequent encounter                       |
| <b>S93.492S</b> | Sprain of other ligament of left ankle, sequela                                    |
| <b>S93.499A</b> | Sprain of other ligament of unspecified ankle, initial encounter                   |
| <b>S93.499D</b> | Sprain of other ligament of unspecified ankle, subsequent encounter                |
| <b>S93.499S</b> | Sprain of other ligament of unspecified ankle, sequela                             |
| <b>S93.511A</b> | Sprain of interphalangeal joint of right great toe, initial encounter              |
| <b>S93.511D</b> | Sprain of interphalangeal joint of right great toe, subsequent encounter           |
| <b>S93.511S</b> | Sprain of interphalangeal joint of right great toe, sequela                        |
| <b>S93.512A</b> | Sprain of interphalangeal joint of left great toe, initial encounter               |
| <b>S93.512D</b> | Sprain of interphalangeal joint of left great toe, subsequent encounter            |
| <b>S93.512S</b> | Sprain of interphalangeal joint of left great toe, sequela                         |
| <b>S93.513A</b> | Sprain of interphalangeal joint of unspecified great toe, initial encounter        |
| <b>S93.513D</b> | Sprain of interphalangeal joint of unspecified great toe, subsequent encounter     |
| <b>S93.513S</b> | Sprain of interphalangeal joint of unspecified great toe, sequela                  |
| <b>S93.514A</b> | Sprain of interphalangeal joint of right lesser toe(s), initial encounter          |
| <b>S93.514D</b> | Sprain of interphalangeal joint of right lesser toe(s), subsequent encounter       |
| <b>S93.514S</b> | Sprain of interphalangeal joint of right lesser toe(s), sequela                    |
| <b>S93.515A</b> | Sprain of interphalangeal joint of left lesser toe(s), initial encounter           |
| <b>S93.515D</b> | Sprain of interphalangeal joint of left lesser toe(s), subsequent encounter        |
| <b>S93.515S</b> | Sprain of interphalangeal joint of left lesser toe(s), sequela                     |
| <b>S93.519A</b> | Sprain of interphalangeal joint of unspecified toe(s), initial encounter           |
| <b>S93.519D</b> | Sprain of interphalangeal joint of unspecified toe(s), subsequent encounter        |
| <b>S93.519S</b> | Sprain of interphalangeal joint of unspecified toe(s), sequela                     |
| <b>S93.521A</b> | Sprain of metatarsophalangeal joint of right great toe, initial encounter          |
| <b>S93.521D</b> | Sprain of metatarsophalangeal joint of right great toe, subsequent encounter       |
| <b>S93.521S</b> | Sprain of metatarsophalangeal joint of right great toe, sequela                    |
| <b>S93.522A</b> | Sprain of metatarsophalangeal joint of left great toe, initial encounter           |
| <b>S93.522D</b> | Sprain of metatarsophalangeal joint of left great toe, subsequent encounter        |
| <b>S93.522S</b> | Sprain of metatarsophalangeal joint of left great toe, sequela                     |
| <b>S93.523A</b> | Sprain of metatarsophalangeal joint of unspecified great toe, initial encounter    |
| <b>S93.523D</b> | Sprain of metatarsophalangeal joint of unspecified great toe, subsequent encounter |
| <b>S93.523S</b> | Sprain of metatarsophalangeal joint of unspecified great toe, sequela              |
| <b>S93.524A</b> | Sprain of metatarsophalangeal joint of right lesser toe(s), initial encounter      |
| <b>S93.524D</b> | Sprain of metatarsophalangeal joint of right lesser toe(s), subsequent encounter   |
| <b>S93.524S</b> | Sprain of metatarsophalangeal joint of right lesser toe(s), sequela                |
| <b>S93.525A</b> | Sprain of metatarsophalangeal joint of left lesser toe(s), initial encounter       |

|                 |                                                                                        |
|-----------------|----------------------------------------------------------------------------------------|
| <b>S93.525D</b> | Sprain of metatarsophalangeal joint of left lesser toe(s), subsequent encounter        |
| <b>S93.525S</b> | Sprain of metatarsophalangeal joint of left lesser toe(s), sequela                     |
| <b>S93.526A</b> | Sprain of metatarsophalangeal joint of unspecified lesser toe(s), initial encounter    |
| <b>S93.526D</b> | Sprain of metatarsophalangeal joint of unspecified lesser toe(s), subsequent encounter |
| <b>S93.526S</b> | Sprain of metatarsophalangeal joint of unspecified lesser toe(s), sequela              |
| <b>S93.601A</b> | Unspecified sprain of right foot, initial encounter                                    |
| <b>S93.601D</b> | Unspecified sprain of right foot, subsequent encounter                                 |
| <b>S93.601S</b> | Unspecified sprain of right foot, sequela                                              |
| <b>S93.602A</b> | Unspecified sprain of left foot, initial encounter                                     |
| <b>S93.602D</b> | Unspecified sprain of left foot, subsequent encounter                                  |
| <b>S93.602S</b> | Unspecified sprain of left foot, sequela                                               |
| <b>S93.609A</b> | Unspecified sprain of unspecified foot, initial encounter                              |
| <b>S93.609D</b> | Unspecified sprain of unspecified foot, subsequent encounter                           |
| <b>S93.609S</b> | Unspecified sprain of unspecified foot, sequela                                        |
| <b>S93.621A</b> | Sprain of tarsometatarsal ligament of right foot, initial encounter                    |
| <b>S93.621D</b> | Sprain of tarsometatarsal ligament of right foot, subsequent encounter                 |
| <b>S93.621S</b> | Sprain of tarsometatarsal ligament of right foot, sequela                              |
| <b>S93.622A</b> | Sprain of tarsometatarsal ligament of left foot, initial encounter                     |
| <b>S93.622D</b> | Sprain of tarsometatarsal ligament of left foot, subsequent encounter                  |
| <b>S93.622S</b> | Sprain of tarsometatarsal ligament of left foot, sequela                               |
| <b>S93.629A</b> | Sprain of tarsometatarsal ligament of unspecified foot, initial encounter              |
| <b>S93.629D</b> | Sprain of tarsometatarsal ligament of unspecified foot, subsequent encounter           |
| <b>S93.629S</b> | Sprain of tarsometatarsal ligament of unspecified foot, sequela                        |
| <b>S93.691A</b> | Other sprain of right foot, initial encounter                                          |
| <b>S93.691D</b> | Other sprain of right foot, subsequent encounter                                       |
| <b>S93.691S</b> | Other sprain of right foot, sequela                                                    |
| <b>S93.692A</b> | Other sprain of left foot, initial encounter                                           |
| <b>S93.692D</b> | Other sprain of left foot, subsequent encounter                                        |
| <b>S93.692S</b> | Other sprain of left foot, sequela                                                     |
| <b>S93.699A</b> | Other sprain of unspecified foot, initial encounter                                    |
| <b>S93.699D</b> | Other sprain of unspecified foot, subsequent encounter                                 |
| <b>S93.699S</b> | Other sprain of unspecified foot, sequela                                              |
| <b>S94.81XA</b> | Injury of other nerves at ankle and foot level, right leg, initial encounter           |
| <b>S94.81XD</b> | Injury of other nerves at ankle and foot level, right leg, subsequent encounter        |
| <b>S94.81XS</b> | Injury of other nerves at ankle and foot level, right leg, sequela                     |
| <b>S94.8X2A</b> | Injury of other nerves at ankle and foot level, left leg, initial encounter            |

|                 |                                                                                                                            |
|-----------------|----------------------------------------------------------------------------------------------------------------------------|
| <b>S94.8X2D</b> | Injury of other nerves at ankle and foot level, left leg, subsequent encounter                                             |
| <b>S94.8X2S</b> | Injury of other nerves at ankle and foot level, left leg, sequela                                                          |
| <b>S94.8X9A</b> | Injury of other nerves at ankle and foot level, unspecified leg, initial encounter                                         |
| <b>S94.8X9D</b> | Injury of other nerves at ankle and foot level, unspecified leg, subsequent encounter                                      |
| <b>S94.8X9S</b> | Injury of other nerves at ankle and foot level, unspecified leg, sequela                                                   |
| <b>S96.011A</b> | Strain of muscle and tendon of long flexor muscle of toe at ankle and foot level, right foot, initial encounter            |
| <b>S96.011D</b> | Strain of muscle and tendon of long flexor muscle of toe at ankle and foot level, right foot, subsequent encounter         |
| <b>S96.011S</b> | Strain of muscle and tendon of long flexor muscle of toe at ankle and foot level, right foot, sequela                      |
| <b>S96.012A</b> | Strain of muscle and tendon of long flexor muscle of toe at ankle and foot level, left foot, initial encounter             |
| <b>S96.012D</b> | Strain of muscle and tendon of long flexor muscle of toe at ankle and foot level, left foot, subsequent encounter          |
| <b>S96.012S</b> | Strain of muscle and tendon of long flexor muscle of toe at ankle and foot level, left foot, sequela                       |
| <b>S96.019A</b> | Strain of muscle and tendon of long flexor muscle of toe at ankle and foot level, unspecified foot, initial encounter      |
| <b>S96.019D</b> | Strain of muscle and tendon of long flexor muscle of toe at ankle and foot level, unspecified foot, subsequent encounter   |
| <b>S96.019S</b> | Strain of muscle and tendon of long flexor muscle of toe at ankle and foot level, unspecified foot, sequela                |
| <b>S96.111A</b> | Strain of muscle and tendon of long extensor muscle of toe at ankle and foot level, right foot, initial encounter          |
| <b>S96.111D</b> | Strain of muscle and tendon of long extensor muscle of toe at ankle and foot level, right foot, subsequent encounter       |
| <b>S96.111S</b> | Strain of muscle and tendon of long extensor muscle of toe at ankle and foot level, right foot, sequela                    |
| <b>S96.112A</b> | Strain of muscle and tendon of long extensor muscle of toe at ankle and foot level, left foot, initial encounter           |
| <b>S96.112D</b> | Strain of muscle and tendon of long extensor muscle of toe at ankle and foot level, left foot, subsequent encounter        |
| <b>S96.112S</b> | Strain of muscle and tendon of long extensor muscle of toe at ankle and foot level, left foot, sequela                     |
| <b>S96.119A</b> | Strain of muscle and tendon of long extensor muscle of toe at ankle and foot level, unspecified foot, initial encounter    |
| <b>S96.119D</b> | Strain of muscle and tendon of long extensor muscle of toe at ankle and foot level, unspecified foot, subsequent encounter |
| <b>S96.119S</b> | Strain of muscle and tendon of long extensor muscle of toe at ankle and foot level, unspecified foot, sequela              |
| <b>S96.211A</b> | Strain of intrinsic muscle and tendon at ankle and foot level, right foot, initial encounter                               |
| <b>S96.211D</b> | Strain of intrinsic muscle and tendon at ankle and foot level, right foot, subsequent encounter                            |
| <b>S96.211S</b> | Strain of intrinsic muscle and tendon at ankle and foot level, right foot, sequela                                         |

|                 |                                                                                                               |
|-----------------|---------------------------------------------------------------------------------------------------------------|
| <b>S96.212A</b> | Strain of intrinsic muscle and tendon at ankle and foot level, left foot, initial encounter                   |
| <b>S96.212D</b> | Strain of intrinsic muscle and tendon at ankle and foot level, left foot, subsequent encounter                |
| <b>S96.212S</b> | Strain of intrinsic muscle and tendon at ankle and foot level, left foot, sequela                             |
| <b>S96.219A</b> | Strain of intrinsic muscle and tendon at ankle and foot level, unspecified foot, initial encounter            |
| <b>S96.219D</b> | Strain of intrinsic muscle and tendon at ankle and foot level, unspecified foot, subsequent encounter         |
| <b>S96.219S</b> | Strain of intrinsic muscle and tendon at ankle and foot level, unspecified foot, sequela                      |
| <b>S96.811A</b> | Strain of other specified muscles and tendons at ankle and foot level, right foot, initial encounter          |
| <b>S96.811D</b> | Strain of other specified muscles and tendons at ankle and foot level, right foot, subsequent encounter       |
| <b>S96.811S</b> | Strain of other specified muscles and tendons at ankle and foot level, right foot, sequela                    |
| <b>S96.812A</b> | Strain of other specified muscles and tendons at ankle and foot level, left foot, initial encounter           |
| <b>S96.812D</b> | Strain of other specified muscles and tendons at ankle and foot level, left foot, subsequent encounter        |
| <b>S96.812S</b> | Strain of other specified muscles and tendons at ankle and foot level, left foot, sequela                     |
| <b>S96.819A</b> | Strain of other specified muscles and tendons at ankle and foot level, unspecified foot, initial encounter    |
| <b>S96.819D</b> | Strain of other specified muscles and tendons at ankle and foot level, unspecified foot, subsequent encounter |
| <b>S96.819S</b> | Strain of other specified muscles and tendons at ankle and foot level, unspecified foot, sequela              |
| <b>S96.911A</b> | Strain of unspecified muscle and tendon at ankle and foot level, right foot, initial encounter                |
| <b>S96.911D</b> | Strain of unspecified muscle and tendon at ankle and foot level, right foot, subsequent encounter             |
| <b>S96.911S</b> | Strain of unspecified muscle and tendon at ankle and foot level, right foot, sequela                          |
| <b>S96.912A</b> | Strain of unspecified muscle and tendon at ankle and foot level, left foot, initial encounter                 |
| <b>S96.912D</b> | Strain of unspecified muscle and tendon at ankle and foot level, left foot, subsequent encounter              |
| <b>S96.912S</b> | Strain of unspecified muscle and tendon at ankle and foot level, left foot, sequela                           |
| <b>S96.919A</b> | Strain of unspecified muscle and tendon at ankle and foot level, unspecified foot, initial encounter          |
| <b>S96.919D</b> | Strain of unspecified muscle and tendon at ankle and foot level, unspecified foot, subsequent encounter       |
| <b>S96.919S</b> | Strain of unspecified muscle and tendon at ankle and foot level, unspecified foot, sequela                    |

Attachment V  
Definitions of Acute, Chronic, Supportive,  
Preventive/Maintenance Care, and Activities of Daily Living

1. Most spinal joint problems fall into the following categories:

ACUTE CARE:

Acute care is considered treatment of an illness, injury, or condition, marked by a sudden onset or abrupt change of the member's health status that requires prompt medical attention. Acute care may range from outpatient evaluation and treatment to intensive inpatient care. Acute care is intended to produce measurable improvement or maximum rehabilitative potential within a reasonable and medically predictable period of time, or that is moving the member toward a less restrictive setting. Acute services means services which, according to generally accepted professional standards, are expected to provide or sustain significant, measurable clinical improvement within a reasonable and medically predictable period of time.

A patient's condition is considered to be acute when the patient is being treated for a new injury, or new exacerbation. The result of chiropractic treatment is expected to be an improvement in, or arrest of progression of the patient's condition. This result should be obtained within a reasonable and generally predictable period of time.

CHRONIC CARE:

A patient's condition is considered chronic when it is not expected to significantly improve or be resolved with further treatment. Cert definition: health services provided by a health care Professional for an established clinical condition that is expected to last a year or more and that requires ongoing clinical management attempting to restore the individual to highest function, minimize the negative effects of the condition and prevent complications related to chronic conditions. Examples of chronic conditions include anxiety disorder, asthma, bipolar disorder, COPD, diabetes, heart disease, major depression, post-traumatic stress disorder, schizophrenia or substance abuse.

SUPPORTIVE CARE:

Supportive care is defined as services provided for a known relapsing or recurring condition to prevent an exacerbation of symptoms that would require additional services to restore an individual to his or her usual state of health or to prevent progressive deterioration.

Documentation in the medical record must demonstrate that previously when the member reached therapeutic goals, they could not sustain this improvement and progressively deteriorated when treatment was withdrawn. This pattern must be clearly documented in the medical record with specific notation made as to the required treatment interval.

## PREVENTIVE/MAINTENANCE CARE:

Preventative/Maintenance Care is elective healthcare that is typically long-term, by definition not therapeutically necessary, but is provided at preferably regular intervals to prevent disease, prolong life, promote health and enhance the quality of life. This care may be provided after maximum therapeutic improvement, without a trial of withdrawal of treatment, to prevent symptomatic deterioration or it may be initiated with patients without symptoms in order to promote health and to prevent future problems. This care may incorporate screening/evaluation procedures designed to identify developing risks or problems that may pertain to the patient's health status and give care/advice for these. Preventive/maintenance care is provided to optimize a patient's health. Maintenance begins when the therapeutic goals of a treatment plan have been achieved and when no further functional progress is apparent or expected to occur.

## 2. ACTIVITIES OF DAILY LIVING:

Includes eating, toileting, transferring, bathing, dressing and mobility.

### Attachment VI Recommended Functional Assessment Collection

- Copenhagen Neck Functional Disability Scale
- Oswestry Low Back Pain Disability Questionnaire
- The Roland-Morris Low Back Pain and Disability Questionnaire
- Neck Disability Index
- The Quick Dash Outcome Measure
- Oxford Knee Score
- Spinal Stenosis Outcome Questionnaire
- Headache Disability Index
- Patient Rated Wrist Evaluation
- Pain Disability Questionnaire
- Quadruple Visual Analogue Scale (QVAS)
- Visual Analogue Scale (VAS)